CHEMTREC 24 Hour Emergency

Phone Number (800) 424-9300

For laboratory use only.

Not for drug, food or household use.

Section 1

# **Chemical Product and Company Information**

Innovating Science<sup>®</sup> by Aldon Corporation "cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177

#### COPPER(II) SULFATE, PENTAHYDRATE Product Synonyms Cupric Sulfate, 5-Hydrate Section 2 **Hazards Identification** Signal word: WARNING Precautionary statement: Pictograms: GHS07 / GHS09 P264: Wash hands thoroughly after handling. Target organs: Liver, Kidneys, Lungs, Spleen. P270: Do not eat, drink or smoke when using this product. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. GHS Classification: Remove contact lenses, if present and easy to do. Continue rinsing. Acute toxicity-oral (Category 4) P332+P313: If skin irritation occurs: Get medical attention. Skin irritation (Category 2) P337+P313: If eye irritation persists: Get medical attention. Eye irritation (Category 2A) P362+P364: Take off contaminated clothing and wash it before reuse. Aquatic acute toxicity (Category 1) P391: Collect spillage. Aquatic chronic toxicity (Category 1) P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations. GHS Label information: Hazard statement: H302: Harmful if swallowed. H315: Causes skin irritation. H319: Causes serious eve irritation. H410: Very toxic to aquatic life with long lasting effects.

Ca Prop 65 - This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

Section 3	Composition / Information on Ingredients					
Chemical Name		CAS #	%	EINECS		
Cupric sulfate		7758-99-8	>99%	231-847-6 (anhydrous)		
Section 4	First Aid Measures					

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SEVERE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

### Section 5 Fire Fighting Measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

## Section 6 Accidental Release Measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

## Section 7 Handling & Storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8	Exposure Controls / Personal Protection					
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)		
Exposure Linits.	Copper, dusts and mists, as Cu	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>		

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 Physical & Chemical Prop	perties	
Appearance: Blue, crystalline solid Odor: Odorless Odor threshold: Data not available pH: 3.7-4.2 (10% solution) Melting / Freezing point: 150°C (302°F) Boiling point: Decomposes Flash point: Non-flammable	Evaporation rate (=1): Not applicable Flammability (solid/gas): Not applicable Explosion limits: Lower / Upper: Not applicable Vapor pressure (mm Hg): 20 torr @ 22.5°C Vapor density (Air = 1): Data not available Relative density (Specific gravity): 2.284 Solubility(ies): 31.6 g/100 ml water @ 0°C	Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: $560^{\circ}C (1040^{\circ}F)$ Viscosity: Data not available. Molecular formula: CuSO <sub>4</sub> •5H <sub>2</sub> O Molecular weight: 249.68
Section 10 Stability & Reactivity		

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Hygroscopic material. Stable when kept dry, under normal temperature and pressure. Avoid high temperatures, exposure to air and incompatible materials.

Incompatible materials: Reducing agents, acetylene or nitromethane, magnesium, strong bases, alkalines, phosphates, hydrazine, zirconium. Can corrode aluminum, steel and iron.

Hazardous decomposition products: Oxides of sulfur and copper fumes.

# Section 11 Toxicological Information

Section 11	Toxicological information						
Acute toxicity: Oral-rat LD50: 300 mg/kg [Copper sulfate anhydrous] Skin corrosion/irritation: Data not available Respiratory or skin sensitization: Data not available Gern cell mutagenicity: Data not available Carcinogenity: Data not available Carcinogenity: Data not available NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-single exposure: Data not available STOT-single exposure: Data not available Aspiration hazard: Data not available Potential health effects: Inhalation: May cause irritation to the mucous membranes and upper respiratory tract. Ingestion: Ingestion can cause irritation to the digestive tract and abdominal pain. Skin: Contact with skin causes slight irritation. Excessive exposure may cause allergic dermatitis. May cause irritation or burns on wet skin. Eyes: Can cause severe irritation and may result in irreversible eye damage. Signs and symptoms of exposure: Note to physician: Probable mucosal damage may contradict the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed. Wilson's disease can be aggravated by excessive exposure. Symptoms include nausea, vomiting, gastrointestinal pain, diarrhea, dizziness, jaundice, and general debility. Additional information: RTECS #: GL8900000							
Section 12	Ecological Information						
Toxicity to fish: Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 mg/L [Copper sulfate anhydrous]   Toxicity to daphnia and other aquatic invertebrates: No data available   Toxicity to algae: No data available   Persistence and degradability: No data available   Mobility in soil: No data available   PBT and vPvB assessment: No data available   Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.							
Section 13	Disposal Considerations						
These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.							
Section 14	Transport Information						
UN/NA number: UN3077 Shipping name: Environmentally hazardous substances, solid, n.o.s., (Cupric sulfate)   Hazard class: 9 Packing group: III Reportable Quantity: 10 lbs (4.54 kg) Marine pollutant: Yes   Exceptions: Non regulated equal to or less than 4.539 Kg ; Reportable quantity equal to or more than 4.54 Kg 2012 ERG Guide # 171							
Section 15	Regulatory Information						
A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.							
Compone	nt	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	WHMIS Classification
Cupric sulfate		Listed	10 lbs (4.54 kg)	Not listed	Not listed	Not listed	D2B
Section 16	Additional Information						

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.