Page 1 of 4

Section 1 -- PRODUCT AND COMPANY IDENTIFICATION _____ HMIS CODES PRODUCT NAME Health 1 Flammability RectorSeal No. 5 2 0 Reactivity PRODUCT CODES В PPT 25790, 25631, 25551, 25431, 25300, 25271, 25191, 25112 CHEMICAL FAMILY: Organic USE Pipe Thread Sealant EMERGENCY TELEPHONE NO. MANUFACTURER'S NAME The RectorSeal Corporation Chemtrec 24 Hours 2601 Spenwick Drive (800) 424-9300 Houston, Texas 77055 USA DATE OF PREPARATION TECHNICAL SERVICE TELEPHONE NO. July 24, 2002 (800) 231-3345 Section 2 -- COMPOSITION/INFORMATION ON INGREDIENTS _____ % by WT CAS NO. INGREDIENT UNITS 20-30 123-42-2 Diacetone Alcohol ACGIH TLV 50 ppm OSHA PEL 50 ppm Section 3 -- HAZARDS IDENTIFICATION _____ SUMMARY OF ACUTE HAZARDS Irritation to eyes, nose and throat; drowsiness, narcosis, tremors and other CNS effects at high concentration. ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS INHALATION Nasal and respiratory irritation, dizziness, narcosis, headache, nausea, CNS depression and unconsciousness. EYE CONTACT Watering, blurred vision, inflammation and irritation which can result in corneal injury. SKIN CONTACT Irritation, dermatitis. INGESTION Nausea, vomiting; CNS depression; irritation of gastrointestinal tract, liver and peritoneal wall; lung congestion. SUMMARY OF CHRONIC HAZARDS Skin irritation and dermatitis. Possible liver and kidney damage. MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE Individuals with pre-existing or chronic diseases of the eyes, skin, respiratory system, cardiovascular system, gastrointestinal system, liver or kidneys may have increased susceptibility to excessive exposures. _____ Section 4 -- FIRST AID MEASURES _____ If INHALED: If overcome by exposure, remove victim to fresh air immediately. Give oxygen or artificial respiration as needed. Obtain emergency medical attention. Prompt action is essential.

MATERIAL SAFETY DATA SHEET

MSDS 0011

Immediately flush with large amounts of water for at least If on SKIN: 15 minutes. Get prompt medical attention. If in EYES: Flush eyes with large amounts of water for 15 minutes. Get medical attention. If SWALLOWED: If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person. Section 5 -- FIRE FIGHTING MEASURES _____ UEL LELFLASH POINT 150 F (65 C) SETA CC N/D N/D EXTINGUSING MEDIA Foam, dry chemical, carbon dioxide or water fog. SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus (SCBA) and other protective clothing. Hazardous decomposition products possible (see Section 10). UNUSUAL FIRE AND EXPLOSION HAZARDS: Combustible - moderate flash point. Vapors heavier than air and may travel along the ground or to low spots at considerable distances to a source of ignition resulting in potential flashback. Burning liquid may float on water. Heat may build up pressure and rupture containers. Section 6 -- ACCIDENTAL RELEASE MEASURES _____ STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Remove all sources of ignition. Use absorbent materials to prevent footing hazard and to contain. Ventilate area with natural or explosion-proof, forced air ventilation. Avoid flushing into sewers, drains, waterways, and soil. Wear protective clothing and respiratory protection during cleanup. Section 7 -- HANDLING AND STORAGE _____ PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep container closed and upright when not in use. Do not store near heat, sparks, or open flames. OTHER PRECAUTIONS: Avoid prolonged or repeated contact with skin or clothing. Empty containers may contain residues; treat as if full and observe all products precautions. Do not reuse empty containers. KEEP OUT OF REACH OF CHILDREN. Section 8 -- EXPOSURE CONTROLS/PERSONAL PROTECTION _____ RESPIRATORY PROTECTION (SPECIFY TYPE): In confined poorly ventilated areas, use NIOSH/MSHA approved air purifying or supplied air purifying or supplied air respirators. VENTILATION - LOCAL EXHAUST: Acceptable SPECIAL: Explosion-proof equipment. MECHANICAL (GENERAL): Preferable OTHER: N/A PROTECTIVE GLOVES: Wear rubber gloves. EYE PROTECTION: Chemical splash goggles (ANSI Z-87.1 or equivalent) OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls recommended. WORK/HYGIENIC PRACTICES: Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area. Launder contaminated clothing before reuse. Section 9 -- PHYSICAL AND CHEMICAL PROPERTIES _____ 322 F (161 C) @ 760mm Hg BOILING POINT: SPECIFIC GRAVITY (H20 = 1): 1.38

```
VAPOR PRESSURE (mm Hg):
                       0.3 @ 68 F (20 C)
MELTING POINT:
                       N/A
VAPOR DENSITY (AIR = 1):
                       1.1
EVAPORATION RATE (ETHYL ACETATE = 1): 0.14
APPEARANCE/ODOR:
                       Yellow Paste/Mild Odor
SOLUBILITY IN WATER:
                       238
______
      Section 10 -- STABILITY AND REACTIVITY
_____
STABILITY: Stable
CONDITIONS TO AVOID: Heat, sparks, open flames, and strong oxidizing.
 Temperatures above 500 F (260 C).
INCOMPATIBILITY (MATERIALS TO AVOID): Gaseous oxygen, strong oxidizing
 materials, molten alkali metals.
HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO2 and fragmented hydrocarbons.
HAZARDOUS POLYMERIZATION: Will not occur.
______
      Section 11 -- TOXICOLOGY INFORMATION
            _____
CHRONIC HEALTH HAZARDS
 No ingredients in this product is an IARC, NTP or OSHA Lister carcinogen.
_____
TOXICOLOGY DATA
Ingredient Name
_____
 Diacetone Alcohol
          Oral-Rat
                     LD50:4000 mg/kg
          Inhalation-Human TCLo: 100 ppm
Section 12 -- Ecological Information
_____
ECOLOGICAL DATA
Ingredient Name
          _____
 Diacetone Alcohol
           Food Chain Concentration Potential
                                  N/A
           WATERFOWL TOXICITY
                                   N/A
           BOD
                                   N/A
          AQUATIC TOXICITY
                                   N/A
Section 13 -- DISPOSAL CONSIDERATIONS
_____
Waste Classification: Non-regulated solid waste
             Approved landfill
Disposal Method:
Waste from this product is not considered hazardous as defined under the
 Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Dispose of in
 accordance with Federal, State, and Local regulation regarding pollution.
_____
      Section 14 -- TRANSPORTATION INFORMATION
_____
DOT:
          Non-Regulated
OCEAN (IMDG): Non-Regulated
AIR (IATA): Non-Regulated
          Non-Regulated
WHMIS (CANADA): Non-Regulated
Section 15 -- REGULATORY INFORMATION
_____
REGULATORY DATA
Ingredient Name
_____
```

Diacetone Alcohol	
SARA 313	N/A
TSCA Inventory	Yes
CERCLA RQ	N/A
RCRA Code	N/A
Section 16 OTHER INFORMATION	

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). The information herein is given in good faith, but no warranty, expressed or implied is made. Consult RectorSeal for further information: (713) 263-8001