SAFETY DATA SHEET

Date of issue/ Date of revision : 2011-08-04.



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II and Regulation (EC) No. 1272/2008 (CLP) - United Kingdom (UK)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

POTASSIUM DICHROMATE

Catalogue number	:	741040119
CAS number	:	7778-50-9
EC number	:	231-906-6
Index number	:	2 4-002-00-6
REACH Registration number	:	Not available.
Product type	:	Solid.
Chemical formula	:	<mark>€</mark> f2-O7.2K
1.2 Relevant identified uses of the s	ub	stance or mixture and uses advised against
Analytical reagent.		
1.3 Details of the supplier of the sa	afet	ty data sheet
POCH Spolka Akcyjna		

POCH Spolka Akcyjna 44-101 Gliwice, Sowinskiego 11str.

tel.: +48 32 239-21-81; fax: +48 32 239-24-87; e-mail: export@poch.com.pl

e-mail address of person responsible for this SDS

: sds@poch.com.pl

1.4 Emergency telephone number

Telephone number

: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

 Øx. Sol. 2, H272

 Acute Tox. 3, H301

 Acute Tox. 4, H312

 Acute Tox. 2, H330

 Skin Corr. 1B, H314

 Eye Dam. 1, H318

 Resp. Sens. 1, H334

 Skin Sens. 1, H317

 Muta. 1B, H340

 Carc. 1B, H350

 Repr. 1B, H360FD

 STOT SE 3, H335

 STOT RE 1, H372

 Aquatic Acute 1, H400

 Aquatic Chronic 1, H410

Classification according to Directive 67/548/EEC [DSD]

Ø; R8

Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60, R61 T+; R26 T; R25, R48/23 Xn; R21 C; R34 R42/43 N; R50/53

See Section 16 for the full text of the R phrases or H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	May intensify fire; oxidizer. Fatal if inhaled. Toxic if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause genetic defects. May cause cancer. May damage fertility or the unborn child. May cause respiratory irritation. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand. Obtain special instructions before use. Wear protective gloves. Wear eye or face protection: Recommended: Tightly-fitting goggles. Keep away from heat No smoking. Keep away from clothing, incompatible materials and combustible materials. Avoid release to the environment. Do not breathe dust. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Immediately call a POISON CENTER or physician. IF IN EYES: Immediately call a POISON CENTER or physician. Store locked up. Dispose of contents and container in accordance with all local, regional, national and international regulations.
2.3 Other hazards		
Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII	:	Not applicable.
Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	:	Not applicable.
Other hazards which do not result in classification	:	Not available.

SECTION 3: Composition/information on ingredients

			Class	ification	
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
potassium dichromate	EC: 231-906-6 CAS: 7778-50-9 Index: 024-002-00-6	100	O; R8 Carc. Cat. 2; R45 Muta. Cat. 2; R46 Repr. Cat. 2; R60, R61 T+; R26 T; R25, R48/23 Xn; R21 C; R34 R42/43 N; R50/53	Ox. Sol. 2, H272 Acute Tox. 3, H301 Acute Tox. 4, H312 Acute Tox. 2, H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Resp. Sens. 1, H317 Muta. 1B, H340 Carc. 1B, H350 Repr. 1B, H360FD STOT SE 3, H335 STOT RE 1, H372 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	[A]
			See Section 16 for the full text of the R-phrases declared above.	See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier, are classified and contribute to the classification of the substance and hence require reporting in this section.

Туре

[A] Constituent
 [B] Impurity
 [C] Stabilizing additive
 Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures		
Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention. Chemical burns must be treated promptly by a physician. Continue to rinse for at least 10 minutes.
Inhalation	:	Determedical attention immediately. Move exposed person to fresh air. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In the event of any complaints or symptoms, avoid further exposure.
Skin contact	:	Det medical attention immediately. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. In the event of any complaints or symptoms, avoid further exposure.
Ingestion	:	Determined attention immediately. Wash out mouth with water. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

4.2 most important symptoms and	CIIC	cis, both acute and delayed
Potential acute health effects		
Eye contact	:	🖉 auses serious eye damage.
Inhalation	:	Fatal if inhaled. May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin contact	:	Zauses severe burns. Harmful in contact with skin. May cause an allergic skin reaction.
Ingestion	:	₩ xic if swallowed. May cause burns to mouth, throat and stomach.
Over-exposure signs/symptoms		
Eye contact	:	Adverse symptoms may include the following: pain watering redness
Inhalation	:	Adverse symptoms may include the following: respiratory tract irritation coughing wheezing and breathing difficulties asthma reduced fetal weight increase in fetal deaths skeletal malformations

Skin contact	:	Adverse symptoms may include the following: pain or irritation redness blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion	:	Adverse symptoms may include the following: stomach pains reduced fetal weight increase in fetal deaths skeletal malformations
-		al attention and special treatment needed
Notes to physician	:	Feat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	:	No specific treatment.
Suitable extinguishing media	:	Se an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising from the	su	ibstance or mixture
Hazards from the substance or mixture	:	Oxidizing material. May intensify fire. This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.
Hazardous thermal decomposition products	:	Decomposition products may include the following materials: metal oxide/oxides
5.3 Advice for firefighters		
Special protective actions for fire- fighters	:	Fromptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. This material is very toxic to aquatic organisms. Fire water contaminated with this material must be container and prevented from being discharged to any waterway, sewer or drain.
Special protective equipment for fire-fighters	:	Fre-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

disposal contractor.

For non-emergency personnel	action shall be taken involving any personal risk or without suitable tr as. Keep unnecessary and unprotected personnel from entering. Do ed material. Shut off all ignition sources. No flares, smoking or flame quate ventilation. Wear appropriate respirator when ventilation is ina sonal protective equipment.	not touch or walk through s in hazard area. Provide
For emergency responders	ecialised clothing is required to deal with the spillage, take note of ar able and unsuitable materials. See also the information in "For non-e	
6.2 Environmental precautions	id dispersal of spilled material and runoff and contact with soil, water rm the relevant authorities if the product has caused environmental p ir). May be harmful to the environment if released in large quantities	
6.3 Methods and materials for con	and cleaning up	
Small spill	e containers from spill area. Vacuum or sweep up material and plac ainer. Use spark-proof tools and explosion-proof equipment. Dispo	

POTASSIUM DICHROMATE		
Large spill	Move containers from spill area. Approach release from upwind. Prevent entry into courses, basements or confined areas. Vacuum or sweep up material and place in labeled waste container. Use spark-proof tools and explosion-proof equipment. Dis licensed waste disposal contractor. Note: see section 1 for emergency contact infor 13 for waste disposal.	
6.4 Reference to other sections	:	See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling		
Protective measures	:	Fut on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from clothing, incompatible materials and combustible materials. Keep away from heat. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
7.2 Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Store locked up. Separate from reducing agents and combustible materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
7.3 Specific end use(s)		
Recommendations	:	Not available.
Industrial sector specific solutions	:	Not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

Product/ingredient	name	Exposure limit values
potassium dichromate		EH40/2005 WELs (United Kingdom (UK), 8/2007). Skin sensitizer. TWA: 0,05 mg/m³, (as Cr) 8 hour(s).
Recommended monitoring procedures	monitoring may be and/or the necessit Standard EN 689 fo	ins ingredients with exposure limits, personal, workplace atmosphere or biological required to determine the effectiveness of the ventilation or other control measures y to use respiratory protective equipment. Reference should be made to European or methods for the assessment of exposure by inhalation to chemical agents and locuments for methods for the determination of hazardous substances.
DNELs No DELs available.		
PNECs No PECs available.		
3.2 Exposure controls Appropriate engineering controls		quate ventilation. Use process enclosures, local exhaust ventilation or other Is to keep worker exposure to airborne contaminants below any recommended or
Individual protection measures	2	

POTASSIUM DICHROMATE : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking Hygiene measures and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. Eye/face protection Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. Recommended: Tightly-fitting goggles Skin protection Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. **Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Wear suitable protective clothing. Other skin protection : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. **Respiratory protection** : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Recommended: Dust respirator. **Environmental exposure** : Emissions from ventilation or work process equipment should be checked to ensure they comply with controls the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Solid. [Crystals.]
Color	: Red. Orange.
Odor	: Ødorless.
рН	: 4,8%]
Melting point/freezing point	: <mark>39</mark> 8°C
Initial boiling point and boiling range	: Not available.
Flash point	: Øpen cup: Not applicable.
Upper/lower flammability or explosive limits	: Not available.
Vapor pressure	: Not available.
Relative density	: 2,676
Solubility(ies)	: Not available.
Partition coefficient: n-octanol/water	: Not available.
Auto-ignition temperature	: Not applicable.
Decomposition temperature	: <mark>50</mark> 0°C
Viscosity	: Not available.
Bulk density	: 1/300 kg/m ³
Molecular weight	: 294,18 g/mole
9.2 Other information	
No additional information.	

SECTION 10: Stability and reactivity

10.1 Reactivity 10.2 Chemical stability 10.3 Possibility of hazardous reactions	 No specific test data related to reactivity available for this product or its ingredients. The product is stable. Hazardous reactions or instability may occur under certain conditions of storage or use. Conditions may include the following: contact with combustible materials Reactions may include the following:
10.4 Conditions to avoid 10.5 Incompatible materials	 risk of causing or intensifying fire No specific data. Reactive or incompatible with the following materials: combustible materials reducing materials
10.6 Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
potassium dichromate	LD50 Dermal LD50 Oral	Rabbit Rat	14 mg/kg 25 mg/kg	-
Conclusion/Summary	: Not available.			

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
potassium dichromate	Eyes - Severe irritant	Rabbit	-	140 milligrams	-
Conclusion/Summary	: Not available.		•		
Sensitization					
Conclusion/Summary	: Not available.				
Mutagenicity					
Conclusion/Summary	: Not available.				
Carcinogenicity					
Conclusion/Summary	: Not available.				
Reproductive toxicity					
Conclusion/Summary	: Not available.				
Specific target organ toxicity (sir	ngle exposure)				

Product/ingredient name	Category	Route of exposure	Target organs
potassium dichromate	Category 3		Respiratory tract irritation

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
potassium dichromate	Category 1	Not determined	Not determined

Aspiration hazard

Not available.

Information on the likely routes of exposure	:	
Eye contact	:	Causes serious eye damage.
Inhalation	:	✓atal if inhaled. May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin contact	:	Zauses severe burns. Harmful in contact with skin. May cause an allergic skin reaction.
Ingestion	:	Foxic if swallowed. May cause burns to mouth, throat and stomach.

POTASSIUM DICHROMATE

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms related to the physical, che	emical and toxicological characteristics
Eye contact :	Adverse symptoms may include the following: pain watering redness
Inhalation :	Adverse symptoms may include the following: respiratory tract irritation coughing wheezing and breathing difficulties asthma reduced fetal weight increase in fetal deaths skeletal malformations
Skin contact :	Adverse symptoms may include the following: pain or irritation redness blistering may occur reduced fetal weight increase in fetal deaths skeletal malformations
Ingestion :	Adverse symptoms may include the following: stomach pains reduced fetal weight increase in fetal deaths skeletal malformations

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Potential chronic health effects		
Not available.		
Conclusion/Summary	:	Not available.
General	:	Auses damage to organs through prolonged or repeated exposure. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	:	May cause cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity	:	May cause genetic defects.
Teratogenicity	:	May damage the unborn child.
Developmental effects	:	No known significant effects or critical hazards.
Fertility effects	:	May damage fertility.
Other information	:	Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
potassium dichromate	Acute EC50 0,51 ug/L Fresh water	Algae - Stephanodiscus hantzschii - Exponential growth phase	96 hours
	Acute EC50 65,7 ug/L	Algae - Pseudokirchneriella subcapitata - 3 days	72 hours
	Acute EC50 29610 ug/L Fresh water	Aquatic plants - Lemna minor - Exponential growth phase	4 days
	Acute EC50 73 ug/L Fresh water Acute LC50 0,002 mg/L Fresh water	Fish - Notemigonus crysoleucas Crustaceans - Ceriodaphnia rigaudi - Neonate - 24 hours	96 hours 48 hours

POTASSIUM DICHROMATE

	A	cute LC50 10 to 16 ppb Fresh water	Daphnia - Daphnia pulex - Neonate - <24 hours	48 hours
	С	hronic NOEC 18 ug/L Fresh water	Daphnia - Daphnia magna - <=24 hours	21 days
	С	hronic NOEC 1280 ug/L Fresh water	Fish - Pimephales promelas - Embryo - <24 hours	32 days
Conclusion/Summary	:	Not available.		
12.2 Persistence and degradability				
Conclusion/Summary	:	Not available.		
12.3 Bioaccumulative potential Not available.				
12.4 Mobility in soil				
Soil/water partition coefficient (K oc)	:	Not available.		
Mobility	:	Not available.		
12.5 Results of PBT and vPvB asses	ssn	nent		
РВТ	:	Not applicable.		
		P. Not available. B: Not available. T: Not available.	able.	
vPvB	: Not applicable.			
		🕫 Not available. vB: Not available.		
12.6 Other adverse effects	: No known significant effects or critical hazards.			

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Packaging	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN/ADNR	IMDG	ΙΑΤΑ
14.1 UN number	₩ 13288	<mark>₩</mark> ₩3288	<mark>₩</mark> ₩3288	V N3288
14.2 UN proper shipping name	VIC SOLID, INORGANIC, N.O.S. (potassium dichromate)	VIC SOLID, INORGANIC, N.O.S. (potassium dichromate)	VXIC SOLID, INORGANIC, N.O.S. (potassium dichromate). Marine pollutant (potassium dichromate)	♥ xic solid, inorganic, n.o.s. (potassium dichromate)
14.3 Transport hazard class(es)	6.1			
14.4 Packing group	W	W	W	W

POTASSIUM DICHROMATE

14.5 Environmental hazards	Ves.	<mark>∳∕</mark> es.	Ves.	<mark>∳∕</mark> es.
14.6 Special precautions for user	Not available.	Not available.	Not available.	Not available.
Additional information	Mazard identification number 60 Limited quantity 5 kg Special provisions 274 Tunnel code (E)		Emergency schedules (EmS) F-A, S-A	Passenger and Cargo AircraftQuantity limitation: 100 kg Packaging instructions: 670 Cargo Aircraft Only Quantity limitation: 200 kg Packaging instructions: 677 Limited Quantities - Passenger AircraftQuantity limitation: 10 kg Packaging instructions: Y645

14.7 Transport in bulk according to : Not available. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorization

Substances of very high concern

Carcinogen

Ingredient name	Status	Reference number		
Potassium dichromate	Candidate	ED/30/2010		

Mutagen

Ingredient name	Status	Reference number
Potassium dichromate	Candidate	ED/30/2010

Toxic to reproduction

Ingredient name	Status	Reference number		
Potassium dichromate	Candidate	ED/30/2010		

Annex XVII - Restrictions on the : Restricted to professional users. manufacture, placing on the market and use of certain

: Listed

dangerous substances, mixtures and articles

Other EU regulations

Europe inventory

: This material is listed or exempted.

Priority List Chemicals

Product/ingredient name	Carcinogenic effects	Mu	tagenic effects	Devel	opmental effects	F	ertility effects
potassium dichromate	Carc. 1B, H350	Mu	ıta. 1B, H340	Repr	⁻ . 1B, H360D	R	epr. 1B, H360F
Product/ingredient name	List name		Name on list		Classification		Notes
otassium dichromate	UK Occupational Exposure Limits EH - WEL		chromium (VI) compounds		Carc.		-

International regulations

15.2 Chemical Safety Assessment : Not available.

SECTION 16: Other information

 \checkmark Indicates information that has changed from previously issued version.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classifie	cation	Justification		
Øx. Sol. 2, H272		Regulatory data		
Acute Tox. 3, H301		Regulatory data		
Acute Tox. 4, H312		Regulatory data		
Acute Tox. 2, H330		On basis of test data		
Skin Corr. 1B, H314		Regulatory data		
Eye Dam. 1, H318		Regulatory data		
Resp. Sens. 1, H334		Regulatory data		
Skin Sens. 1, H317		Regulatory data		
Muta. 1B, H340		Regulatory data		
Carc. 1B, H350		Regulatory data		
Repr. 1B, H360FD		Regulatory data		
STOT SE 3, H335		Regulatory data		
STOT RE 1, H372		Regulatory data		
Aquatic Acute 1, H400		Regulatory data		
Aquatic Chronic 1, H410		Regulatory data		
Full text of abbreviated H	: H272 May intensify fire			
statements	H301 Toxic if swallow	ed.		
	H312 Harmful in conta	act with skin.		
		skin burns and eye damage.		
		Ilergic skin reaction.		
	H318 Causes serious	eye damage.		
	H330 Fatal if inhaled.			
	-	gy or asthma symptoms or breathing difficulties if inhaled.		
	H335 May cause resp	•		
	H340 May cause gene	etic defects.		
	H350 May cause cand			
		rtility. May damage the unborn child.		
		e to organs through prolonged or repeated exposure.		
	H400 Very toxic to aqu			
	H410 Very toxic to aqu	uatic life with long lasting effects.		
Full text of classifications	: Acute Tox. 2, H330	ACUTE TOXICITY: INHALATION - Category 2		
[CLP/GHS]	Acute Tox. 3, H301	ACUTE TOXICITY: ORAL - Category 3		
	Acute Tox. 4, H312	ACUTE TOXICITY: SKIN - Category 4		
	Aquatic Acute 1, H400	AQUATIC TOXICITY (ACUTE) - Category 1		
	Aquatic Chronic 1, H410	AQUATIC TOXICITY (CHRONIC) - Category 1		
	Carc. 1B, H350	CARCINOGENICITY - Category 1B		
	Eye Dam. 1, H318	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1		
	Muta. 1B, H340	GERM CELL MUTAGENICITY - Category 1B		
	Ox. Sol. 2, H272	OXIDIZING SOLIDS - Category 2		
	Repr. 1B, H360FD	TOXIC TO REPRODUCTION [Fertility and Unborn child] -		
		Category 1B		
	Resp. Sens. 1, H334	RESPIRATORY SENSITIZATION - Category 1		
	Skin Corr. 1B, H314	SKIN CORROSION/IRRITATION - Category 1B		
	Skin Sens. 1, H317	SKIN SENSITIZATION - Category 1		
	STOT RE 1, H372	SPECIFIC TARGET ORGAN TOXICITY (REPEATED		
		EXPOSURE) - Category 1		
	STOT SE 3, H335	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) [Respiratory tract irritation] - Category 3		
Full text of abbreviated R phrases	: R8- Contact with combustible n			
toxt of approviated it pillages	R45- May cause cancer.			
	R40- May cause cancer. R46- May cause heritable genetic damage. R60- May impair fertility.			
	R60- May impair lefulity. R61- May cause harm to the unborn child. R26- Also very toxic by inhalation. R25- Also toxic if swallowed.			
		erious damage to health by prolonged exposure through inhalation.		
	R21- Also harmful in contact wi			

	R34- Causes burns. R42/43- May cause sensitization by inhalation and skin contact. R50/53- Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
Full text of classifications [DSD/DPD]	 Oxidizing Carc. Cat. 2 - Carcinogen category 2 Muta. Cat. 2 - Mutagen category 2 Repr. Cat. 2 - Toxic to reproduction category 2 T+ - Very toxic T - Toxic C - Corrosive Xn - Harmful N - Dangerous for the environment
Date of printing	: 2011-08-04.
Date of issue/ Date of revision	: 2011-08-04.
Date of previous issue	: 2010-12-02.
Version	: 0.01
Notice to reader	

Notice to reader

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.