# SAFETY DATA SHEET

Version 5.12 Revision Date 09/21/2017 Print Date 11/05/2017

## 1. PRODUCT AND COMPANY IDENTIFICATION

1.1 Product identifiers

Product name : Phenol

Product Number : 185450
Brand : Sigma-Aldrich
Index-No. : 604-001-00-2

CAS-No. : 108-95-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich

3050 Spruce Street

SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052

1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887 (CHEMTREC)

#### 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301 Acute toxicity, Inhalation (Category 3), H331 Acute toxicity, Dermal (Category 3), H311 Skin corrosion (Category 1B), H314 Serious eye damage (Category 1), H318

Germ cell mutagenicity (Category 1), H318

Specific target organ toxicity - repeated exposure (Category 2), H373

Acute aquatic toxicity (Category 3), H402 Chronic aquatic toxicity (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.
H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

H402 Harmful to aquatic life.

H411	Toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth.
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately
D000 - D040	call a POISON CENTER/doctor.
P308 + P313	IF exposed or concerned: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P391	Collect spillage.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Vesicant., Rapidly absorbed through skin.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Synonyms : Hydroxybenzene

Registration number : 01-2119471329-32-XXXX

**Hazardous components** 

Component	Classification	Concentration
Phenol		
	Acute Tox. 3; Skin Corr. 1B;	90 - 100 %
	Eye Dam. 1; Muta. 2; STOT	
	RE 2; Aquatic Acute 3; Aquatic	
	Chronic 2; H301 + H311 +	
	H331, H314, H341, H373,	
	H402, H411	

For the full text of the H-Statements mentioned in this Section, see Section 16.

Sigma-Aldrich - 185450 Page 2 of 9

#### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

#### 5. FIREFIGHTING MEASURES

# 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

No data available

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## 5.4 Further information

No data available

# **6. ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

# 6.4 Reference to other sections

For disposal see section 13.

#### 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Sigma-Aldrich - 185450 Page 3 of 9

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Hygroscopic. Light sensitive. Store under inert gas.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control	Basis			
Dhanal	100.05.0	TIAZA	parameters	LICA ACCILL Threehold Limit Values			
Phenol	108-95-2	TWA	5.000000 ppm	USA. ACGIH Threshold Limit Values (TLV)			
	Remarks	Central Nerv	rment				
		Upper Respiratory Tract irritation					
		Lung damag	Lung damage				
		Substances	Substances for which there is a Biological Exposure Index or Indices				
		(see BEI® section)					
			le as a human carcinogen				
		Danger of cutaneous absorption					
		TWA	5.000000 ppm	USA. NIOSH Recommended			
			19.000000	Exposure Limits			
			mg/m3				
		Potential for dermal absorption					
		С	15.600000 ppm	USA. NIOSH Recommended			
			60.000000	Exposure Limits			
			mg/m3				
			dermal absorption				
		15 minute ceiling value					
		TWA	5.000000 ppm	USA. Occupational Exposure Limits			
			19.000000	(OSHA) - Table Z-1 Limits for Air			
			mg/m3	Contaminants			
		Skin designation					
		The value in	The value in mg/m3 is approximate.				
		PEL	5 ppm	California permissible exposure			
			19 mg/m3	limits for chemical contaminants			
				(Title 8, Article 107)			
		Skin					

Biological occupational exposure limits

Biological cocapational exposure initis							
Component	CAS-No.	Parameters	Value	Biological specimen	Basis		
Phenol	108-95-2	Phenol	250mg/g Creatinine	Urine	ACGIH - Biological Exposure Indices (BEI)		
	Remarks	End of shift (As soon as possible after exposure ceases)					

# 8.2 Exposure controls

## Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

## Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Sigma-Aldrich - 185450 Page 4 of 9

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm Break through time: 56 min

Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method:

EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

b) Odourc) Odour Thresholddata availableNo data available

d) pH 6.0

e) Melting point/freezing

point

Melting point/range: 40 - 42 °C (104 - 108 °F) - lit.

f) Initial boiling point and

boiling range

182 °C (360 °F) - lit.

g) Flash point 79.0 °C (174.2 °F) - closed cup

h) Evaporation rate No data availablei) Flammability (solid, gas) No data available

j) Upper/lower Upper explosion limit: 8.6 %(V) flammability or Lower explosion limit: 1.7 %(V)

explosive limits

) Vapour pressure 6.3 hPa (4.7 mmHg) at 55.0 °C (131.0 °F) 0.5 hPa (0.4 mmHg) at 20.0 °C (68.0 °F)

Vapour density No data available

m) Relative density 1.071 g/mL at 25 °C (77 °F)

Sigma-Aldrich - 185450 Page 5 of 9

n) Water solubility 84 g/l at 20 °C (68 °F)

Partition coefficient: n-

octanol/water

log Pow: 1.46

p) Auto-ignition temperature

715.0 °C (1,319.0 °F)

Decomposition

No data available

temperature

Viscosity

No data available

No data available s) Explosive properties Oxidizing properties No data available

9.2 Other safety information

> Surface tension 38.2 mN/m at 50.0 °C (122.0 °F)

## 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

r)

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

No data available

#### 10.5 Incompatible materials

Strong oxidizing agents, Strong bases, Strong acids

#### 10.6 **Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 317.0 mg/kg

Remarks: Behavioral: Convulsions or effect on seizure threshold.

LD50 Oral - Rat - 410.0 - 650.0 mg/kg

LC50 Inhalation - Rat - 8 h - 900 mg/m3

LD50 Dermal - Rabbit - 630.0 mg/kg

No data available

# Skin corrosion/irritation

Skin - Rabbit

Result: Severe skin irritation - 24 h

# Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive

(OECD Test Guideline 405)

## Respiratory or skin sensitisation

No data available

## Germ cell mutagenicity

In vitro tests showed mutagenic effects

Sigma-Aldrich - 185450 Page 6 of 9

## Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

No data available

No data available

#### Specific target organ toxicity - single exposure

No data available

#### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: Not available

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Circulatory collapse, tachypnea, paralysis, Convulsions, Coma., necrosis of mouth and G.I. Tract, Jaundice, respiratory failure, cardiac arrest To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

# 12. ECOLOGICAL INFORMATION

## 12.1 Toxicity

Toxicity to fish LC50 - Leuciscus idus (Golden orfe) - 14.00 - 25.00 mg/l - 48 h

LC50 - Carassius auratus (goldfish) - 36.10 - 68.80 mg/l - 96 h

Toxicity to daphnia and

EC50 - Daphnia magna (Water flea) - 56 mg/l - 48 h

other aquatic invertebrates

Toxicity to algae EC50 - Chlorella vulgaris (Fresh water algae) - 370.00 mg/l - 96 h

# 12.2 Persistence and degradability

Biodegradability Result: - Readily biodegradable.

## 12.3 Bioaccumulative potential

Bioaccumulation Danio rerio (zebra fish) - 5 h

- 2 mg/l

Bioconcentration factor (BCF): 17.5 Remarks: Does not bioaccumulate.

## 12.4 Mobility in soil

No data available

Sigma-Aldrich - 185450 Page 7 of 9

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Toxic to aquatic life with long lasting effects.

#### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

#### Contaminated packaging

Dispose of as unused product.

# 14. TRANSPORT INFORMATION

DOT (US)

UN number: 1671 Class: 6.1 Packing group: II

Proper shipping name: Phenol, solid Reportable Quantity (RQ): 1000 lbs Poison Inhalation Hazard: No

**IMDG** 

UN number: 1671 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: PHENOL, SOLID

Marine pollutant:yes

**IATA** 

UN number: 1671 Class: 6.1 Packing group: II

Proper shipping name: Phenol, solid

#### 15. REGULATORY INFORMATION

#### **SARA 302 Components**

The following components are subject to reporting levels established by SARA Title III, Section 302:

Phenol CAS-No. Revision Date 108-95-2 2007-07-01

**SARA 313 Components** 

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date
Phenol 108-95-2 2007-07-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components** 

CAS-No. Revision Date Phenol 108-95-2 2007-07-01

Pennsylvania Right To Know Components

CAS-No. Revision Date
Phenol 108-95-2 2007-07-01

**New Jersey Right To Know Components** 

CAS-No. Revision Date
Phenol 108-95-2 2007-07-01

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

Sigma-Aldrich - 185450 Page 8 of 9

#### 16. OTHER INFORMATION

#### Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic toxicity
Aquatic Chronic Chronic aquatic toxicity
Eye Dam. Serious eye damage
Toxic if swallowed.

H301 + H311 + Toxic if swallowed, in contact with skin or if inhaled.

H331

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H331 Toxic if inhaled.

H341 Suspected of causing genetic defects.

H373 May cause damage to organs through prolonged or repeated exposure.

## **HMIS Rating**

Health hazard: 3
Chronic Health Hazard: \*
Flammability: 0
Physical Hazard 0

## **NFPA Rating**

Health hazard: 3
Fire Hazard: 2
Reactivity Hazard: 0

#### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

## **Preparation Information**

Sigma-Aldrich Corporation Product Safety – Americas Region 1-800-521-8956

Version: 5.12 Revision Date: 09/21/2017 Print Date: 11/05/2017

Sigma-Aldrich - 185450 Page 9 of 9