

Material Name: OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name OXYGEN. COMPRESSED GAS **Synonyms** MTG MSDS 71; OXYGEN; DIOXYGEN; MOLECULAR OXYGEN; OXYGEN MOLECULE; PURE OXYGEN; UN 1072; LOX; HYPEROXIA; O2 **Chemical Family** inorganic, Gas **Product Description** Classification determined in accordance with Compressed Gas Association standards. **Product Use** Industrial and Specialty Gas Applications **Restrictions on Use** None known. Details of the supplier of the safety data sheet MATHESON TRI-GAS, INC. 150 Allen Road, Suite 302 Basking Ridge, NJ 07920 General Information: 1-800-416-2505 Emergency #: 1-800-424-9300 (CHEMTREC) Outside the US: 703-527-3887 (Call collect)

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200. Oxidizing Gases - Category 1 Gases Under Pressure - Compressed gas GHS Label Elements Symbol(s)



Signal Word Danger Hazard Statement(s) May cause or intensify fire; oxidizer. Contains gas under pressure; may explode if heated. Precautionary Statement(s) Prevention Keep valves and fittings free from oil and grease. Keep/Store away from clothing/combustible materials. Response

In case of fire: stop leak if safe to do so.

Storage

Protect from sunlight. Store in a well-ventilated place.



Material Name: OXYGEN, COMPRESSED GAS

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Other Hazards

Rapid release of compressed gas may cause frostbite.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS								
CAS	Component Name	Percent						
7782-44-7	OXYGEN, COMPRESSED GAS	100						

Section 4 - FIRST AID MEASURES

Inhalation

If adverse effects occur, remove to uncontaminated area. Get medical attention.

Skin

If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115°F; 41-46°C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.

Eyes

Flush eyes with plenty of water for at least 15 minutes. Get immediate medical attention.

Ingestion

If swallowed, get medical attention.

Most Important Symptoms/Effects

Acute

frostbite

Delayed

No information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically and supportively.

Note to Physicians

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

carbon dioxide, regular dry chemical, Large fires: Use water spray, fog or regular foam.

Unsuitable Extinguishing Media

None known.

Special Hazards Arising from the Chemical

Oxidizer. May ignite or explode on contact with combustible materials. Containers may rupture or explode if exposed to heat.

Hazardous Combustion Products

miscellaneous decomposition products

Fire Fighting Measures

Move container from fire area if it can be done without risk. Do not direct water at source of leak or safety devices; icing may occur. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. For fires in cargo or storage area: Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. If this is impossible then take the following precautions: Keep unnecessary people away, isolate hazard area and deny entry. Let the fire burn. Use extinguishing agents appropriate for surrounding fire. Cool containers with water from a protected location or from a safe distance.



Material Name: OXYGEN, COMPRESSED GAS

Special Protective Equipment and Precautions for Firefighters

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Avoid contact with combustible materials. Do not touch or walk through spilled material. Stop leak if possible without personal risk. Do not direct water at spill or source of leak. Keep unnecessary people away, isolate hazard area and deny entry. Isolate area until gas has dispersed. Ventilate closed spaces before entering. Use only non-sparking tools.

Environmental Precautions

Avoid release to the environment.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Keep away from clothing and other combustible materials. Keep reduction valves free from grease and oil. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Keep container tightly closed. Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Damaged cylinders should be handled only by specialists. Open valve slowly. Use only with equipment cleaned for oxygen service. To avoid fire or explosion, ground and bond container and receiving equipment (and ground personnel) before transferring material.

Conditions for Safe Storage, Including any Incompatibilities

Protect from sunlight. Store in a well-ventilated place.

Store in accordance with all current regulations and standards. Protect from physical damage. Avoid heat, flames, sparks and other sources of ignition. Store in a clean, cool, dry place. Store below 52 C. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances.

Incompatible Materials

combustible materials, halo carbons, metals, bases, reducing agents, amines, metal salts, oxidizing materials

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits. Use a back flow preventive device in the piping. Use only equipment of compatible materials of construction. Use only with equipment rated for cylinder pressure. Store in receptacles with relief valves, grounding and bonding, and secondary containment.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Wear splash resistant safety goggles. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin Protection

For the gas: Protective clothing is not required. For the liquid: Wear appropriate protective, cold insulating clothing.



Material Name: OXYGEN, COMPRESSED GAS

Respiratory Protection

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

Glove Recommendations

Wear insulated gloves.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES										
Appearance	colorless gas	Physical State	gas							
Odor	odorless	Color	colorless							
Odor Threshold	Not available	рН	Not available							
Melting Point	-218.4 °C (-361 °F)	Boiling Point	-182.96 °C (-297 °F)							
Boiling Point Range	Not available	Freezing point	Not available							
Evaporation Rate	Not available	Flammability (solid, gas)	Not flammable							
Autoignition Temperature	Not available	Flash Point	Not available							
Lower Explosive Limit	Not available	Decomposition temperature	Not available							
Upper Explosive Limit	Not available	Vapor Pressure	760 mmHg @ -183 °C							
Vapor Density (air=1)	1.43	Specific Gravity (water=1)	1.14 at -183 °C							
Water Solubility	3.2 % (@ 25 °C)	Partition coefficient: n- octanol/water	Not available							
Viscosity	0.02075 cp	Kinematic viscosity	Not available							
Solubility (Other)	Not available	Density	1.309 g/L at 25 °C							
Physical Form Compressed gas		Taste	tasteless							
Molecular Formula	02	Molecular Weight	31.9988							
Oxidising properties	Oxidizer									

Solvent Solubility Soluble alcohol

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected. **Chemical Stability**



Material Name: OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

Stable at normal temperatures and pressure. Possibility of Hazardous Reactions Will not polymerize. Oxidizer. Conditions to Avoid Avoid contact with combustible materials. Protect from physical damage and heat. Containers may rupture or explode if exposed to heat. Incompatible Materials combustible materials, halo carbons, metals, bases, reducing agents, amines, metal salts, oxidizing materials Hazardous decomposition products miscellaneous decomposition products Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure Inhalation

irritation, changes in body temperature, nausea, difficulty breathing, irregular heartbeat, chest pain, lung damage, dizziness, Disorientation, hallucinations, mood swings, pain in extremities, tremors, lung congestion, convulsions, cough **Skin Contact** frostbite, blisters **Eve Contact** frostbite, irritation, blurred vision Ingestion Ingestion of gas is unlikely. Acute and Chronic Toxicity **Component Analysis - LD50/LC50** The components of this material have been reviewed in various sources and no selected endpoints have been identified. **Product Toxicity Data Acute Toxicity Estimate** No data available. **Immediate Effects** frostbite **Delayed Effects** No information on significant adverse effects. **Irritation/Corrosivity Data** No data available. **Respiratory Sensitization** No data available. **Dermal Sensitization** No data available. **Component Carcinogenicity** None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA. **Germ Cell Mutagenicity** No data available. **Tumorigenic Data** No data available **Reproductive Toxicity** No data available. Specific Target Organ Toxicity - Single Exposure



Material Name: OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

No target organs identified. **Specific Target Organ Toxicity - Repeated Exposure** No target organs identified. **Aspiration hazard** Not expected to be an aspiration hazard. **Medical Conditions Aggravated by Exposure** No data available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity No LOLI ecotoxicity data are available for this product's components. Persistence and Degradability No data available. Bioaccumulative Potential No data available. Mobility

No data available.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents/container in accordance with local/regional/national/international regulations. **Component Waste Numbers**

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION

US DOT Information: Shipping Name: OXYGEN, COMPRESSED Hazard Class: 2.2 UN/NA #: UN1072 Required Label(s): 2.2, 5.1

IMDG Information:

Shipping Name: OXYGEN, COMPRESSED Hazard Class: 2.2 UN#: UN1072 Required Label(s): 2.2, 5.1 International Bulk Chemical Code

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

None of this product's components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan. SARA Section 311/312 (40 CFR 370 Subparts B and C) reporting categories

Gas Under Pressure; Oxidizer

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS CA	MA MN NJ
-----------	--------	----------



Material Name: OXYGEN, COMPRESSED GAS

OXYGEN, COMPRESSED GAS	7782-44-7	No	Yes	No	Yes	Yes	
------------------------	-----------	----	-----	----	-----	-----	--

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

Not listed under California Proposition 65.

Canada Regulations

Canadian WHMIS Ingredient Disclosure List (IDL)

The components of this product are either not listed on the IDL or are present below the threshold limit listed on the IDL.

Component Analysis - Inventory

OXYGEN, COMPRESSED GAS (7782-44-7)

US	CA	EU	AU	РН	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	тw	VN (Draft)
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	No	Yes	Yes	Yes	Yes	Yes

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 0 Fire: 0 Instability: 0 Other: OX = Oxidizer Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe **Preparation Date** 01/19/2016 **Revision date** 08/21/2018

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU -Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA -California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CERCLA -Comprehensive Environmental Response, Compensation, and Liability Act; CFR - Code of Federal Regulations (US); CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG -Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN -European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA -Environmental Protection Agency; EU - European Union; F - Fahrenheit; F - Background (for Venezuela Biological Exposure Indices); IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH -Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL), KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIsts[™] - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; Ne- Nonspecific; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; Nq - Non-quantitative; NSL – Non-Domestic Substance List (Canada); NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration;

SDS ID: MAT12831



Material Name: OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

PEL- Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH-Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA -Superfund Amendments and Reauthorization Act; Sc - Semi-quantitative; STEL - Short-term Exposure Limit; TCCA – Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW – Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); VN (Draft) - Vietnam (Draft); WHMIS - Workplace Hazardous Materials Information System (Canada). **Other Information**

Disclaimer:

Matheson Tri-Gas, Inc. makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Matheson Tri-Gas, Inc. shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.