# **MATERIAL SAFETY DATA SHEET**

**DATE PREPARED:** 05/02/2001

**MSDS No:** 7091

**ORTHO® RosePride Rose & Shrub Disease Control Concentrate** 

# 1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: ORTHO® RosePride Rose &Shrub Disease Control Concentrate

PRODUCT DESCRIPTION: Fungicide

#### **MANUFACTURER**

The ORTHO Group P.O. Box 1749 Columbus, OH 43216

EPA REG. NO.:239-2435B PN:6071

24 HR. EMERGENCY TELEPHONE NUMBERS

**Emergency Phone:** 1-800-225-2883

#### 2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical NameWt.%CAS#Triforine6.526644-46-2INERT INGREDIENTS~93.5

"Inert Ingredients" is a term defined by the U.S. Environmental Protection Agency under the Federal Insecticide, Fungicide, and Rodenticide Act (40 CFR 158.153). It refers to any substance, other than an active ingredient, which is intentionally added to a pesticide product. Some inert ingredients may be hazardous chemicals, as defined by the Federal OSHA Hazard Communication Standard (29 CFR 1910.1200). The hazards associated with these inert ingredients have been included in this document.

# 3. HAZARDS IDENTIFICATION

# **EMERGENCY OVERVIEW**

PHYSICAL APPEARANCE: Light amber liquid

IMMEDIATE CONCERNS:- KEEP OUT OF REACH OF CHILDREN
- CONTENTS UNDER PRESSURE

#### POTENTIAL HEALTH EFFECTS

EYES: This substance is a severe eye irritant and could cause permanent damage to your eyes and blindness. The degree of the injury will depend on the amount of material that gets into the eye and the speed and thoroughness of the first aid treatment. Symptoms of overexposure may include discomfort, irritation and redness, and blurred vision. See Toxicological Information, section 11.

SKIN: This substance is not expected to cause prolonged or significant skin irritation. This substance is slightly toxic to internal organs if absorbed through the skin. The degree of injury will depend on the amount absorbed. See Toxicological Information, section 11.

INGESTION: This substance is slightly toxic to internal organs if swallowed. See Toxicology Information, section 11.

INHALATION: This substance may be slightly toxic to internal organs if inhaled. The degree of injury will depend on the airborne concentration and duration of exposure. This substance may be irritating if inhaled. See Toxicological Information, section 11.

# 4. FIRST AID MEASURES

**EYES:**Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

**SKIN:** If on skin or clothing, take off contaminated clothing. Rinse skin immediately

with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

**INGESTION:** If swallowed, call a poison control center or doctor immediately for treatment advice. Have person sip glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Never give anything by mouth to an unconscious person.

**INHALATION:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

# 5. FIRE FIGHTING MEASURES

FLASHPOINT AND METHOD: 147°F TAG CC

**EXTINGUISHING MEDIA:** Alcohol Foam, CO2, Dry Chemical, Water Fog

**HAZARDOUS COMBUSTION PRODUCTS:**Hydrochloric acid gas may be formed in a fire.

**FIRE FIGHTING PROCEDURES:** Smoke from fires involving this material may present unusual hazards. Avoid breathing smoke and mists. Avoid contact with fallout and runoff. Minimize the amount of water used for fire fighting. Do not enter any enclosed area without full protective equipment, including self-contained breathing equipment. Contain and isolate runoff and debris for proper disposal. Read the entire document.

# 6. ACCIDENTAL RELEASE MEASURES

**SMALL SPILL:** Soak up spilled material with paper towels or other absorbent material and discard in trash. Product is highly flammable. Keep all sources of ignition away from spill.

**LARGE SPILL:** Eliminate all sources of ignition in vicinity of spill or released vapor.

Liquid spills on floor or other impervious surfaces should be contained or diked, and

should be absorbed with attapulgite, bentonite or other absorbent material. Collect contaminated absorbent, place in plastic-lined metal drum and dispose of in accordance with instructions provided under Section 13. "DISPOSAL". Thoroughly scrub floor or other impervious surface with a strong industrial type detergent solution and rinse with water.

For liquid spills that soak into the ground, contact the applicable Federal, State and or County Health Dept. for disposal recommendations. If disposal is required then refer to Section 13 "DISPOSAL" for instructions.

Leaking containers should be separated from non-leakers and either the container or its contents transferred to a drum or other non-leaking container and disposed of in accordance with instructions provided under Section 13 "Disposal". Any recovered spilled liquid should be similarly collected and disposed of.

Do not contaminate water, foodstuffs or feed by storage or disposal.

#### 7. HANDLING AND STORAGE

**GENERAL PROCEDURES:** Keep pesticide in original container. Avoid contamination of feed and foodstuffs. Store in a secure cool, dry place. Do not store diluted spray.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**ENGINEERING CONTROLS:** No special ventilation is normally required. However, if operating conditions create airborne concentrations which exceed the recommended exposure standards (in Section 8), then special ventilation may be required.

#### PERSONAL PROTECTION

EYES AND FACE: Appropriate eye protection must be worn when working with this material or serious harm can result. Wear chemical goggles or a face shield at all times.

SKIN: Avoid contact with skin or clothing. Skin contact should be minimized by wearing protective clothing including chemical resistant gloves.

RESPIRATORY: Handling of the undiluted product is not likely to present an airborne exposure concern during normal handling. In the event of an accidential discharge of the material during manufacture or handling which produces a heavy vapor or mist, workers should put on respiratory protection equipment. Consult respirator manufacturer to determine appropriate type of equipment. Observe respirator use limitations specified by NIOSH MSHA or the manufacturer.

For application of product diluted in accordance with label instructions, no special respiratory protection is required.

# OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

#### **EXPOSURE LIMITS**

| <b>Chemical Name</b> | OSHA PEL  | ACGIH TLV | ACGIH STEL |
|----------------------|-----------|-----------|------------|
| Triforine            | None      | None      | None       |
| Cyclohexanone        | 200 mg/m3 | 100 mg/m3 |            |
| N-Methyl Pyrrolidone | None      | None      | None       |
| Atlox 3406-F         | None      | None      | None       |

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE: Liquid

**ODOR:**Hydrocarbon Solvent

**APPEARANCE:**Light amber liquid

pH:No Data Available

PERCENT VOLATILE: No Data Available

VAPOR PRESSURE: No Data Available

VAPOR DENSITY: No data Available

**BOILING POINT:** No Data Available

FREEZING POINT:<25°F

**MELTING POINT:** No Data Available

**SOLUBILITY IN WATER:**Miscible with water.

**EVAPORATION RATE:**No Data Available

**SPECIFIC GRAVITY:**1.01 gr/cc at 20°C

**VISCOSITY:** No Data Available

# 10. STABILITY AND REACTIVITY

**STABLE:**YES

**HAZARDOUS POLYMERIZATION:**NO

**CONDITIONS TO AVOID:** No data available.

**HAZARDOUS DECOMPOSITION:** Hydrochloric acid gas may be formed in a fire.

**INCOMPATIBLE MATERIALS:** May react with strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.

# 11. TOXICOLOGICAL INFORMATION

#### **ACUTE**

EYES:Corrosive (irreversible destruction of ocular tissue); corneal involvement and irritation persisting for more than 21 days.

DERMAL LD $_{50}$ :Mild to slight irritation at 72 hours. The dermal LD50 in rabbits is 2 - 5 g/kg.

ORAL  $LD_{50}$ :The oral LD50 in female and male rats is 1.61 and 1.95 g/kg, respectively.

INHALATION LC $_{50}$ : The 4-hour Inhalation LC50 in rats is 2.6 mg/l (dilute).

# 12. ECOLOGICAL INFORMATION

ENVIRONMENTAL DATA: No data available.

**ECOTOXICOLOGICAL INFORMATION:** The active ingredient in this product "Triforine" has a low toxicity to plants, mammals, birds, beneficial insects and aquatic animals. (Data supplied by Shell International Chemical Company Ltd.)

# 13. DISPOSAL CONSIDERATIONS

**FOR LARGE SPILLS:** Material collected that cannot be reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State or local procedures.

**PRODUCT DISPOSAL:** If necessary to dispose of partially filled product container, securely wrap it in several layers of newspaper and discard in trash.

**EMPTY CONTAINER:** Do not reuse container. Rinse throughly before discarding in trash.

#### 14. TRANSPORT INFORMATION

**DOT (DEPARTMENT OF TRANSPORTATION)** 

PROPER SHIPPING NAME: Not Regulated

PRIMARY HAZARD CLASS/DIVISION: None

UN/NA NUMBER: None

PACKING GROUP:No.

**U.S. SURFACE FREIGHT CLASS:** Insecticides, Fungicides, Insect or animal repellents or vermin exterminators, NOI, Other than poison

**SPECIAL SHIPPING NOTES:** The description shown may not apply to all shipping situations. Consult 49CFR, or appropriate Dangerous Goods Regulations, for additional description requirements (e.g., technical name) and mode-specific or quantity-specific shipping requirements.

#### 15. REGULATORY INFORMATION

#### **UNITED STATES**

# SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

| PRODUCT CLASSIFICATION UNDER SECTION 311 OF SARA |          |       |                    |                |
|--|----------|-------|--------------------|----------------|
| <b>ACUTE:</b>                                    | CHRONIC: | FIRE: | <b>REACTIVITY:</b> | PRESSURE       |
| YES  | NO       | YES   | NO                 | GENERATING: NO |

**313 REPORTABLE INGREDIENTS:** Triforine. (CAS 26644-46-2) De Minimis Concentration for Section 313 of EPCRA is 1.0%.

#### TSCA (TOXIC SUBSTANCE CONTROL ACT)

**TSCA REGULATORY:** All non FIFRA regulated components are on the US EPA's TSCA Inventory List.

#### 16. OTHER INFORMATION

#### **HMIS CODES**

FIRE:2 HEALTH:3 REACTIVITY:0 PROTECTION:-

#### **NFPA CODES**

FIRE:2 HEALTH:3 REACTIVITY:0 SPECIAL:-

**APPROVAL DATE:**05/02/2001

**REVISION SUMMARY**New MSDS

MANUFACTURER DISCLAIMER: The information contained herein is, to the best of the Manufacturer's (see Section 1) knowledge and belief, accurate and reliable as of the date of preparation of this document. However, no warranty or guarantee, express or implied, is made as to the accuracy or reliability, and the Manufacturer shall not be liable for any loss or damage arising out of the use thereof. No authorization is given or implied to use any patented invention without a license. In addition, the Manufacturer shall not be liable for any damage or injury resulting from abnormal use, from any failure to adhere to recommended practices or from any hazards inherent in the nature of the product.