#### Safety Data Sheet



#### Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier	
Product Name •	Oxygen (Compressed)
Synonyms	Aviator's Breathing Oxygen (ABO); Oxygen USP
CAS Number	7782-44-7
Product Code	MSDS No: 10074
EC Number •	231-956-9
Molecular Formula	:O 2:
1.2 Relevant identified use	es of the substance or mixture and uses advised against
Relevant identified use(s)	Medical, welding and general analytical or synthetic chemical uses.
1.3 Details of the supplier	of the safety data sheet
Manufacturer •	Air Liquide
<b>-</b>	2700 Post Oak Blvd. Houston, TX 77056 United States www.us.airliquide.com sds@airliquide.com
Telephone (Technical) •	
Telephone (Technical) •	800-819-1704

#### 1.4 Emergency telephone number

Manufacturer	• 800-424-9300 - CHEMTREC
Manufacturer	• +1 703-527-3887 - Outside United States

#### **Section 2: Hazards Identification**

#### EU/EEC

According to EU Directive 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010] According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

#### 2.1 Classification of the substance or mixture

<u> </u>		
(:	Р	
-		

Oxidizing Gases 1 - H270
 Compressed Gas - H280

DSD/DPD

Oxidizing (O)

R8

# 2.2 Label Elements

#### DANGER

Hazard statements •	H270 - May cause or intensify fire; oxidizer H280 - Contains gas under pressure; may explode if heated
Precautionary statements	
Prevention •	P220 - Keep/Store away from clothing and other combustible materials. P244 - Keep reduction valves free from grease and oil.
Response 🛛	P370+P376 - In case of fire: Stop leak if safe to do so.
Storage/Disposal •	P403 - Store in a well-ventilated place.
DSD/DPD	
	*
Risk phrases 🖕	R8 - Contact with combustible material may cause fire.
2.3 Other Hazards	
CLP •	According to Regulation (EC) No. 1272/2008 (CLP) this material is considered

DSD/DPD

- According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.
  This product is considered dangerous according to the European Directive 67/548/EEC.
- ates (US)

#### United States (US) According to OSHA 29 CFR 1910.1200 HCS

#### 2.1 Classification of the substance or mixture

- OSHA HCS 2012
- Oxidizing Gases 1 H270 Compressed Gas - H280
- 2.2 Label elements OSHA HCS 2012
- DANGER



Hazard statements .	May cause or intensify fire; oxidizer - H270 Contains gas under pressure; may explode if heated - H280
Precautionary statements	
Prevention •	Keep/Store away from clothing and other combustible materials P220 Keep reduction valves free from grease and oil P244
Response .	In case of fire: Stop leak if safe to do so P370+P376
Storage/Disposal •	Store in a well-ventilated place P403
2.3 Other hazards	
OSHA HCS 2012 •	Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

#### Canada According to WHMIS

# 2.1 Classification of the substance or mixture

<ul> <li>Compressed Gas - A Oxidizing - C</li> </ul>
<ul> <li>Compressed Gas - A Oxidizing - C</li> </ul>
<ul> <li>In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).</li> </ul>

#### 2.4 Other information

None of the trace impurities in this product contribute significantly to the hazards • associated with the product. All hazard information pertinent to this product has been provided in the Safety Data Sheet, per the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200) and state equivalent standards.

NFPA



# Section 3 - Composition/Information on Ingredients

#### 3.1 Substances

Composition					
Chemical Name	Chemical Name Identifiers % LD50/LC50 Classifications According to Regulation/Directive		Classifications According to Regulation/Directive	Comments	
Oxygen	<b>CAS:</b> 7782-44-7 <b>EC Number:</b> 231-956- 9	> 99.5%	NDA	DA EU DSD/DPD: Annex I - O; R8 EU CLP: Annex VI - Ox. Gas 1 H270; Press. Gas - Comp., H280 OSHA HCS 2012: Ox. Gas 1; Press Gas Comp.	
Maximum Impurities		< 0.5%		WHMIS: EU DSD/DPD: EU CLP: OSHA HCS 2012:	NDA

#### 3.2 Mixtures

Material does not meet the criteria of a mixture in accordance with Regulation (EC) No 1272/2008.

See Section 16 for full text of H-statements and R-phrases.

#### **Section 4 - First Aid Measures**

#### 4.1 Description of first aid measures Inhalation • IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. If signs/symptoms continue, get medical attention. Skin Although exposure is unlikely, in case of contact immediately flush skin with running water. If skin irritation develops get medical advice/attention. First aid is not expected to be necessary if material is used under ordinary conditions Eve and as recommended. Hold eve open and rinse slowly and cently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Get medical attention immediately if symptoms occur. Ingestion First aid is not expected to be necessary if material is used under ordinary conditions and as recommended. Never give anything by mouth to an unconscious person. Do NOT induce vomiting. 4.2 Most important symptoms and effects, both acute and delayed Refer to Section 11 - Toxicological Information. 4.3 Indication of any immediate medical attention and special treatment needed Notes to Physician All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the possibility that overexposure to materials other than this product may have occurred. 4.4 Other information Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. RESCUERS SHOULD NOT ATTEMPT TO RETRIEVE VICTIMS OF EXPOSURE TO GASES WITHOUT ADEQUATE PERSONAL PROTECTIVE EQUIPMENT. At a minimum, Self-Contained Breathing Apparatus must be worn. Victim(s) who experience any adverse effect after overexposure to this gas mixture must be taken for medical attention. Rescuers should be taken for medical attention if necessary. Take a copy of the label and the MSDS to physician or other health professional with victim(s).

#### **Section 5 - Firefighting Measures**

#### 5.1 Extinguishing media

Suitable Extinguishing Media •	Use extinguishing agent suitable for type of surrounding fire. SMALL FIRES: Dry chemical or CO2. LARGE FIRES: Water spray or fog.
Unsuitable Extinguishing Media	No data available
5.2 Special hazards arising	g from the substance or mixture

Unusual Fire and Explosion Hazards	•	Containers may explode when heated. Ruptured cylinders may rocket.
Hazardous Combustion Products	•	No data available

#### **5.3 Advice for firefighters**

 Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
 Always wear thermal protective clothing when handling refrigerated/cryogenic liquids. Wear positive pressure self-contained breathing apparatus (SCBA). Move containers from fire area if you can do it without risk.
 FIRE: If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.
 FIRE INVOLVING TANKS: Fight fire from maximum distance or use unmanned hose holders or monitor nozzles.
 FIRE INVOLVING TANKS: Cool containers with flooding quantities of water until well **Personal Precautions** 

**Emergency Procedures** 

after fire is out. FIRE INVOLVING TANKS: Do not direct water at source of leak or safety devices; icing may occur. FIRE INVOLVING TANKS: Withdraw immediately in case of rising sound from venting safety devices or discoloration of tank. FIRE INVOLVING TANKS: ALWAYS stay away from tanks engulfed in fire.

#### **Section 6 - Accidental Release Measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

- Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material. Ventilate the area before entry.
- Stop leak if you can do it without risk. Keep unauthorized personnel away. Keep out of low areas. Stay upwind. Do not direct water at spill or source of leak. LARGE SPILL: Consider initial downwind evacuation for at least 500 meters (1/3 mile)

#### **6.2 Environmental precautions**

• No data available

#### 6.3 Methods and material for containment and cleaning up

	•••
Containment/Clean-up Measures	<ul> <li>Stop leak if you can do it without risk. Do not direct water at spill or source of leak. Use water spray to reduce vapors; do not put water directly on leak, spill area or inside container. If possible, turn leaking containers so that gas escapes rather than liquid. Isolate area until gas has dispersed. Ventilate the area. Allow substance to evaporate.</li> </ul>

#### 6.4 Reference to other sections

 Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

#### Section 7 - Handling and Storage

#### 7.1 Precautions for safe handling

Handling

Use only with adequate ventilation. Ventilate closed spaces before entering. Be aware of any signs of dizziness or fatigue, especially if work is done in a poorly ventilated area; exposures to fatal concentrations of this gas mixture could occur without any significant warning symptoms, due to olfactory fatigue or oxygen deficiency. Cylinders should be firmly secured to prevent falling or being knocked-over. Do not attempt to repair, adjust, or in any other way modify cylinders. If there is a malfunction or another type of operational problem, contact nearest distributor immediately. Empty containers retain product residue and can be hazardous. Do not cut, weld, puncture or incinerate container.

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage

- Store in a cool, dry, well-ventilated place. Protect cylinders against physical damage. Cylinders should be firmly secured to prevent falling or being knocked-over.
- 7.3 Specific end use(s)
- Refer to Section 1.2 Relevant identified uses.

#### **Section 8 - Exposure Controls/Personal Protection**

#### 8.1 Control parameters

**Exposure Limits/Guidelines** • Currently there are no applicable exposure limits established for this material.

8.2 Exposure controls	
Engineering Measures/Controls	<ul> <li>Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Use explosion-proof - electrical, ventilating and/or lighting equipment.</li> </ul>
Personal Protective Equipm	nent
Respiratory	No data available
Eye/Face	<ul> <li>Wear safety glasses.</li> </ul>
Skin/Body	<ul> <li>Wear leather gloves when handling cylinders.</li> </ul>
Environmental Exposure Controls	<ul> <li>Follow best practice for site management and disposal of waste. Controls should be engineered to prevent release to the environment, including procedures to prevent spills, atmospheric release and release to waterways.</li> </ul>

#### **Section 9 - Physical and Chemical Properties**

#### 9.1 Information on Physical and Chemical Properties

Material Description				
Physical Form	Gas	Appearance/Description	Colorless, odorless gas at normal temperature and pressure.	
Color	Colorless	Odor	Odorless	
Odor Threshold	Data lacking			
General Properties	-	-		
Boiling Point	-183 C(-297.4 F)	Melting Point	-218.8 C(-361.84 F)	
Decomposition Temperature	Data lacking	рН	Data lacking	
Specific Gravity/Relative Density	1.105 Water=1 @ 21.1 C(69.98 F)	Density	1.326 kg/m <sup>3</sup> @ 32 F(0 C)	
Water Solubility	0.0491 % @ 0 C(32 F)	Viscosity	Not relevant	
Explosive Properties	Data lacking	Oxidizing Properties:	Oxidizing gas.	
Volatility	-	-		
Vapor Pressure	Data lacking	Vapor Density	1.105 Air=1	
Evaporation Rate	Data lacking			
Flammability	-	-		
Flash Point	Not relevant	UEL	Not relevant	
LEL	Not relevant	Autoignition	Not relevant	
Flammability (solid, gas)	Not flammable.			
Environmental			·····	
Octanol/Water Partition coefficient	Not relevant			

#### 9.2 Other Information

• No additional physical and chemical parameters noted.

### Section 10: Stability and Reactivity

#### 10.1 Reactivity

• No dangerous reaction known under conditions of normal use.

#### **10.2 Chemical stability**

• Stable under normal temperatures and pressures.

## 10.3 Possibility of hazardous reactions

• Hazardous polymerization will not occur.

#### **10.4 Conditions to avoid**

No data available

#### **10.5 Incompatible materials**

• No data available

#### **10.6 Hazardous decomposition products**

• None

#### **Section 11 - Toxicological Information**

#### 11.1 Information on toxicological effects

	Oxygen (Compressed) 7782-44-7							
Test Type	Dosage	Route	Species	Duration	Results	Test Class	Target Organs	Comments
Reproductive	= 10 pph	Inhalation	Rat	9 Hour(s)	TCLo	NDA	NDA	NDA
GHS Properties				Classification	l			
Acute toxicity			EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met					
Aspiration Hazard				EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met				
Carcinogenicity				EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met				
Germ Cell Mutagenicity				EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met				
Skin corrosion/Irritation				EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met				
Skin sensitization				EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met				
STOT-RE				EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met				
STOT-SE				EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met				
Toxicity for Reproduction				EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met				
Respiratory sensi	tization			EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met				
Serious eye damage/Irritation				EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met				

# **Potential Health Effects**

#### Inhalation

Acute (Immediate)

- Under normal conditions of use, no health effects are expected. Chronic (Delayed)
  - No data available
- Skin
  - Acute (Immediate)
- Under normal conditions of use, no health effects are expected.

Chronic (Delayed) Eye Acute (Immediate) Chronic (Delayed) Ingestion Acute (Immediate) Chronic (Delayed)

**Key to abbreviations** TC = Toxic Concentration

- No data available
- Under normal conditions of use, no health effects are expected.
- No data available
- Under normal conditions of use, no health effects are expected.
- No data available

#### Section 12 - Ecological Information

#### 12.1 Toxicity

• Oxygen occurs naturally in the atmosphere. The gas will be dissipated rapidly in well ventilated areas.

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

- No data available
- 12.4 Mobility in Soil
- No data available
- 12.5 Results of PBT and vPvB assessment
  - PBT and vPvB assessment has not been conducted for this material.
- 12.6 Other adverse effects

#### Section 13 - Disposal Considerations

#### 13.1 Waste treatment methods

Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.
- Packaging waste
- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

# Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN1072	Oxygen, compressed	2.2	NDA	NDA
TDG	UN1072	OXYGEN, COMPRESSED	2.2	NDA	NDA
IMO/IMDG	UN1072	OXYGEN, COMPRESSED	2.2	NDA	NDA
IATA/ICAO	UN1072	Oxygen, compressed	2.2	NDA	NDA

# 14.6 Special precautions for user

 Cylinders should be transported in a secure position, in a well-ventilated vehicle. The transportation of compressed gas cylinders in automobiles or in closed-body vehicles can present serious safety hazards. If transporting these cylinders in vehicles, ensure these cylinders are not exposed to extremely high temperatures (as may occur in an enclosed vehicle on a hot day). Additionally, the vehicle should be well-ventilated during transportation.

Not relevant.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### **Section 15 - Regulatory Information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Pressure(Sudden Release of)

State Right To Know					
Component	CAS	МА	NJ	PA	
Oxygen	7782-44-7	Yes	Yes	Yes	
Maximum Impurities	NDA	No	No	No	

	Inventory						
Component	CAS	Canada DSL	Canada NDSL	China	EU EINECS	EU ELNICS	
Oxygen	7782-44-7	Yes	No	Yes	Yes	No	
Maximum Impurities	NDA	No	No	No	No	No	
	Inventory (Con't.)						
Component		CAS	Japan EN	CS	TSCA		
Oxygen		7782-44-7		No	Yes		
Maximum Impurities		NDA		No		No	

#### Canada

Labor

Canada - WHMIS - Classifications of Substances

• Oxygen 7782-44-7 A, C

Canada - WHMIS - Ingredient Disclosure List

Oxygen 7782-44-7 Not Listed

#### Environment

Canada - CEPA - Priority Substances List

Oxygen 7782-44-7 Not Listed

#### China

#### -Environment-

#### China - Ozone Depleting Substances - First Schedule

Oxygen 7782-44-7 Not Listed

#### China - Ozone Depleting Substances - Second Schedule

Oxygen 7782-44-7 Not Listed

#### China - Ozone Depleting Substances - Third Schedule

Oxygen 7782-44-7 Not Listed

```
Other
```

#### China - Annex I & II - Controlled Chemicals Lists

Oxygen 7782-44-7 Not Listed

China - Dangerous Goods List

• Oxygen 7782-44-7 UN1072; UN1073

**China - Export Control List - Part I Chemicals** 

Oxygen 7782-44-7 Not Listed

#### Europe

```
Other
EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification
```

```
• Oxygen 7782-44-7 O; R8
```

#### EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits

Oxygen 7782-44-7 Not Listed

#### Germany

#### - Environment

#### Germany - TA Luft - Types and Classes

Oxygen 7782-44-7 Not Listed

```
Germany - Water Classification (VwVwS) - Annex 1
```

• Oxygen 7782-44-7 ID Number 743, not considered hazardous to water

#### Germany - Water Classification (VwVwS) - Annex 2 - Water Hazard Classes

Oxygen 7782-44-7 Not Listed

#### Germany - Water Classification (VwVwS) - Annex 3

• Oxygen 7782-44-7 Not Listed

#### Other

#### Germany - Specifically Regulated Chemicals in TRGS

Oxygen 7782-44-7 Not Listed

#### Portugal

-Other

#### Portugal - Prohibited Substances

• Oxygen 7782-44-7 Not Listed

#### **United Kingdom**

#### -Environment-

United Kingdom - Pollution Inventory - Schedule 1 - Thresholds for Releases to Air

Oxygen 7782-44-7 Not Listed

#### United Kingdom - Substances Contained in Dangerous Substances or Preparations

• Oxygen 7782-44-7 Not Listed

#### Other

United Kingdom - Workplace Exposure Limits (WELs) - Substances in Review

Oxygen 7782-44-7 Not Listed

#### United Kingdom - The Red List - Dangerous Substances in Water

Oxygen 7782-44-7 Not Listed

#### **United States**

#### Labor

U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

Oxygen 7782-44-7 Not Listed

#### U.S. - OSHA - Specifically Regulated Chemicals

Oxygen 7782-44-7 Not Listed

#### Environment

# U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants Oxygen 7782-44-7 Not Listed U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities Oxygen 7782-44-7 Not Listed U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs Oxygen 7782-44-7 Not Listed U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs Oxygen 7782-44-7 Not Listed U.S. - CERCLA/SARA - Section 313 - Emission Reporting Oxygen 7782-44-7 Not Listed U.S. - RCRA (Resource Conservation & Recovery Act) - Basis for Listing - Appendix VII Oxygen 7782-44-7 Not Listed

U.S. - RCRA (Resource Conservation & Recovery Act) - List for Hazardous Constituents • Oxygen 7782-44-7 Not Listed

# United States - California

#### Environment

U.S. - California - Proposition 65 - Carcinogens List

Oxygen 7782-44-7 Not Listed

#### U.S. - California - Proposition 65 - Developmental Toxicity

```
    Oxygen 7782-44-7 Not Listed
```

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

Oxygen 7782-44-7 Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

Oxygen 7782-44-7 Not Listed

#### **United States - Pennsylvania**

Labor U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

Oxygen 7782-44-7 Not Listed

U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances

• Oxygen 7782-44-7 Not Listed

#### **15.2 Chemical Safety Assessment**

• No Chemical Safety Assessment has been carried out.

Section 16 - Other Information			
Last Revision Date Preparation Date	<ul><li>10/September/2013</li><li>10/September/2013</li></ul>		
Disclaimer/Statement of Liability	• To the best of Air Liquide's knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness are not guaranteed and no warranties of any type, either express or implied, are provided. The information contained herein relates only to this specific product. If this gas mixture is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult the latest edition.		