

**SECTION 1: Identification**

**1.1 Product identifier**

Trade name	<b>Lexol Leather Conditioner</b>
Alternative number(s)	0908 1008 1013 1014 1015 69520

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified uses	Consumer uses
--------------------------	---------------

**1.3 Details of the supplier of the safety data sheet**

American Covers, Inc. dba Handstands  
102 West 12200 South  
84020 Draper  
United States

Telephone: 1-800-228-8987 Hours: 8AM-5PM MST  
E-mail: Info@handstands.com

**1.4 Emergency telephone number**

(800) 255-3924 USA, Canada, Puerto Rico, and US Virgin Islands, +1 (813) 248-0585 International

**SECTION 2: Hazard(s) identification**

**2.1 Classification of the substance or mixture**

For full text of abbreviations: see SECTION 16.

Additional information

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**2.2 Label elements**

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

- Signal word not required
- Pictograms not required
- Precautionary statements  
P102 Keep out of reach of children.

**2.3 Other hazards**

There is no additional information.

## Lexol Leather Conditioner

Version number: 1.1

Date of compilation: 2016-07-08

Hazards not otherwise classified

Supplemental hazard information.

Contains SECONDARY ALCOHOL ETHOXYLATE. May produce an allergic reaction.

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not relevant (mixture)

**3.2 Mixtures**

Description of the mixture

Hazardous ingredients acc. to GHS			
Name of substance	Identifier	Wt%	Classification acc. to GHS
SECONDARY ALCOHOL ETH-OXYLATE	CAS No 68131-40-8	< 1	Acute Tox. 4 / H302 Skin Sens. 1B / H317
sodium hydroxide	CAS No 1310-73-2	< 1	Met. Corr. 1 / H290 Skin Corr. 1A / H314 Eye Dam. 1 / H318

Hazardous ingredients, Consideration of other advice

For the listed ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret.

For full text of abbreviations: see SECTION 16.

**SECTION 4: First-aid measures****4.1 Description of first-aid measures**

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

**Lexol Leather Conditioner**

Version number: 1.1

Date of compilation: 2016-07-08

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a physician immediately.

**4.2 Most important symptoms and effects, both acute and delayed**

Symptoms and effects are not known to date.

**4.3 Indication of any immediate medical attention and special treatment needed**

none

**SECTION 5: Fire-fighting measures****5.1 Extinguishing media**

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media

Water jet

**5.2 Special hazards arising from the substance or mixture**

Hazardous combustion products

Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)**5.3 Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapors/dust/aerosols/gases.

**6.2 Environmental precautions**

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose it.

**6.3 Methods and material for containment and cleaning up**

Advices on how to contain a spill

Covering of drains

Advices on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: Sawdust, Kieselgur (diatomite), Sand, Universal binder

## Lexol Leather Conditioner

Version number: 1.1

Date of compilation: 2016-07-08

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal precautions: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not to eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Control of the effects

Protect against external exposure, such as

Heat, High temperatures, Frost

### 7.3 Specific end use(s)

See section 16 for a general overview.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]
US	1310-73-2	PEL		2		

#### Notation

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

### 8.2 Exposure controls

## Lexol Leather Conditioner

Version number: 1.1

Date of compilation: 2016-07-08

## Appropriate engineering controls

General ventilation.

## Individual protection measures (personal protective equipment)

## Eye/face protection

Wear eye/face protection.

## Skin protection

## - Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

## - Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Physical state	liquid
Color	beige
Odor	sweet oily
pH (value)	6.5 - 8
Melting point/freezing point	not determined
Initial boiling point and boiling range	not determined
Flash point	Not flammable
Evaporation rate	not determined
Flammability (solid, gas)	not relevant (fluid)
Explosive limits	not determined
Vapor pressure	not determined
Density	not determined
Vapor density	this information is not available
Relative density	information on this property is not available
Solubility(ies)	not determined
Partition coefficient	not determined
Auto-ignition temperature	not determined
Viscosity	not determined
Explosive properties	none

Oxidizing properties

none

**SECTION 10: Stability and reactivity****10.1 Reactivity**

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

**10.2 Chemical stability**

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

**10.3 Possibility of hazardous reactions**

No known hazardous reactions.

**10.4 Conditions to avoid**

There are no specific conditions known which have to be avoided.

**10.5 Incompatible materials**

Oxidizers

**10.6 Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects**

Test data are not available for the complete mixture.

**Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

**Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)**

This mixture does not meet the criteria for classification.

**Acute toxicity**

Shall not be classified as acutely toxic.

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
SECONDARY ALCOHOL ETHOXYLATE	68131-40-8	oral	LD50	2,000 mg/kg	rat
SECONDARY ALCOHOL ETHOXYLATE	68131-40-8	dermal	LD50	>2,000 mg/kg	rat

**Skin corrosion/irritation**

Shall not be classified as corrosive/irritant to skin.

**Lexol Leather Conditioner**

Version number: 1.1

Date of compilation: 2016-07-08

**Serious eye damage/eye irritation**

Shall not be classified as seriously damaging to the eye or eye irritant.

**Respiratory or skin sensitization**

Shall not be classified as a respiratory or skin sensitizer.

**Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

**Carcinogenicity**

Shall not be classified as carcinogenic.

**Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

**Specific target organ toxicity - single exposure**

Shall not be classified as a specific target organ toxicant (single exposure).

**Specific target organ toxicity - repeated exposure**

Shall not be classified as a specific target organ toxicant (repeated exposure).

**Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

**SECTION 12: Ecological information**

**12.1 Toxicity**

Shall not be classified as hazardous to the aquatic environment.

**12.2 Persistence and degradability**

Data are not available

**12.3 Bioaccumulative potential**

Data are not available.

**12.4 Mobility in soil**

Data are not available.

**12.5 Results of PBT and vPvB assessment**

Data are not available.

**12.6 Other adverse effects**

**Endocrine disrupting potential**

None of the ingredients are listed.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packages

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

**Relevant provisions relating to waste**

List of wastes

Not assigned

**Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

**SECTION 14: Transport information**

- |  |                                      |
|--|--------------------------------------|
| <b>14.1 UN number</b>  | not subject to transport regulations |
| <b>14.2 UN proper shipping name</b>  | not relevant                         |
| <b>14.3 Transport hazard class(es)</b>   |                                      |
| Class  | -                                    |
| <b>14.4 Packing group</b>  | not relevant                         |
| <b>14.5 Environmental hazards</b>  | not relevant                         |
| <b>14.6 Special precautions for user</b>                                       |                                      |
| There is no additional information.  |                                      |
| <b>14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code</b> |                                      |
| The cargo is not intended to be carried in bulk.                               |                                      |

**Information for each of the UN Model Regulations****Transport of dangerous goods by road or rail (49 CFR US DOT)**

Not subject to transport regulations.

**International Maritime Dangerous Goods Code (IMDG)**

Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR)**

Not subject to ICAO-IATA.



### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations specific for the product in question

##### National regulations (United States)

##### SARA TITLE III (Superfund Amendment and Reauthorization Act)

- List of Extremely Hazardous Substances (40 CFR 355) (EPCRA Section 302 and 304)  
none of the ingredients are listed

##### CERCLA (Comprehensive Environmental Response, Compensation, and Liability Act)

- Section 102(A) Hazardous Substances (40 CFR 302.4)

Name of substance	CAS No	Remarks	Statutory code	Final RQ pounds (Kg)
sodium hydroxide	1310-73-2		1	1000 (454)

##### Legend

1 "1" indicates that the statutory source is section 311(b)(2) of the Clean Water Act

##### Clean Air Act

none of the ingredients are listed

##### New Jersey Worker and Community Right to Know Act N.J.S.A. 34:5A-1 et. seq.

##### Right to Know Hazardous Substance List

Name acc. to inventory	CAS No	Remarks	Classifications
sodium hydroxide	1310-73-2		CO R1

##### Legend

CO Corrosive  
R1 Reactive - First Degree

##### California Environmental Protection Agency (Cal/EPA): Proposition 65 Chemicals known to the State to cause cancer or reproductive toxicity

none of the ingredients are listed

##### Industry or sector specific available guidance(s)

##### NPCA-HMIS® III

Hazardous Materials Identification System. American Coatings Association.

Category	Rating	Description
Chronic	/	none
Health	0	no significant risk to health
Flammability	1	material that must be preheated before ignition can occur
Physical hazard	0	material that is normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosive
Personal protective equipment	-	

## Lexol Leather Conditioner

Version number: 1.1

Date of compilation: 2016-07-08

**NFPA® 704**

National Fire Protection Association: Standard System for the Identification of the Hazards of Materials for Emergency Response (United States).

Category	Degree of hazard	Description
Flammability	1	material that must be preheated before ignition can occur
Health	0	material that, under emergency conditions, would offer no hazard beyond that of ordinary combustible material
Instability	0	material that is normally stable, even under fire conditions
Special hazard		

**15.2 Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information, including date of preparation or last revision****Key literature references and sources for data**

OSHA Hazard Communication Standard (HCS), 29 CFR 1910.1200.

Transport of dangerous goods by road or rail (49 CFR US DOT). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

**Classification procedure**

Physical and chemical properties: The classification is based on tested mixture.

Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

**List of relevant phrases (code and full text as stated in chapter 2 and 3)**

List of relevant phrases (code and full text as stated in chapter 2 and 3).

Code.	Text.
H290.	May be corrosive to metals.
H302.	Harmful if swallowed.
H314.	Causes severe skin burns and eye damage.
H317.	May cause an allergic skin reaction.
H318.	Causes serious eye damage.

**Disclaimer**

This SDS has been compiled and is solely intended for this product. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.