

SAFETY DATA SHEET

Creation Date 22-Sep-2009

Revision Date 14-Feb-2020

Revision Number 2

1. Identification

Product Name

n-Butyl acetate, HPLC Grade

Cat No. :

CAS-No Synonyms 123-86-4 Butyl acetate; Acetic acid, butyl ester; 1-Butyl acetate

Recommended UseLaboratory chemicals.Uses advised againstFood, drug, pesticide or biocidal product use.Details of the supplier of the safety data sheet

39197

<u>Company</u>

Alfa Aesar Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 **Email:** tech@alfa.com www.alfa.com

Emergency Telephone Number

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Specific target organ toxicity (single exposure) Target Organs - Central nervous system (CNS).

Label Elements

Signal Word Warning

Hazard Statements Flammable liquid and vapor May cause drowsiness or dizziness Category 3 Category 3



Precautionary Statements Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Keep away from heat/sparks/open flames/hot surfaces. - No smoking Keep container tightly closed Ground/bond container and receiving equipment Use explosion-proof electrical/ventilating/lighting/equipment Use only non-sparking tools Take precautionary measures against static discharge Wear protective gloves/protective clothing/eye protection/face protection Keep cool Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower Fire In case of fire: Use CO2, dry chemical, or foam for extinction Storage Store in a well-ventilated place. Keep container tightly closed Store locked up Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Repeated exposure may cause skin dryness or cracking

3. Composition/Information on Ingredients

Component		CAS-No		Weight %			
n-Butyl acetate		123-86-4		<=100			
	4.	First-aid measure	es				
General Advice	ral Advice If symptoms persist, call a physician.						
Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Ge medical attention.						
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.						
Inhalation	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur.						
Ingestion	Clean mouth with water and drink afterwards plenty of water.						
Most important symptoms and effects	ms and Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tired nausea and vomiting						

Notes to Physician

Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Unsuitable Extinguishing MediaNo information availableFlash Point27 °C / 80.6 °FMethod -No information availableAutoignition Temperature415 °C / 779 °FExplosion LimitsUpper
LowerNo data availableOxidizing PropertiesNot oxidising

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO₂).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health 2	Flammability 2	Instability 0	Physical hazards N/A					
	6. Accidental re	lease measures						
Personal Precautions		on. Use personal protective equi precautionary measures against						
Environmental Precautions	Should not be released in sewer system.	to the environment. Do not flush	into surface water or sanitary					
Methods for Containment and CleanSoak up with inert absorbent material. Keep in suitable, closed containers for disposal.UpRemove all sources of ignition. Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment.								
	7. Handling	and storage						
Handling	ingestion and inhalation. I flames, hot surfaces and s		clothing. Keep away from open -sparking tools. Use spark-proof					
Storage	Keep containers tightly clo heat, sparks and flame. F	osed in a dry, cool and well-venti ammables area.	lated place. Keep away from					

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
n-Butyl acetate	TWA: 50 ppm	(Vacated) TWA: 150 ppm	IDLH: 1700 ppm	TWA: 150 ppm
-	STEL: 150 ppm	(Vacated) TWA: 710 mg/m ³	TWA: 150 ppm	TWA: 710 mg/m ³
		(Vacated) STEL: 200 ppm	TWA: 710 mg/m ³	STEL: 200 ppm
		(Vacated) STEL: 950 mg/m ³	STEL: 200 ppm	
		TWA: 150 ppm	STEL: 950 mg/m ³	
		TWA: 710 mg/m ³	-	

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting/equipment.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

Handle in accordance with good industrial hygiene and safety practice.

Physical and chemical properties	9. Ph	al and che	mical pro	perties
--	-------	------------	-----------	---------

	9. Physical and chemical properties
Physical State	Liquid
Appearance	Colorless
Odor	sweet
Odor Threshold	7 - 20 ppm
рН	6.2 @ 20°C
Melting Point/Range	-90 °C / -130 °F
Boiling Point/Range	126 °C / 258.8 °F
Flash Point	27 °C / 80.6 °F
Evaporation Rate	1.0 (ether = 1)
Flammability (solid,gas)	Not applicable
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	4
Specific Gravity	0.881 @ 20C
Solubility	insoluble
Partition coefficient; n-octanol/w	
Autoignition Temperature	415 °C / 779 °F
Decomposition Temperature	No information available
Viscosity	0.83 mPas @ 20°C
Molecular Formula	C6H12O2
Molecular Weight	116.16
Refractive index	1.393

10. Stability and reactivity						
Reactive Hazard	None known, based on information available					
Stability	Stable under normal conditions.					
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.					
Incompatible Materials	Strong oxidizing agents, Strong acids, Strong bases					
Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2)						
Hazardous Polymerization	Hazardous polymerization does not occur.					
Hazardous Reactions	None under normal processing.					

11. Toxicological information

Acute Toxicity

Product Information Component Information

Component Informa	ation							
Componer		LD50 Oral			D50 Dermal		Inhalation	
n-Butyl aceta	ate L	D50 = 10768 mg/kg(I	50 = 10768 mg/kg (Rat) LD50 > 17600 mg/kg (Rabbit) LC50 = 390 ppm (Rat) 4					
Toxicologically Syn	ergistic	No information ava	ailable					
Products								
Delayed and immed	liate effects as v	vell as chronic effe	cts from s	short and	l long-term exposi	ure		
Irritation		No information ava	ailable					
Sensitization No information available								
Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carc							as a carcinogen.	
Component	CAS-No	IARC	NTF	2 C	ACGIH	OSHA	Mexico	
n-Butyl acetate	123-86-4	Not listed	Not lis	ted	Not listed	Not listed	Not listed	
Mutagenic Effects		No information available						
Reproductive Effect	eproductive Effects No information available.							
Developmental Effe	cts	No information ava	ailable.					
Teratogenicity		No information available.						
STOT - single expos STOT - repeated ex		Central nervous system (CNS) None known						
Aspiration hazard		No information available						
Symptoms / effects delayed	,both acute and	d Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting						
Endocrine Disrupto	r Information	No information available						
Other Adverse Effe	cts	The toxicological p	oroperties h	nave not	been fully investiga	ted.		
		12. Ecolo	ogical	inforr	nation			
Ecotoxicity			3					

Ecotoxicity

Do not empty into drains.

Component Freshwater Algae			Freshwa	ter Fish	Microtox	Water Flea			
n-Butyl acetate	EC50: = 6	74.7 mg/L, 72h	Lepomis macro	ochirus: LC50:	EC50 = 70.0 mg/L 5 min	EC50: = 72.8 mg/L, 24h			
-	(Desn	nodesmus	100 mg	/L/96H	EC50 = 82.2 mg/L 15 min	(Daphnia magna)			
	subs	spicatus)	Pimephales	s promelas:	EC50 = 959 mg/L 18 h				
			LC50:17-19	9 mg/L/96h	EC50 = 98.9 mg/L 30 min				
Persistence and Degrada	bility	Persistence i	s unlikely bas	ed on inform	ation available.				
Bioaccumulation/ Accum	ulation	No information	on available.						
Mobility Will likely be mobile in the environment due to its volatility.									
	Componer	nt			log Pow				
n-Butyl acetate				2.3					
Use Disposal Methods Chemical waste generators must determine whether a discarded chemical is classific hazardous waste. Chemical waste generators must also consult local, regional, and the second sec						local, regional, and			
national hazardous waste regulations to ensure complete and accurate classification.									
DOT									
UN-No		UN1123							
Proper Shipping Nam		BUTYL ACE	τάτες						
Hazard Class		3							
		-							
Packing Group		III							
TDG									

Hazard Class	3
Packing Group	III
TDG	
UN-No	UN1123
Proper Shipping Name	BUTYL ACETATES
Hazard Class	3
Packing Group	III
IATA	
UN-No	UN1123
Proper Shipping Name	BUTYL ACETATES
Hazard Class	3
Packing Group	III
IMDG/IMO	
UN-No	UN1123
Proper Shipping Name	BUTYL ACETATES
Hazard Class	3
Packing Group	111

15. Regulatory information

United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
n-Butyl acetate	123-86-4	Х	ACTIVE	-

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
n-Butyl acetate	123-86-4	Х	-	204-658-1	Х	Х	Х	Х	KE-04179

U.S. Federal Regulations

SARA 313

Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
n-Butyl acetate	Х	5000 lb	-	-

Clean Air Act	Not applicable	

OSHA - Occupational Safety ar	nd Not applicable
Health Administration	

CERCLA

Not applicable

Component		Hazardous Substances RQs	CERCLA EHS RQs
n-Butyl acetate		5000 lb	-
California Proposition 65	This product does not contain any Proposition 65 chemicals.		emicals.

U.S. State Right-to-Know

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
n-Butyl acetate	Х	Х	Х	-	Х

U.S. Department of Transportation

U.S. Department of Homeland	This product does not contain any DHS chemicals.
DOT Severe Marine Pollutant	N
DOT Marine Pollutant	Ν
Reportable Quantity (RQ):	N

Security

Other International Regulations

Mexico - Grade

No information available

	16. Other information
Prepared By	Health, Safety and Environmental Department Email: tech@alfa.com www.alfa.com
Creation Date Revision Date Print Date Revision Summary	22-Sep-2009 14-Feb-2020 14-Feb-2020 SDS authoring systems update, replaces ChemGes SDS No. 123-86-4.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text