Product Name: Frank T Ross Ltd. Weldbond Universal Adhesive.

# 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY/UNDERTAKING

**Product Identifier:** 

Product Name Weldbond Universal Adhesive.

**Other Identification Means:** 

Synonyms None

**Use of Substance/Preparation and Restrictions:** 

Recommended Use: Adhesive.

Uses Advised Against:

No information available

**SDS Supplier Details:** 

Company Name: Frank T. Ross Limited.
Company Identification: 110 Riviera Drive, Unit 3

Markham, Optario I 3P 5M

Markham, Ontario L3R 5M1

**Company Emergency Telephone Number** Emergency Phone: 905-940-1107

#### 2. HAZARDS IDENTIFICATION

### **Classification:**

This product is not considered hazardous under the 2012 OSHA Hazard Communication Standard (29 CER 1910.1200) and WHMIS 2015.

#### GHS Label Elements, including precautionary statement:

#### **Emergency Overview:**

The product contains no substances which at given concentration, are considered to be hazardous to health.

Appearance: White, Viscous Physical State: Liquid Odour: Mild

## Signal Word (GHS-US):

None

#### **Hazard Pictograms (GHS-US):**

None

#### Hazard Statements (GHS-US):

Causes mild skin irritation
May cause slight eye irritation.

# Precautionary Statements (GHS-US) - Prevention:

None

Product Name: Frank T Ross Ltd. Weldbond Universal Adhesive.

Precautionary Statements (GHS-US) - Response:

None

Precautionary Statements (GHS-US) - Storage:

None

Precautionary Statements (GHS-US) - Disposal:

None

**Hazards not otherwise classified (HNOC):** 

None

**Interactions with Other Chemicals:** 

None

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical Description:** Chemical

Ingredient	CAS#	% by	Trade Secret
		Wt.	

No ingredients that require disclosure under OSHA or WHMIS 2015

<sup>\*</sup> The exact percentage (concentration) of composition has been withheld as a trade secret.

_				
	CIDCT	VID	MEASI	IDEC

First Aid Measures:

Eye Contact: Remove contacts. Flush with water for at least 20 minutes, occasionally lifting the

upper and lower eyelids. Get medical attention immediately.

**Skin Contact:** Thoroughly wash exposed skin with soap and water. Remove any contaminated

clothing and wash before reuse.

**Inhalation:** Remove to fresh air. If symptoms persist consult physician.

**Ingestion:** Wash out mouth with water. Drink plenty of water. Do not induce vomiting unless

directed by medical personal. Never give anything to an unconscious person. Get

medical aid.

**Notes to Physician:** 

Treatment based on judgment of attending physician.

Most Important symptoms and effects, both acute and delayed:

No information available

# 5. FIRE FIGHTING MEASURES

**Suitable Extinguishing Media** Flood with water for extinguishing agent. CO2, dry chemical, alcohol resistant

foam

Unsuitable Extinguishing Media

No information available.

Date: August 11, 2015

SDS: Frank T Ross Ltd Weldbond Universal Adhesive.

Product Name: Frank T Ross Ltd. Weldbond Universal Adhesive.

**Specific Exposure Hazards** Thermal decomposition releases irritating gases.

Hazardous Combustion Products Carbon Oxides.

**Explosion Data:** 

Sensitivity to Mechanical Impact: None.

Sensitivity to Static Discharge: None.

Special safety equipment: Self-contained positive pressure breathing apparatus (MSHA/NIOSH approved or

equivalent) and full protective clothing.

#### **6. ACCIDENTAL RELEASE MEASURES**

Personal Precautions, Protective Equipment and Emergency Procedures:

**General Measures:** Do not get in eyes, on skin, or on clothing. Do not breathe mist.

**Environmental Precautions:** 

**Environmental Precautions:** Prevent entry to sewers and public waters.

Methods and Material for Containment and Cleaning Up:

**Method for Containment:** Contain any spills with dikes to prevent migration and entry into sewers or

streams.

**Methods for Cleaning Up:** Clear up spills immediately with absorbent and dispose of waste safely.

**Procedures for Non-Emergency Personnel:** 

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Evacuate unnecessary personnel.

**Procedures for Emergency Personnel:** 

**Protective Equipment:** Equip cleanup crew with proper protection.

**Emergency Procedures:** Ventilate area.

**Reference to Other Sections:** See Heading 8. Exposure Controls and Personal Protection.

#### 7. HANDLING AND STORAGE

**Precautions for Safe Handling:** 

**Handling:** Ensure good ventilation/exhaustion at the workplace.

**Information about fire and explosion protection:** Keep respiratory protective device available.

Product Name: Frank T Ross Ltd. Weldbond Universal Adhesive.

No special measures required.

Conditions for safe storage, including any incompatibilities:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Protect from humidity and water.

Avoid storage near extreme heat, ignition sources or

open flame.

**Information about storage in one common storage facility:** Store away from foodstuffs.

**Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

Keep container tightly sealed. Store product above 5°C. Do not allow to freeze.

Shocking the emulsion with large amounts of chemicals or

extreme shear may cause coagulation.

Specific end use(s): Adhesive.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Control Parameters:** 

**Exposure Guidelines**This product, as supplied, does not contain any hazardous materials with

occupational exposure limits established by the region specific regulatory bodies.

**Appropriate Engineering Controls:** 

**Engineering Measures** Showers. Eyewash Stations. Ventilation Systems.

**Individual Protection Measures:** 

Protective not normally require for household use under normal conditions.

For industrial or institutional use see below.

**Eye protection:** Safety goggles.

**Skin protection:** Use body-covering impervious clothing.

**Hand protection:** Chemical resistant gloves.

**Respiratory protection:** Use local exhaust or dilution ventilation.

Working hygiene: Take usual precautions when handling. Workers should wash hands before

eating, drinking or smoking.

9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical and Chemical Properties** 

Physical State Liquid

Appearance Viscous Odour Typical

Date: August 11, 2015 SDS: Frank T Ross Ltd Weldbond Universal Adhesive.

Product Name: Frank T Ross Ltd. Weldbond Universal Adhesive.

Colour	White.	Odour Threshold	No information available.
<u>Property</u>	<u>Values</u>	Remarks/Method	
рН	No data available	None known	
Melting/Freezing Point	0°C/ 32F	None known	
Boiling Point/Range	Est 100 C / 212 F	None known	
Flash Point	None	None known	
Evaporation Rate	No data available	None known	
Flammability ( solid, gas)	No data available	None known	
Flammability Limit in Air:			
Upper Limit	No data available	None known	
Lower Limit	No data available	None known	
Vapour Pressure	No data available	None known	
Vapour density	No data available	None known	
Specific Gravity	1.095 g/cm3		
Water Solubility	Soluble in water.	None known	
Solubility Other Solvents	No data available	None known	
Partition Coefficient:			
n-octanol/water	No data available	None known	
Autoignition temperature	No data available	None known	
Decomposition	No data available	None known	
Temperature			
Kinematic Viscosity	No data available	None known	
Dynamic Viscosity	10,500-12,000 cps	None known	
Explosive Properties	No data available	None known	
Oxidizing Properties	No date available	None known	
Other Properties:			
Softening Point	No data available		
VOC Content %	0.9% or 9 grams per		
	liter		
Particle Size	No data available		
Particle Size Distribution	No data available		

# 10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under recommended storage conditions

Possibility of Hazardous Reactions: None under normal processing

Hazardous Polymerization:Does not occur.Conditions to avoid:Incompatible agentsIncompatible materials:Oxidizing agents, acids.

Hazardous Decomposition Products: Carbon oxides.

**Thermal Decomposition / Conditions to be avoided:** Residual monomer vapors can evolve when this product is

heated during processing operations. In such case use local exhaust ventilation with a minimum capture velocity of 30

M/Min at the point of monomer evolution.

Product Name: Frank T Ross Ltd. Weldbond Universal Adhesive.

#### 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure:

**Product Information** 

**Inhalation** Specific test data for substance/mixture not available

**Eye Contact** Slight irritation

Skin ContactSpecific test data for substance/mixture not availableIngestionSpecific test data for substance/mixture not available

## **Component Information:**

Chemical Name Oral LD50 Dermal LD50 Inhalation LC50

Weldbond <2,000 mg/Kg (oral/rat) <5,000 mg/Kg (dermal/rabbit) No data available.

Information on Toxicological Effects:

Symptoms None known

Delayed/Immediate/Chronic Effects from short and long term exposure:

Sensitization None known Mutagenic Effects None known

Carcinogenicity No ingredients listed as a carcinogen

Reproductive Toxicity
STOT- Single Exposure
None known
STOT Repeated exposure
None known
Chronic Toxicity
None known
None known
None known
None Known
Numerical Measures of Toxicity ( based on GHS Chapter 3.1)
Not applicable

## 12. ECOLOGICAL INFORMATION

Ecotoxicity: Not classified

Persistence and
Degradability:
Bioaccumulative Potential:
Mobility in Soil:
Other Adverse Effects:
No information available
No information available
No information available

**Other Information:** Avoid release to the environment.

#### 13. DISPOSAL CONSIDERATIONS

**Waste treatment Methods** 

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste. If chemical additions are made

otherwise comes in contact with a hazardous waste. If chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the

**Disposal Methods** 

Product Name: Frank T Ross Ltd. Weldbond Universal Adhesive.

appropriate stare, regional, or local regulations for additional requirements.

Dispose of contents/containers in accordance with Federal, State, Provincial and

Contaminated Packaging: local regulations.

**California Hazardous Waste** 

Codes

None.

**Ecology – Waste Materials:** Avoid release to the environment.

#### 13. TRANPORT INFORMATION

DOT: Not Regulated **Proper Shipping Name** Not Regulated **Hazard Class** Not Applicable TDG Not Regulated MEX Not Regulated **ICAO** Not Regulated IATA: Not Regulated **Proper Shipping Name** Not Regulated **Hazard Class** Not Applicable IMDG/IMO:

Hazard ClassNot ApplicableRIDNot RegulatedADRNot RegulatedADNNot Regulated

#### 15. REGULATORY INFORMATION

**International Inventories:** 

TSCA Complies

DSL All components are listed either on the DSL or NDSL

TSCA – Untied States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List.

#### **Canadian Regulations:**

Canadian WHMIS Classification: Not WHMIS regulated Canadian DSL: All components appear.

### **US Federal Regulations:**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories:

Acute Health Hazard No Chronic Health Hazard No

Product Name: Frank T Ross Ltd. Weldbond Universal Adhesive.

Fire Hazard No Sudden Release of Pressure Hazard No Reactive Hazard No

## **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA-Reportable	CWA-Toxic	CWA-Priority	CWA-Hazardous
	Qtys.	Pollutants	Pollutants	Substances

No chemical regulated under CWA.

#### **CERCLA**

This material, as supplied, does not contain substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERLA) (40 CFR 302)

Chemical Name	Hazardous Substances	Extremely Hazardous	
	RQs	Substances RQs	

None

# **US State Regulations:**

## **California Proposition 65**

This product does not contain any Proposition 65 Chemicals.

## **US State Right-To-Know Regulations**

Chemical Name New Jersey Massachusetts Pennsylvania Rhode Island Illinois

No chemicals on the right to know state regulations.

	Health Hazard	Flammability	Instability	Physical Hazard	Physical and Chemical Hazards – Personal Protections
NFPA	1	0	0	n/a	Χ
HMIS	1	0	n/a	0	В

### **HMIS III Rating**

Health: 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability: 0 Minimal Hazard

Physical: 0 Minimal Hazard

Personal Protection: B

Date: August 11, 2015

Product Name: Frank T Ross Ltd. Weldbond Universal Adhesive.

## **16. OTHER INFORMATION**

Prepared By: Lizmar

32 Louisa Street Toronto Ontario M8V 2k6 416-436-5054

**Issuing Date:** August 11, 2015.

Revision Date: None. Revision Note: None.

#### Disclaimer:

The manufacturer warrants that this product conforms to its standard specification when used according to direction. To the best of our knowledge the information contained herein is accurate. However we do not assume accuracy or completeness of the information contained herein.

Final determination of the suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**End of Safety Data Sheet**