# **Material Safety Data Sheet**

Version 3.4 Revision Date 01/17/2012 Print Date 06/03/2012

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : 1-Hexene

Product Number : 52930 Brand : Fluka

Supplier : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052 Emergency Phone # (For : (314) 776-6555

both supplier and

manufacturer)

Preparation Information : Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

#### 2. HAZARDS IDENTIFICATION

# **Emergency Overview**

# **OSHA Hazards**

Flammable liquid

#### **Target Organs**

Central nervous system

#### **GHS Classification**

Flammable liquids (Category 2) Aspiration hazard (Category 1)

# GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician.

P331 Do NOT induce vomiting.

**HMIS Classification** 

Health hazard: 0 Flammability: 3 Physical hazards: 0

**NFPA** Rating

Health hazard: 0 Fire: 3 Reactivity Hazard: 0

#### **Potential Health Effects**

InhalationMay be harmful if inhaled. May cause respiratory tract irritation.SkinMay be harmful if absorbed through skin. May cause skin irritation.

**Eyes** May cause eye irritation.

Ingestion May be harmful if swallowed. Aspiration hazard if swallowed - can enter lungs and

cause damage.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula :  $C_6H_{12}$ Molecular Weight : 84.16 g/mol

Component		Concentration
Hex-1-ene		
CAS-No.	592-41-6	-
EC-No.	209-753-1	

#### 4. FIRST AID MEASURES

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

# In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 5. FIREFIGHTING MEASURES

# Suitable extinguishing media

For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

#### Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

# **Hazardous combustion products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides

#### **Further information**

Use water spray to cool unopened containers.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

#### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

Fluka - 52930 Page 2 of 7

#### 7. HANDLING AND STORAGE

# Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

#### Conditions for safe storage

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Hex-1-ene	592-41-6	TWA	50 ppm	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Central Nerv	ous Syste	m impairment	-

#### Personal protective equipment

# **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# **Hand protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

# Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin and body protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### **Appearance**

Form liquid
Colour colourless

Safety data

pH no data available

Melting -140.0 °C (-220.0 °F)

point/freezing point

Boiling point 60 - 66 °C (140 - 151 °F) - lit. Flash point -25.0 °C (-13.0 °F) - closed cup

Ignition temperature 253 °C (487 °F)

Fluka - 52930 Page 3 of 7

Autoignition 253.0 °C (487.4 °F)

temperature

Lower explosion limit 1.2 %(V)

Vapour pressure 413.3 hPa (310.0 mmHg) at 37.7 °C (99.9 °F)

206.6 hPa (155.0 mmHg) at 21.1 °C (70.0 °F)

0.678 g/mL at 25 °C (77 °F) Density

Water solubility no data available Partition coefficient: no data available

n-octanol/water

Relative vapour

density

no data available

Odour Odour Threshold

Evaporation rate

no data available no data available no data available

# 10. STABILITY AND REACTIVITY

# **Chemical stability**

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

Vapours may form explosive mixture with air.

#### Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

# Materials to avoid

acids, Oxidizing agents

#### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - no data available

#### 11. TOXICOLOGICAL INFORMATION

### **Acute toxicity**

#### Oral LD50

no data available

### Inhalation LC50

LC50 Inhalation - rat - 4.0 h - 32000. ppm

Remarks: Behavioral:General anesthetic. Behavioral:Somnolence (general depressed activity). Lungs, Thorax, or Respiration:Other changes.

# **Dermal LD50**

no data available

# Other information on acute toxicity

no data available

#### Skin corrosion/irritation

no data available

# Serious eye damage/eye irritation

no data available

# Respiratory or skin sensitization

no data available

# Germ cell mutagenicity

# Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

#### Reproductive toxicity

no data available

# Teratogenicity

no data available

# Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

# Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

#### Aspiration hazard

May be fatal if swallowed and enters airways. The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

#### Potential health effects

**Inhalation** May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion May be harmful if swallowed. Aspiration hazard if swallowed - can enter lungs and cause

damage.

**Skin** May be harmful if absorbed through skin. May cause skin irritation.

**Eyes** May cause eye irritation.

#### Signs and Symptoms of Exposure

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, May cause cyanosis.

#### Synergistic effects

no data available

# Additional Information

RTECS: MP6670000

#### 12. ECOLOGICAL INFORMATION

# **Toxicity**

no data available

# Persistence and degradability

no data available

# Bioaccumulative potential

no data available

#### Mobility in soil

no data available

# PBT and vPvB assessment

no data available

#### Other adverse effects

no data available

#### 13. DISPOSAL CONSIDERATIONS

Fluka - 52930 Page 5 of 7

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Packing group: II

Packing group: II

#### Contaminated packaging

Dispose of as unused product.

#### 14. TRANSPORT INFORMATION

DOT (US)

UN number: 2370 Class: 3

Proper shipping name: 1-Hexene

Marine pollutant: No

Poison Inhalation Hazard: No

**IMDG** 

UN number: 2370 Class: 3

Proper shipping name: 1-HEXENE

Marine pollutant: No

**IATA** 

UN number: 2370 Class: 3

Proper shipping name: 1-Hexene

Packing group: II EMS-No: F-E, S-D

# 15. REGULATORY INFORMATION

#### **OSHA Hazards**

Flammable liquid

### **SARA 302 Components**

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

# **SARA 313 Components**

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# SARA 311/312 Hazards

Fire Hazard

#### **Massachusetts Right To Know Components**

	CAS-No.	Revision Date
Hex-1-ene	592-41-6	2007-03-01
Pennsylvania Right To Know Components		
	CAS-No.	<b>Revision Date</b>
Hex-1-ene	592-41-6	2007-03-01
New Jersey Right To Know Components		
	CAS-No.	<b>Revision Date</b>
Hex-1-ene	592-41-6	2007-03-01

#### California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# 16. OTHER INFORMATION

#### **Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Fluka - 52930 Page 6 of 7

Fluka - 52930 Page 7 of 7