



MATHESON

ask. . .The Gas Professionals™

Safety Data Sheet

Material Name: OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

OXYGEN, COMPRESSED GAS

Synonyms

MTG MSDS 71; OXYGEN; DIOXYGEN; MOLECULAR OXYGEN; OXYGEN MOLECULE; PURE OXYGEN; UN 1072; LOX; HYPEROXIA; O2

Chemical Family

inorganic, Gas

Product Use

Industrial and Specialty Gas Applications

Restrictions on Use

None known.

Details of the supplier of the safety data sheet

MATHESON TRI-GAS, INC.

150 Allen Road, Suite 302

Basking Ridge, NJ 07920

General Information: 1-800-416-2505

Emergency #: 1-800-424-9300 (CHEMTREC)

Outside the US: 703-527-3887 (Call collect)

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200.

Oxidizing Gases - Category 1

Gases Under Pressure - Compressed gas

Specific Target Organ Toxicity - Single Exposure - Category 3

GHS Label Elements

Symbol(s)



Signal Word

Danger

Hazard Statement(s)

May cause or intensify fire; oxidizer.

Contains gas under pressure; may explode if heated.

May cause respiratory irritation.

Precautionary Statement(s)

Prevention

Keep away from clothing and other combustible materials.

Keep reduction valves free from grease and oil.

Response

In case of fire: stop leak if safe to do so.

Storage

Protect from sunlight. Store in a well-ventilated place.

**MATHESON**

ask. . .The Gas Professionals™

Safety Data Sheet

Material Name: OXYGEN, COMPRESSED GAS**SDS ID: MAT12831****Disposal**

Dispose in accordance with all applicable regulations.

Other Hazards

Rapid release of compressed gas may cause frostbite.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
7782-44-7	OXYGEN, COMPRESSED GAS	100

Section 4 - FIRST AID MEASURES**Inhalation**

If adverse effects occur, remove to uncontaminated area. Get medical attention.

Skin

If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115 F; 41-46 C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.

Eyes

Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

Ingestion

If swallowed, get medical attention.

Most Important Symptoms/Effects**Acute**

frostbite

Delayed

no information on significant adverse effects.

Note to Physicians

Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES**Extinguishing Media****Suitable Extinguishing Media**

carbon dioxide, regular dry chemical, Large fires: Use water spray, fog or regular foam.

Unsuitable Extinguishing Media

None known.

Special Hazards Arising from the Chemical

Oxidizer. May ignite or explode on contact with combustible materials. Containers may rupture or explode if exposed to heat.

Hazardous Combustion Products

miscellaneous decomposition products

Fire Fighting Measures

Move container from fire area if it can be done without risk. Do not direct water at source of leak or safety devices; icing may occur. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. For fires in cargo or storage area: Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. If this is impossible then take the following precautions: Keep unnecessary people away, isolate hazard area and deny entry. Let the fire burn. Use extinguishing agents appropriate for surrounding fire. Cool containers with water. Apply water from a protected location or from a safe distance.

Special Protective Equipment and Precautions for Firefighters

**MATHESON**

ask. . .The Gas Professionals™

Safety Data Sheet

Material Name: OXYGEN, COMPRESSED GAS**SDS ID: MAT12831**

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Avoid contact with combustible materials. Do not touch or walk through spilled material. Stop leak if possible without personal risk. Do not direct water at spill or source of leak. Keep unnecessary people away, isolate hazard area and deny entry. Isolate area until gas has dispersed. Ventilate closed spaces before entering.

Environmental Precautions

Avoid release to the environment.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Keep away from clothing and other combustible materials. Keep reduction valves free from grease and oil.

Conditions for Safe Storage, Including any Incompatibilities

Protect from sunlight. Store in a well-ventilated place.

Store in accordance with all current regulations and standards. Protect from physical damage. Avoid heat, flames, sparks and other sources of ignition. Store in a clean, cool, dry place. Store below 52 C. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances.

Incompatible Materials

combustible materials, halo carbons, metals, bases, reducing agents, amines, metal salts, oxidizing materials

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

Individual Protection Measures, such as Personal Protective Equipment**Eye/face protection**

Wear splash resistant safety goggles. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

Skin Protection

For the gas: Protective clothing is not required. For the liquid: Wear appropriate protective, cold insulating clothing.

Respiratory Protection

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

Glove Recommendations

Wear insulated gloves.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	colorless gas	Physical State	gas
Odor	odorless	Color	colorless

**MATHESON**

ask. . .The Gas Professionals™

Safety Data Sheet

Material Name: OXYGEN, COMPRESSED GAS**SDS ID: MAT12831**

Odor Threshold	Not available	pH	Not available
Melting Point	-218.4 °C (-361 °F)	Boiling Point	-182.96 °C (-297 °F)
Boiling Point Range	Not available	Freezing point	Not available
Evaporation Rate	Not available	Flammability (solid, gas)	Not flammable
Autoignition Temperature	Not available	Flash Point	(Non-flammable)
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	760 mmHg @ -183 °C
Vapor Density (air=1)	1.43	Specific Gravity (water=1)	1.14 at -183 °C
Water Solubility	3.2 % (@ 25 °C)	Partition coefficient: n-octanol/water	Not available
Viscosity	0.02075 cp	Kinematic viscosity	Not available
Solubility (Other)	Not available	Density	1.309 g/L at 25 °C
Physical Form	Compressed gas	Taste	tasteless
Molecular Formula	O ₂	Molecular Weight	31.9988

Solvent Solubility**Soluble**

alcohol

Section 10 - STABILITY AND REACTIVITY**Reactivity**

No reactivity hazard is expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions

Will not polymerize.

Conditions to Avoid

Avoid contact with combustible materials. Protect from physical damage and heat. Containers may rupture or explode if exposed to heat.

Incompatible Materials

combustible materials, halo carbons, metals, bases, reducing agents, amines, metal salts, oxidizing materials

Hazardous decomposition products

miscellaneous decomposition products

Section 11 - TOXICOLOGICAL INFORMATION**Information on Likely Routes of Exposure**



MATHESON

ask. . .The Gas Professionals™

Safety Data Sheet

Material Name: OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

Inhalation

irritation, changes in body temperature, nausea, difficulty breathing, irregular heartbeat, chest pain, lung damage, dizziness, Disorientation, hallucinations, mood swings, pain in extremities, tremors, lung congestion, convulsions, cough

Skin Contact

frostbite, blisters

Eye Contact

irritation, blurred vision

Ingestion

ingestion of a gas is unlikely

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified.

Product Toxicity Data

Acute Toxicity Estimate

No data available.

Immediate Effects

frostbite

Delayed Effects

no information on significant adverse effects.

Irritation/Corrosivity Data

No data available.

Respiratory Sensitization

No data available.

Dermal Sensitization

No data available.

Component Carcinogenicity

None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

Germ Cell Mutagenicity

No data available.

Tumorigenic Data

No data available

Reproductive Toxicity

No data available.

Specific Target Organ Toxicity - Single Exposure

No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure

No target organs identified.

Aspiration hazard

Not expected to be an aspiration hazard.

Medical Conditions Aggravated by Exposure

No data available.

Section 12 - ECOLOGICAL INFORMATION

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components.

Persistence and Degradability

No data available.

**MATHESON**

ask. . .The Gas Professionals™

Safety Data Sheet

Material Name: OXYGEN, COMPRESSED GAS**SDS ID: MAT12831****Bioaccumulative Potential**

No data available.

Mobility

No data available.

Section 13 - DISPOSAL CONSIDERATIONS**Disposal Methods**

Dispose of contents/container in accordance with local/regional/national/international regulations.

Component Waste Numbers

The U.S. EPA has not published waste numbers for this product's components.

Section 14 - TRANSPORT INFORMATION**Component Marine Pollutants (IMDG)**

Not a marine pollutant.

US DOT Information:**Shipping Name:** OXYGEN, COMPRESSED**Hazard Class:** 2.2**UN/NA #:** UN1072**Required Label(s):** 2.2, 5.1**IMDG Information:****Shipping Name:** OXYGEN, COMPRESSED**Hazard Class:** 2.2**UN#:** UN1072**Required Label(s):** 2.2, 5.1**International Bulk Chemical Code**

This material does not contain any chemicals required by the IBC Code to be identified as dangerous chemicals in bulk.

Section 15 - REGULATORY INFORMATION**U.S. Federal Regulations**

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) 2016 reporting categories**Acute Health:** Yes **Chronic Health:** No **Fire:** Yes **Pressure:** Yes **Reactivity:** No**SARA Section 311/312 (40 CFR 370 Subparts B and C) 2017 reporting categories**

Gas Under Pressure; Oxidizer; Specific Target Organ Toxicity

U.S. State Regulations

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA
OXYGEN, COMPRESSED GAS	7782-44-7	No	Yes	No	Yes	Yes

Not listed under California Proposition 65**Canada Regulations****Canadian WHMIS Ingredient Disclosure List (IDL)**

The components of this product are either not listed on the IDL or are present below the threshold limit listed on the IDL.

WHMIS Classification

A , C



Safety Data Sheet

Material Name: OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

Component Analysis - Inventory

OXYGEN, COMPRESSED GAS (7782-44-7)

US	CA	EU	AU	PH	JP - ENCS	JP - ISHL	KR KECI - Annex 1	KR KECI - Annex 2	KR - REACH CCA	CN	NZ	MX	TW
Yes	DSL	EIN	Yes	Yes	No	No	Yes	No	No	Yes	Yes	Yes	Yes

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 0 Fire: 0 Reactivity: 0 Other: OX

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

New SDS:01/19/2016

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CA/MA/MN/NJ/PA - California/Massachusetts/Minnesota/New Jersey/Pennsylvania*; CAS - Chemical Abstracts Service; CFR - Code of Federal Regulations (US); CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD - Dangerous Substance Directive; DSL - Domestic Substances List; EC - European Commission; EEC - European Economic Community; EIN - European Inventory of (Existing Commercial Chemical Substances); EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law; IUCLID - International Uniform Chemical Information Database; JP - Japan; Kow - Octanol/water partition coefficient; KR KECI Annex 1 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL); KR KECI Annex 2 - Korea Existing Chemicals Inventory (KECI) / Korea Existing Chemicals List (KECL) , KR - Korea; LD50/LC50 - Lethal Dose/ Lethal Concentration; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of Lists™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; MX - Mexico; NDSL - Non-Domestic Substance List (Canada); NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PEL - Permissible Exposure Limit; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH - Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA - Korea Toxic Chemicals Control Act; TDG - Transportation of Dangerous Goods; TLV - Threshold Limit Value; TSCA - Toxic Substances Control Act; TW - Taiwan; TWA - Time Weighted Average; UEL - Upper Explosive Limit; UN/NA - United Nations /North American; US - United States; VLE - Exposure Limit Value (Mexico); WHMIS - Workplace Hazardous Materials Information System (Canada).

Other Information

Disclaimer:

Matheson Tri-Gas, Inc. makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Matheson Tri-Gas, Inc. shall not be liable for any personal injury, property or other damages of any nature, whether



MATHESON

ask. . .The Gas Professionals™

Safety Data Sheet

Material Name: OXYGEN, COMPRESSED GAS

SDS ID: MAT12831

compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.