

ATTN: SAFETY DIRECTOR RECEIVING DOCK SCHOOLCRAFT COLLEGE 18600 HAGGERTY ROAD LIVONIA MI 48152

EMERGENCY PHONE 1-414-273-3850

E 09/24/99 CUST#: 938609 PO#: 89527

DATA SAFETY SHEET PAGE MATERIAL SECTION 1. -CHEMICAL IDENTIFICATION-CATALOG #: D5682-9 1,4-DICHLOROBENZENE, 99+% NAME: - COMPOSITION/INFORMATION ON INGREDIENTS SECTION 2. - -CAS #: 106-46-7 MF: C6H4CL2 EC NO: 203-400-5 SYNONYMS P-CHLOROPHENYL CHLORIDE \* P-DICHLOORBENZEEN (DUTCH) \* 1,4DICHLOORBENZEEN (DUTCH) \* P-DICHLORBENZOL (GERMAN) \* 1,4-DICHLORBENZOL (GERMAN) \* DI-CHLORICIDE \* P-DICHLOROBENZENE \* 1,4DICHLOROBENZENE \* P-DICHLOROBENZENE (ACGIH:OSHA) \* P-DICHLOROBENZOL \*
P-DICLOROBENZENE (ITALIAN) \* 1,4-DICLOROBENZENE (ITALIAN) \* EVOLA \*
GLOBCL \* NCI-C54955 \* PARACIDE \* PARA CRYSTALS \* PARADI \*
PARADICHLORBENZOL (GERMAN) \* PARADICHLOROBENZENE \* PARADICHLOROBENZOL
\* PARADOW \* PARAMOTH \* PARANUGGETS \* PARAZENE \* PDB \* PDCB \* PERSIAPERAZOL \* RCRA WASTE NUMBER U070 \* RCRA WASTE NUMBER U071 \* RCRA
WASTE NUMBER U072 \* SANTOCHLOR \* - - HAZARDS IDENTIFICATION - -SECTION 3. -LABEL PRECAUTIONARY STATEMENTS TOXIC
MAY CAUSE CANCER.
HARMFUL BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED.
IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.
TARGET ORGAN(S): KIDNEYS
COMBUSTIBLE.
IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE
IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).
IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF
WATER AND SEEK MEDICAL ADVICE. WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES AND EYE/FACE PROTECTION.
DO NOT BREATHE VAPOR. SECTION 4. - - - FIRST-AID MEASURES- -

773

We are Committed to the Success of our Customers through Science, Technology and Service.

CONTINUED ON NEXT PAGE

IN CASE OF CONTACT, IMMEDIATELY FLUSH EYES OR SKIN WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES.
IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.
ASSURE ADEQUATE FLUSHING OF THE EYES BY SEPARATING THE EYELIDS













CUST#: 938609 PO#: 89527

PAGE 2

MATERIAL SAFETY DATA SHEET CATALOG #: D5682-9 NAME: 1,4-DICHLOROBENZENE, 99+% WITH FINGERS. SECTION 5. - - - -- - - FIRE FIGHTING MEASURES -EXTINGUISHING MEDIA CARBON DIOXIDE, DRY CHEMICAL POWDER OR APPROPRIATE FOAM. SPECIAL FIREFIGHTING PROCEDURES WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES. UNUSUAL FIRE AND EXPLOSIONS HAZARDS EMITS TOXIC FUMES UNDER FIRE CONDITIONS. SECTION 6. - - - - - - ACCIDENTAL RELEASE MEASURES- - -EVACUATE AREA. WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS AND HEAVY RUBBER GLOVES. SWEEP UP, PLACE IN A BAG AND HOLD FOR WASTE DISPOSAL. AVOID RAISING DUST. SECTION 7. - - - -- - - HANDLING AND STORAGE- -REFER TO SECTION 8. SECTION 8. - - - - EXPOSURE CONTROLS/PERSONAL PROTECTION - -REMOVE AND WASH CONTAMINATED CLOTHING PROMPTLY.
WASH THOROUGHLY AFTER HANDLING.
WEAR APPROPRIATE NIOSH/MSHA-APPROVED RESPIRATOR, CI
GLOVES, SAFETY GOGGLES, OTHER PROTECTIVE CLOTHING.
USE ONLY IN A CHEMICAL FUME HOOD.
SAFETY SHOWER AND EYE BATH.
DO NOT BREATHE DUST.
DO NOT GET IN EYES, ON SKIN, ON CLOTHING.
AVOID PROLONGED OR REPEATED EXPOSURE. CHEMICAL-RESISTANT TOXIC.
IRRITANT.
KEEP TIGHTLY CLOSED.
KEEP AWAY FROM HEAT AND OPEN FLAME.
STORE IN A COOL DRY PLACE. SECTION 9. - - - - - PHYSICAL AND CHEMICAL PROPERTIES APPEARANCE AND ODOR COLORLESS CRYSTALS PHYSICAL PROPERTIES
BOILING POINT:
MELTING POINT:
FLASHPOINT 54 C TO 56 C

CONTINUED ON NEXT PAGE



CUST#: 938609 PO#: 89527

MATERIAL SAFETY DATA SHEET

PAGE

CATALOG #: NAME:

D5682-9

1,4-DICHLOROBENZENE, 99+%

VAPOR PRESSURE: SPECIFIC GRAVITY: VAPOR DENSITY:

1.03MM 25 C 5.07

10MM 54.8 C

- -STABILITY AND REACTIVITY SECTION 10. -

INCOMPATIBILITIES OXIDIZING AGENTS

HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS CARBON MONOXIDE, CARBON DIOXIDE

SECTION 11. - - -- - TOXICOLOGICAL INFORMATION

ACUTE EFFECTS MATERIAL IS IRRITA RESPIRATORY TRACT. IRRITATING TO MUCOUS MEMBRANES AND UPPER HARMFUL IF SWALLOWED, INHALED, CAUSES EYE AND SKIN IRRITATION. DAMAGE TO THE LIVER DAMAGE TO THE KIDNEYS DAMAGE TO THE LUNGS OR ABSORBED THROUGH SKIN.

CHRONIC EFFECTS
TARGET ORGAN(S):
DAMAGE TO THE LIVER
DAMAGE TO THE KIDNEYS DAMAGE TO LIVER KIDNEYS LUNGS CARCINOGEN.

RTECS #: CZ4550000 BENZENE, P-DICHLORO-

IRRITATION DATA EYE-HMN 80 PPM

AMIHAB 14,138,1956

TOXICITY DATA OXICITY DATA

ORL-HMN LDLO:857 MG/KG
UNR-HMN LDLO:357 MG/KG
UNR-MAN LDLO:221 MG/KG
ORL-RAT LD50:500 MG/KG
SKN-RAT LD50:>6 GM/KG
IPR-RAT LD50:2562 MG/KG
ORL-MUS LD50:2950 MG/KG
IPR-MUS LD50:2 GM/KG
SCU-MUS LD50:5145 MG/KG
ORL-RBT LD50:>2 GM/KG
SKN-RBT LD50:>2 GM/KG MG/KG GM/KG

- 210 1969 31,1499,1980 2,73,1970 7,299,1986 38,124,1949 6,183,1973 2,111,1987 20,772,1973 29,453,1978 78-1,18,1978 **34ZIAG** TOIZAG YKYUA6 SPEADM

CONTINUED ON NEXT PAGE

775

We are Committed to the Success of our Customers through Science, Technology and Service.













CUST#: 938609 PO#: 89527

PAGE

MATERIAL SAFETY DATA SHEET CATALOG #: D5682-9 1,4-DICHLOROBENZENE, 99+% NAME: ORL-MAM LD50:2600 MG/KG IHL-MAM LC50:12 GM/M3 GTPZAB 32(10),25,1988 GTPZAB 32(10),25,1988 TARGET ORGAN DATA

SENSE ORGANS AND SPECIAL SENSES (OTHER EYE EFFECTS)
LUNGS, THORAX OR RESPIRATION (OTHER CHANGES)
GASTROINTESTINAL (HYPERMOTILITY, DIARRHEA)
SPECIFIC DEVELOPMENTAL ABNORMALITIES (CARDIOVASCULAR SYSTEM)
ONLY SELECTED REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES
(RTECS) DATA IS PRESENTED HERE. SEE ACTUAL ENTRY IN RTECS FOR COMPLETE INFORMATION. SECTION 12. - - - - - - ECOLOGICAL INFORMATION - -DATA NOT YET AVAILABLE. SECTION 13. - - - - - - DISPOSAL CONSIDERATIONS - -THIS COMBUSTIBLE MATERIAL MAY BE BURNED IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER.
OBSERVE ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS. - - - - TRANSPORT INFORMATION -SECTION 14. - - -CONTACT ALDRICH CHEMICAL COMPANY FOR TRANSPORTATION INFORMATION. SECTION 15. - - - -- - - - REGULATORY INFORMATION -EUROPEAN INFORMATION INDEX NO: 602-035-00-2 TOXIC HARMFUL IF SWALLOWED. R 36/38 IRRITATING TO EYES AND SKIN. DO NOT BREATHE DUST. S 24/25 AVOID CONTACT WITH SKIN AND EYES. S 46
IF SWALLOWED, SEEK MEDICAL ADVICE IMMEDIATELY AND SHOW THIS CONTAINER OR LABEL. REVIEWS, STANDARDS, AND REGULATIONS OEL=MAK
ACGIH TLV-ANIMAL CARCINOGEN
ACGIH TLV-TWA 60 MG/M3 (10 PPM)
IARC CANCER REVIEW: ANIMAL SUFFICIENT EVIDENCE
IARC CANCER REVIEW: HUMAN INADEQUATE EVIDENCE
IARC CANCER REVIEW: ANIMAL INADEQUATE EVIDENCE
IARC CANCER REVIEW: HUMAN INADEQUATE EVIDENCE
IARC CANCER REVIEW: HUMAN INADEQUATE EVIDENCE DTLVS\* TLV/BEI,1997 DTLVS\* TLV/BEI,1997 IMSUDL 7,192,1987 IMEMDT 7,231,1974 IMEMDT 7,231,1974 IMEMDT 29,213,1982 IMSUDL

CONTINUED ON NEXT PAGE



CUST#: 938609 PO#: 89527

MATERIAL SAFETY DATA SHEET

PAGE

CATALOG #:

D5682-9 1,4-DICHLOROBENZENE, 99+%

IARC CANCER REVIEW: ANIMAL INADEQUATE EVIDENCE IMEMDT 29,213,1982
IARC CANCER REVIEW: GROUP 2B IMSUDL 7,192,1987
EPA FIFRA 1988 PESTICIDE SUBJECT TO REGISTRATION OR RE-REGISTRATION
FEREAC 54,7740,1989
MSHA STANDARD-AIR: TWA 75 PPM (450 MG/M3)
DTLVS\* 3,77,1971
OSHA PEL (GEN INDU): 8H TWA 75 PPM (450 MG/M3)
CFRGBR 29,1910.1000.1994
OSHA PEL (CONSTRUC): 8H TWA 75 PPM (450 MG/M3)
CFRGBR 29,1926.55,1994
OSHA PEL (SHIPYARD): 8H TWA 75 PPM (450 MG/M3)
CFRGBR 29,1915.1000.1993
OSHA PEL (FED CONT): 8H TWA 75 PPM (450 MG/M3)
CFRGBR 41,50-204.50,1994
OEL-AUSTRALIA: TWA 75 PPM (450 MG/M3); STEL 110 PPM (675 MG/M3) JAN 1993
OEL-AUSTRIA: CARCINOGEN, JAN1999
OEL-BELGIUM: TWA 75 PPM (450 MG/M3); STEL 110 PPM (661 MG/M3) JAN 1993
OEL-FINLAND: TWA 75 PPM (450 MG/M3); STEL 115 PPM (690 MG/M3); SKIN JAN 1993 NAME: OEL-GERMANY: TWA 75 PPM (450 MG/M3) JAN 1993
OEL-JAPAN: OEL 50 PPM (300 MG/M3), 2B CARCINOGEN, JAN1999
OEL-JAPAN: TWA 50 PPM (300 MG/M3) JAN 1993
OEL-THE NETHERLANDS: TWA 75 PPM (450 MG/M3) JAN 1993
OEL-THE PHILIPPINES: TWA 75 PPM (450 MG/M3) JAN 1993
OEL-POLAND: MAC(TWA) 20 MG/M3, JAN1999
OEL-RUSSIA: TWA 50 PPM JAN 1993
OEL-SWEDEN: TWA 75 PPM (450 MG/M3); STEL 110 PPM (700 MG/M3) JAN 1993
OEL-SWITZERLAND: TWA 75 PPM (450 MG/M3); STEL 150 PPM (900 MG/M3) JAN 1993
OEL-TURKEY: TWA 75 PPM (450 MG/M3) JAN 1993 USEL-SWITZERLAND:TWA /5 PPM (450 MG/M3); STEL 150 PPM (900 MG/M3) JAN 1993
OEL-TURKEY:TWA 75 PPM (450 MG/M3) JAN 1993
OEL-UNITED KINGDOM:TWA 75 PPM (450 MG/M3):STEL 110 PPM JAN 1993
OEL IN BULGARIA, COLOMBIA, JORDAN, KOREA CHECK ACGIH TLV
OEL IN NEW ZEALAND, SINGAPORE, VIETNAM CHECK ACGIH TLV
NIOSH REL TO P-DICHLOROBENZENE-AIR:CA (1.7 PPM LOQ)
NIOSH\* DHHS #92-100,1992
NOHS 1974: HZD 24006; NIS 21; TNF 1963; NOS 18; TNE 23116
NOES 1983: HZD 24006; NIS 22; TNF 2629; NOS 21; TNE 33978; TFE 9412
ATSDR TOXICOLOGY PROFILE (NTIS\*\* PB/89/160352/AS)
EPA TSCA SECTION 8(B) CHEMICAL INVENTORY
EPA TSCA SECTION 8(B) CHEMICAL INVENTORY
EPA TSCA SECTION 8(D) UNPUBLISHED HEALTH/SAFETY STUDIES
EPA TSCA SECTION 8(E) RISK NOTIFICATION, 8EHQ-0892-9004
ON EPA IRIS DATABASE
EPA TSCA TEST SUBMISSION (TSCATS) DATA BASE, JUNE 1999
NIOSH ANALYTICAL METHOD, 1994: HYDROCARBONS, HALOGENATED, 1003
NIOSH ANALYTICAL METHOD, 1994: HYDROCARBONS, HALOGENATED, 2549
NTP CARCINOGENESIS STUDIES (GAVAGE); CLEAR EVIDENCE: MOUSE, RAT
NTPTR\* NTP-TR-319,1987
NTP 8TH ANNUAL REPORT ON CARCINOGENS, 1998: REASONABLY ANTICIPATED TO BE
HUMAN CARCINOGEN

U.S. INFORMATION

CONTINUED ON NEXT PAGE

777

We are Committed to the Success of our Customers through Science, Technology and Service.













CUST#: 938609 PO#: 89527

MATERIAL SAFETY DATA SHEET PAGE

CATALOG #: NAME:

D5682-9 1,4-DICHLOROBENZENE, 99+%

THIS PRODUCT IS SUBJECT TO SARA SECTION 313 REPORTING REQUIREMENTS. THIS PRODUCT IS OR CONTAINS CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER. CALIFORNIA PROPOSITION 65:

SECTION 16. - -- - - OTHER INFORMATION- -

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. ALDRICH SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT. SEE REVERSE SIDE OF INVOICE OR PACKING SLIP FOR ADDITIONAL TERMS AND CONDITIONS OF SALE.

COPYRIGHT 1998 SIGMA-ALDRICH CO. LICENSE GRANTED TO MAKE UNLIMITED PAPER COPIES FOR INTERNAL USE ONLY.