


SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 200158 EC Standards

SDS Revision Date:
05/27/2015

Page 1 of 6

SECTION 1	PRODUCT IDENTIFICATION
Product Name: Cuticle Oil	
Chemical Name: Botanical Oil Mixture	Trade No.: SKU 161240-161840
Synonyms: NA	
Trade Name: BS Cuticle Oil	
Product Use: Cosmetic Use Only	
Manufacturer's Name & Address: Cosmetic Industries, Inc. 13489 Slover Ave., Fontana, California 92337 USA	
Business Phone: (909) 428-7225	
Emergency Phone: CHEMTREC + 1 (800) 424-9300 / International: CHEMTREC + 1 (703) 527-3887	

SECTION 2	HAZARDS IDENTIFICATION
HAZARD IDENTIFICATION: <p>This product is not classified as a hazardous substance or as a dangerous goods according to the classification criteria of NOHSC 1008 (2004) and ADG Code (Australia). In case of eye contact, rinse immediately with water. For external use only. Keep out of reach of children. Use only as directed. This is a personal care product that is safe under the intended and reasonable use.</p> <p>DANGER! COMBUSTIBLE LIQUID. MAY CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION.</p> <p>Hazard Statements(H) : H317 - May cause an allergic skin reaction, H319 - Causes serious eye irritation.</p> <p>Precautionary Statements (P): . P305+P351+P338 - IF IN EYES: Rinse continuously with water several minutes. Remove contact lenses if present and can easily be removed - continue rinsing. P333+P313 -If eye , skin irritation or rash occurs - Get medical advice/attention. P321 - For specific first aid treatment (see section 4 of this SDS). P370+P378 - In case of fire, Water may be ineffective: Extinguishing Agents: Dry Chemical, Foam or carbon dioxide.. P501 -Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDf). Dispose according to local, state and federal regulations.</p>	
	
EFFECTS OF EXPOSURE: <p>Ingestion: If product is swallowed, may cause nausea, vomiting and/or diarrhea.</p> <p>Eye Contact: Direct contact may cause mild irritation to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering.</p> <p>Skin Contact: May be irritating to skin in some sensitive individuals, especially after repeated and prolonged contact.</p> <p>Inhalation: None expected, however this material may be slightly irritating to some sensitive individuals.</p>	
SYMPTOMS OF OVEREXPOSURE: Overexposure in eyes may cause redness, itching and watering. Symptoms of skin overexposure on sensitive individuals may include itching, irritation and redness to affected area. This material can cause allergic skin reactions (e.g. rashes, welts, dermatitis) in some sensitive individuals.	
ACUTE HEALTH EFFECTS: Mild or moderate irritation to eyes and skin. Moderate redness, itching and irritation of skin at the site of contact for some sensitive individuals.	
CHRONIC HEALTH EFFECTS: No chronic health effects known, although symptoms and discomfort may occur for several days following ingestion.	
TARGET ORGANS: Eyes and Skin..	

SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 200158 EC Standards

Page 2 of 6

SECTION 3

COMPOSITION & INGREDIENT INFORMATION

Chemical Names(s)	CAS No.	EINECS No.	RTECS No.	%	EXPOSURE LIMITS IN AIR (mg/m³) / ppm								OTHER	
					ACGIH		NOHSC			OSHA				
					TLV	STEL	TWA	STEL	PEAK	PEL	STEL	IDLH		
CARTHAMUS TINCTORIUS (SAFFLOWER) SEED OIL	80011-23-8	232-276-5	VN2230000	75-85	NE	NE	NE	NE	NE	NE	NE	NE	NE	NA
HELIANTHUS ANNUUS (SUNFLOWER) SEED OIL	80011-21-6	232-273-9	NA	5-7	NE	NE	NE	NE	NE	NE	NE	NE	NE	NA
ARGANIA SPINOSA KERNEL OIL	223747-87-3	NA	NA	4-5	NE	NE	NE	NE	NE	NE	NE	NE	NE	NA
MACADAMIA INTEGRIFOLIA SEED OIL	153518-86-2	273-313-5	NA	3-4	NE	NE	NE	NE	NE	NE	NE	NE	NE	Allergen. Tree nut allergy. Possible anaphylaxis.
SQUALANE	111-01-03	203-825-6	XB6070000	I	NE	NE	NE	NE	NE	NE	NE	NE	NE	NA
PARFUM (FRAGRANCE)	NA	NA	NA	I	NE	NE	NE	NE	NE	NE	NE	NE	NE	NA

CONTAINS: Fragrance allergens at over 0.001%

BENZYL BENZOATE	120-51-4	204-402-9	DG4200000	<0.001	NA	NA	NF	NF	NF	NA	NA	NA	Allergen
COUMARIN	91-84-5	202-086-7	GN4200000	<0.001	NA	NA	NF	NF	NF	NA	NA	NA	Allergen

SECTION 4

FIRST AID MEASURES

FIRST AID:

Ingestion: If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If vomiting, continue to offer water or milk, never give liquid to an unconscious person. Contact the Poison Control Center or local emergency number. Provide information regarding quantity ingested and estimated time in which the material was ingested.

Eye Contact: If the material gets in the eyes, flush with plenty and sufficient amount of lukewarm water for at least 15 minutes. If irritation persists, contact a physician or local emergency number.

Skin Contact: If redness, dryness other signs of irritation to the skin develops, wash affected skin area with plenty of warm water and soap. If irritation persists, contact a physician.

Inhalation: Remove person to fresh air at once.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

None known, however this material may be irritating to sensitive individuals with pre-existing dermatitis, or other skin conditions. Symptoms following exposure: Oil is essentially nontoxic. Contact with eyes can cause mild irritation.

0	HEALTH
1	FLAMMABLE LIQ
0	PHYSICAL HAZARDS
A	PERSONAL PROTECTION

SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 200158 EC Standards

Page 3 of 6

SECTION 5

FIREFIGHTING MEASURES

FIRE & EXPLOSION HAZARDS:

This material **IS NOT** flammable however it may be combustible at high temperatures.
Auto-ignition temperature -NA, - Flash Point : >540°F/ 282°C (closed cup)

Extinguishing Method: - Dry Chemical, Foam or carbon dioxide.

Firefighting Procedures: This material is a Class 2G liquid. Use extinguishing agent suitable for surrounding fire. Isolate the scene by removing all persons from the vicinity if there is a fire. No action to be taken by personnel without suitable training. With fire exposure, this material may smoke and may emit irritating vapors, possible that these vapors may be irritating to eyes, respiratory nasal passages. First responders should wear appropriate eye protective equipment and self-contaminated breathing apparatus (SCBA) with a full face-piece and full protective equipment. Low fire hazard. Material must be heated before ignition will occur. Fire-fighters to cool fire-exposed containers, use blanketing effect. Use a water spray or fog to reduce direct vapors.

Hazardous Identification Number: NF / **HazChem Code:** NF



SECTION 6

ACCIDENTAL RELEASE MEASURES

SPILLS:

Appropriate personal protective equipment must be worn before and individual(s) involved in a spill cleanup can proceed.

Small Spills (< 1 gallon): Appropriate personal protective equipment for small spill falls under caption rating - B (goggles and gloves).



Maximize the ventilation by opening doors and windows. Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse.

Large Spills (≥ 1 gallon): Appropriate personal protective equipment for large spill falls under caption rating - H (goggles, gloves, apron,



vapor mask). Do not allow unprotected individuals to assist and/or in the immediate vicinity area of spill. Dike and contain the spill with inert non combustible material such as diatomaceous earth, sand or vermiculite. Use only non-sparking tools for cleanup. Transfer liquid to containers for disposal. Gather all dike material for disposal and place in appropriate disposal containers. Dispose properly in accordance to local, state and federal regulations. Wash all spill affected areas. Remove any contaminated clothing and wash thoroughly before reuse. If applicable wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of the municipal sewers and open bodies (streams, lakes, etc) water.

SECTION 7

HANDLING AND STORAGE INFORMATION

WORK PRACTICES:

Use in a well ventilated location with appropriate exhaust ventilation and/or fans. Avoid eye contact or prolonged contact and breathing vapors of material. After use, wash hands and exposed skin with soap and water. Do not drink, eat or smoke while handling material.

STORAGE & HANDLING:

Keep material away from heat and sparks. Open containers slowly on a secure level surface. Keep container closed tightly when not in use. Empty containers may contain residual amounts of material, therefore empty containers should be handled with safety. Store containers in a cool, dry location, away from direct sunlight, other light sources and intense heat. Store away from incompatible materials (described in section 10)

SPECIAL PRECAUTIONS:

Open containers slowly on a secure level surface. Spilled material may present a slipping hazard, clean all spills promptly. Keep container closed tightly when not in use. Empty containers may contain residual amounts of material, therefore empty containers should be handled with safety and disposed of properly with local, state and federal regulations. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil).

SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 200158 EC Standards

Page 4 of 6

SECTION 8

EXPOSURE CONTROLS AND PERSONAL PROTECTION

VENTILATION & ENGINEERING CONTROLS:

General mechanical (fans) or natural ventilation is sufficient with this material. Ensure that an eyewash station, washbasin or sink is available in the event of exposure to eyes.

RESPIRATORY PROTECTION:

No special respiratory protection is required under typical handling of this material. No special respiratory protection is required under typical handling of material. In circumstances where vapors or sprays of this material are generated and respiratory protection is required, use only personal protection authorized by 29 CFR § 1910.134, applicable U.S. State regulations or the Canadian CAS Standard Z94.4-03 and applicable standards of Canadian Provinces, EC member States, or Australia.

29 CFR §
1910.134

EYE PROTECTION:

Wear protective eyewear (safety glasses with side-shield) at all times when handling this material. Always use protective eyewear when cleaning spills. Contact lenses pose a hazard; soft contact lenses may absorb and concentrate irritants.



HAND PROTECTION:

Wear protective gloves if repeated or prolonged skin contact is anticipated during handling of the material. If handling for routine industrial use, it is necessary to refer to U.S. OSHA 29 CFR § 1910.138 for the appropriate standards of Canada, of the EC member states.



BODY PROTECTION:

No special body protection is required under typical handling of this material. If required, refer to appropriate standards for U.S. OSHA, Canada, & EC member states.

SECTION 9

PHYSICAL & CHEMICAL PROPERTIES

APPEARANCE	Viscous oily liquid, pale yellow to brownish-yellow liquid
ODOR	Light nutty odor
ODOR THRESHOLD	Not listed
PH	Anhydrous Formula, Not Applicable
MELTING/FREEZE POINT	NA -Freezing Pt. - 4°F = - 20°C
BOILING POINT RANGE	NA
FLASHPOINT	>540°F = >282°C (closed cup)
UPPER/LOWER FLAMMABILITY LIMITS	NA
VAPOR PRESSURE (50°C)	NA
VAPOR DENSITY	ND
RELATIVE DENSITY	0.9211-0.9215 @ 77°F = 25° (USCG, 1999)
WATER SOLUBILITY	Not Soluble, Liquid surface tension (Est.) 25 DYNES/cm @ 20° = 68F"
VISCOSITY	35-40cps
SOLID CONTENT	NA
SOLVENT SOLUBILITY	NA

SECTION 10

STABILITY & REACTIVITY

STABILITY:

Stable under ambient temperatures when stored properly (See Section 7).

HAZARDOUS DECOMPOSITION-CONDITIONS/MATERIALS:

Exposure to carbon dioxide and carbon monoxide, various hydrocarbons. If exposed to extremely high temperatures the effects of thermal decomposition may include irritating vapors.

HAZARDOUS POLYMERIZATION:

May occur if exposed to extremely high temperatures. Thickens and becomes rancid on prolonged exposure to air.

CONDITIONS TO AVOID:

High temperatures, direct sunlight, sources of heat and incompatible materials.

INCOMPATIBLE SUBSTANCES:

This material is incompatible strong oxidizing agents. Exposure of carbon dioxide and carbon monoxide, various hydrocarbons.

SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 200158 EC Standards

Page 5 of 6

SECTION 11		TOXICOLOGICAL INFORMATION	
ROUTES OF ENTRY	Inhalation - YES	Ingestion: YES	Absorption: YES
TOXICITY DATA	This material has NOT been tested on animals to obtain toxicology data. Toxicology data available and found in scientific literature for this material is presented below. NA		
TOXICITY-ACUTE	See section 2		
TOXICITY-CHRONIC	See section 2		
CARCINOGEN-SUSPECTED	No component of this material presents at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.		
TOXICITY-REPRODUCTIVE	This material is not reported to cause reproductive toxicity in humans.		
TOXICITY- MUTAGENICITY	This material is not reported to produce mutagenic effects in humans.		
EMBRYOTOXICITY	This material is not reported to produce embryo toxic effects in humans.		
TOXICITY-TERATOGENICITY	This material is not reported to cause teratogenic effects in humans.		
MATERIAL-IRRITANCY	See section 2		
BIOLOGICAL EXPOSURE INDICES	NA		
RECOMMENDATIONS-PHYSICIAN	Treat symptomatically. Flush eyes with water at least 15 minutes.		
SECTION 12		ECOLOGICAL INFORMATION	

ENVIRONMENTAL STABILITY:

No known significant effects or critical hazards, however, avoid runoffs out of municipal sewers and open bodies of water. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil).


EFFECTS ON PLANTS & ANIMALS:


There are no specific data available for this product.

EFFECTS ON AQUATIC LIFE:

There are no specific data available for this product, however extremely large releases of this material may be harmful or fatal to overexposed aquatic life.

SECTION 13	DISPOSAL INFORMATION
<u>WASTE DISPOSAL:</u> Waste disposal must be in accordance with appropriate Federal, State and local regulations.	
<u>SPECIAL CONSIDERATIONS:</u> U.S. EPA AEGL: not listed / RCRA Waste No. -not listed / EPA FWPCA List: not listed / NFPA Hazard Classification: not listed/49 CRF: not listed	

SECTION 14		TRANSPORTATION INFORMATION	
The description (ID number, proper shipping name, hazard class, division & packaging group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/CAO, IMDG and CTDGR.			
49 CFR (GND)	UN No. None. Not classified as hazardous - Not a DOT controlled material (United States)		
IATA (AIR)	UN No. None. Not classified as hazardous- Not a DOT controlled material (United States)		
IMDG (OCN)	UN No. None. Not classified as hazardous		
TDGR (Canadian GND)	UN No. None. Not classified as hazardous- Not controlled under WHMIS (Canada)		
ADR/RID (EU)	UN No. None. Not classified hazardous- This product is not classified according to EU regulations		
SCT (MEXICO)	UN No. None. Not classified as hazardous		
ADGR (AUSTRLIA)	UN No. None. Not classified as hazardous		

SECTION 15		REGULATORY INFORMATION	
SARA Reporting Requirements	Not regulated. Components listed are exempted.		
SARA Threshold Planning Quantity	Not regulated. Components listed are exempted. There are no specific Threshold Planning Quantities for the components of this product.		
TSCA Inventory Status	Not regulated. Components listed are exempted.		
CERCLA Reportable Quantity (RQ)	Not regulated. Components listed are exempted.		
Other Federal Requirements	Not regulated. Components listed are exempted.		
Other Canadian Regulations	Not controlled under WHMIS (Canada). The components of this product are listed on the DSL/NDSL.		

SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS & 200158 EC Standards

Page 6 of 6

SECTION 15

REGULATORY INFORMATION (continued)

State Regulatory Information

Not regulated. Components listed are exempted.

Other Requirements

The primary components of this material are not listed in Annex I of EU Directive 67/548/EEC
Benzyl Benzoate: Xn : Risk Phrases (R): 22
 KEEP OUT OF REACH OF CHILDREN. Keep container in a well ventilated area. Keep container tightly closed. Avoid contact with eyes. In case of contact with eyes, rinse immediately with sufficient water and seek medical attention or advice.



SECTION 16

OTHER INFORMATION

Other Information

MAY CAUSE EYE IRRITATION. Avoid eye contact. IF IN EYES: Rinse continuously with lukewarm water for several minutes. Remove contact lenses if present and can easily be removed - continue rinsing. IF ON SKIN: Wash thoroughly with soap and water if skin irritation or rash occurs - Get medical advice or attention. Store in a well-ventilated place. Keep in a cool area. Use only as directed. KEEP OUT OF REACH OF CHILDREN

Definitions & Terms

SEE Final (Separate) SDS Page -Following the Safety Data Sheet

DISCLAIMER

This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard; 29 CFR § 1910.1200. Other government regulations must be reviewed for applicability of the material. To the best of Cosmetic Industries knowledge the information contained herein is accurate as of this date; however accuracy, representation, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied are provided to purchaser's intended purpose or for consequences of its use. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials all component properties must be considered. Use these materials only as directed. If you have any questions regarding the proper interpretation of these sheets or the meaning of any terms used, we strongly urge you to speak with your physician.