# Safety Data Sheet

1273



### 1 Material and Supplier Identification

Product Name:	Shield-It
Description:	Protective Barrier
Recommended use of the chemical and restrictions:	Use only for the purpose on product label. This product is not intended to be used without prior dilution if specified on product label.
Supplier's Information:	Maintex, Inc. 13300 E. Nelson Ave City of Industry, CA 91746 800-446-1888 (Customer Service)
Emergency Telephone:	(800) 255-3924 USA (813)248-0585 International (Chemtel 24 hrs)
2 Hazards Identification	
Classification of Mixture:	Serious Eye Damage: Category 1 Skin Corrosion: Category 1C
Signal Word:	DANGER
Hazard Statements:	Causes severe skin burns and eye damage.
Precautionary Statements	
General:	KEEP OUT OF REACH OF CHILDREN. Read label before use.
Prevention:	Do not breath vapors. Wash hands thoroughly after handling. Wear protective gloves and eye protection.
Response:	IF ON SKIN: Take off contaminated clothing and wash before reuse. Rinse skin with water. If skin irritation persists: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If problem persists, call a Poison Center or get medical attention. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical attention immediately.

#### **3 Composition/Information on Ingredients**

#### Hazardous Ingredients

Potassium methylsilanetriolate

CAS Number 31795-24-1 Concentration Range % 1-10

Shield-It

4 First Aid Measures	3
Eye Contact:	Flush eyes with water for 15 minutes. Remove contact lenses if any.
Skin Contact:	Contact with concentrate may be an irritant to sensitive skin. If spilt in large areas of skin, rinse immediately with water and remove clothing. Wash skin thoroughly with soap and water.
Inhalation	If discomfort is experienced after prolonged exposure to vapors, move person to fresh air. Get medical attention if irritation persists.
Ingestion:	Get medical attention immediately. Rinse mouth with water. Do NOT induce vomiting. Drink glass of water to dilute product.

5 Firefighting Measures	
Suitable Extinguishing Media:	Water spray, normal foam, dry agent (carbon dioxide, dry chemical powder.)
Specific Hazards arising from the Chemical:	In a fire or if heated, a pressure increase will occur and the container may burst. Combustion products may include and are not limited to nitrogen oxides, carbon monoxide, and carbon dioxide.
Specific Protective Equipment and Precautions for Firefighters:	Firefighters should wear NIOSH approved self-contained breathing apparatus and protective clothing. If safe to do so, remove containers from path of fire. If involved in a fire, keep containers cool with water spray.

#### 6 Accidental Release Measures

Emergency Procedures:	Keep area clear of personnel until area has been properly cleaned.
Personal Precautions/ Protective Equipment:	Slippery when spilt. To avoid accidents, clean up immediately and shut off source of leak, if safe to do so. Wear appropriate protective equipment to prevent any contamination of skin, eyes, and personal clothing. Provide sufficient ventilation.
Environmental Precautions:	If contamination of sewers or waterways has occurred, advise local emergency services.
Methods for Containment and Cleaning Up:	Contain spill with absorbent (soil, sand, or other inert material) or spill kit to prevent contamination of sewers or waterways. Neutralization agent is not recommended within building, as toxic vapors may be omitted. Properly dispose of used absorbents in accordance with local, state, and federal regulations.

7 Handling and Storage	
Precautions for Safe Handling:	Avoid skin and eye contact, inhalation and ingestion. Wash hands thoroughly after use. Keep out of reach of children.
Conditions for Safe Storage, Including Incompatiibiities:	Store in cool, dry place and out of direct sunlight. Store away from source of heat or ignition. Do not mix with other chemicals. Keep container closed when not in use, and check regularly for leaks.

See Section 10 for incompatible materials.

8/3/2015	1273	Shield-It	Page 2 of 4

8 Exposure Controls/Personal Prote	ction		
Control Parameters: Hazardous Ingredients	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium methylsilanetriolate	200 ppm	200 ppm	250 ppm

Appropriate engineering controls:	Good ventilation should be sufficient to control worker exposure to airborne contaminants.
Personal Protection	
Eye Protection:	Use protective glasses or safety goggles if splashing or spray-back is likely.
Hand Protection:	Use protective gloves when used for prolong periods or if skin sensitive.
Skin Protection:	Use apron if splashing or spray-back is likely.
Respiratory Protection:	Use in well ventilated areas or local exhaust ventilation when cleaning small spaces.
Hygiene Measures:	Always wash hands after handling chemical products, and before smoking, eating, drinking, or using the toilet. Wash contaminated clothing or protective equipment before storage and re-use.

#### 9 Physical and Chemical Properties

Physical State: Color: Odor: pH:	Liquid Clear Neutral 8-9	Specific Gravity: Evaporation Rate: Solubility in Water: VOC (g/L):	1.01 < 1 Complete N/A	Vapour Pressure (mm Hg): Vapour Density: Freezing Point (°F): Boiling Point (°F): Flash Point (°F):	< 17 mm Hg > 1 < 32 > 212 > 200
		< means less thar	n >n	neans greater than	

**Note:** These physical data are typical values based on material tested but may vary from sample to sample. Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

#### **10 Stability and Reactivity**

Reactivity:	No specific data
Chemical Stability:	Stable
Possibility of Hazardous Reactions:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to Avoid:	Avoid exposure to heat and light.
Incompatible Materials:	Slightly reactive or incompatible with oxidizers (e.g., bleach), strong acids (e.g., hydrochloric acid) and reactive metals (e.g., aluminum).
Hazardous Decomposition Products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

0/3/2015 1273 Shield-it Page 3 01			Shield-It	Page 3 of 4
-----------------------------------	--	--	-----------	-------------

## 11 Toxological Information

Symptoms:			
Eye Contact:	Adverse symptoms may inc	•	
Skin Contact:	Adverse symptoms may inc	-	
Inhalation: Ingestion:	Adverse symptoms may inc Adverse symptoms may inc	• •	
Acute Toxicity:	naveree symptome may me	idde the following: storidar	i pano
Eye Contact:	Causes eye irritation		
Skin Contact:	Causes skin irritation		
Inhalation:	May cause respiratory irrita		
Ingestion:	May cause burns to mouth,	throat and stomach.	
Foxicity Data:			
lazardous Ingredients	<u>Result</u> LD 50- Oral	Species	Dose
Potassium methylsilanetriolate		Rat	> 2000 mg/kg
Chronic Effects:	No known significant effec	ts or critical hazards	
12 Ecological Information			
Ecotoxicity:	No data available.		
Aquatic Toxicity:	_	_	_
Hazardous Ingredients Potassium methylsilanetriolate	<u>Result</u> EC 50	<u>Species</u> Bacteria	<u>Dose</u> > 100 mg/l
•			> 100 mg/i
Other Adverse Effects:	No known significant effec	ts or critical hazards.	
2 Dispessel Consideration			
	5		
<b>13 Disposal Consideration</b> Disposal Methods:	Diluted product can be flus	hed to sanitary sewer. Dis dance with federal, state, ar	card empty container in trash. nd local regulations.
Disposal Methods:	Diluted product can be flus Dispose of waste in accord	shed to sanitary sewer. Dis dance with federal, state, ar	card empty container in trash. nd local regulations.
Disposal Methods:	Diluted product can be flus Dispose of waste in accord	shed to sanitary sewer. Dis dance with federal, state, ar	card empty container in trash. nd local regulations.
Disposal Methods: <b>I 4 Transportation Informa</b> Certain shipping modes or packag The classification provided may no	Diluted product can be flus Dispose of waste in accord tion ge sizes may have exceptions f	lance with federal, state, ar	nd local regulations.
Disposal Methods: <b>4 Transportation Informa</b> Certain shipping modes or packag The classification provided may no Ground Transport	Diluted product can be flus Dispose of waste in accord tion ge sizes may have exceptions f ot reflect those exceptions and	lance with federal, state, ar	nd local regulations.
Disposal Methods: <b>4 Transportation Informa</b> Certain shipping modes or packag The classification provided may no <u>Ground Transport</u> DOT Classification:	Diluted product can be flus Dispose of waste in accord tion ge sizes may have exceptions f	lance with federal, state, ar	nd local regulations.
Disposal Methods: <b>4 Transportation Informa</b> Certain shipping modes or packag the classification provided may no <u>Ground Transport</u> DOT Classification: IN Number:	Diluted product can be flus Dispose of waste in accord tion ge sizes may have exceptions f ot reflect those exceptions and Regulated 1719	lance with federal, state, ar	nd local regulations.
Disposal Methods: <b>4 Transportation Informa</b> Certain shipping modes or packag The classification provided may no <u>Ground Transport</u> DOT Classification: JN Number: Transport Hazard Class:	Diluted product can be flus Dispose of waste in accord tion ge sizes may have exceptions f of reflect those exceptions and Regulated 1719 8	lance with federal, state, ar	nd local regulations.
Disposal Methods: <b>4 Transportation Informa</b> Certain shipping modes or packag The classification provided may no <u>Around Transport</u> DOT Classification: JN Number: Transport Hazard Class: Packaging Group:	Diluted product can be flus Dispose of waste in accord tion ge sizes may have exceptions f ot reflect those exceptions and Regulated 1719 8 III	ance with federal, state, ar rom the transport regulatior may not apply to all shippin	nd local regulations.
Disposal Methods: <b>4 Transportation Informa</b> Certain shipping modes or packag the classification provided may no <u>Around Transport</u> DOT Classification: JN Number: Transport Hazard Class: Packaging Group: Hazardous Division:	Diluted product can be flus Dispose of waste in accord tion ge sizes may have exceptions f ot reflect those exceptions and Regulated 1719 8 III Caustic Alkali Liquid, n.o.s	ance with federal, state, ar rom the transport regulatior may not apply to all shippin	nd local regulations.
Disposal Methods: <b>4 Transportation Informa</b> Certain shipping modes or packag The classification provided may no <u>Ground Transport</u> DOT Classification: JN Number: Transport Hazard Class: Packaging Group: Hazardous Division: Hazardous Contents:	Diluted product can be flus Dispose of waste in accord tion ge sizes may have exceptions f bt reflect those exceptions and Regulated 1719 8 III Caustic Alkali Liquid, n.o.s Potassium methylsilanetric	ance with federal, state, ar rom the transport regulatior may not apply to all shippin	nd local regulations.
Disposal Methods: <b>A Transportation Informa</b> Certain shipping modes or packag The classification provided may no Ground Transport DOT Classification: JN Number: Transport Hazard Class: Packaging Group: Hazardous Division: Hazardous Contents: <b>I5 Regulatory Information</b>	Diluted product can be flus Dispose of waste in accord tion ge sizes may have exceptions and Regulated 1719 8 III Caustic Alkali Liquid, n.o.s Potassium methylsilanetric	ance with federal, state, ar rom the transport regulatior may not apply to all shippin	nd local regulations.
Disposal Methods: <b>A Transportation Informa</b> Certain shipping modes or package The classification provided may not <u>Around Transport</u> DOT Classification: JN Number: Transport Hazard Class: Packaging Group: Hazardous Division: Hazardous Contents: <b>I 5 Regulatory Information</b> SARA Title III:	Diluted product can be flus Dispose of waste in accord tion ge sizes may have exceptions and Regulated 1719 8 III Caustic Alkali Liquid, n.o.s Potassium methylsilanetric	ance with federal, state, ar rom the transport regulatior may not apply to all shippin	nd local regulations.
Disposal Methods: I4 Transportation Informa Certain shipping modes or packag The classification provided may no Ground Transport DOT Classification: JN Number: Transport Hazard Class: Packaging Group: Hazardous Division: Hazardous Contents: I5 Regulatory Information SARA Title III: California Proposition 65:	Diluted product can be flus Dispose of waste in accord tion ge sizes may have exceptions and Regulated 1719 8 III Caustic Alkali Liquid, n.o.s Potassium methylsilanetric	ance with federal, state, ar rom the transport regulatior may not apply to all shippin	nd local regulations.
Disposal Methods: <b>4 Transportation Informa</b> Certain shipping modes or packag the classification provided may no <u>Around Transport</u> DOT Classification: JN Number: Transport Hazard Class: Packaging Group: Hazardous Division: Hazardous Contents: <b>5 Regulatory Information</b> GARA Title III: California Proposition 65:	Diluted product can be flus Dispose of waste in accord tion ge sizes may have exceptions and Regulated 1719 8 III Caustic Alkali Liquid, n.o.s Potassium methylsilanetric	ance with federal, state, ar rom the transport regulatior may not apply to all shippin	nd local regulations.
Disposal Methods: 4 Transportation Informa Certain shipping modes or packag the classification provided may no Ground Transport DOT Classification: JN Number: Transport Hazard Class: Packaging Group: Hazardous Division: Hazardous Contents: 5 Regulatory Information GARA Title III: California Proposition 65: Other Regulations:	Diluted product can be flus Dispose of waste in accord tion ge sizes may have exceptions and Regulated 1719 8 III Caustic Alkali Liquid, n.o.s Potassium methylsilanetric	ance with federal, state, ar rom the transport regulatior may not apply to all shippin	nd local regulations.
-	Diluted product can be flus Dispose of waste in accord tion ge sizes may have exceptions and Regulated 1719 8 III Caustic Alkali Liquid, n.o.s Potassium methylsilanetric No No	ance with federal, state, ar rom the transport regulatior may not apply to all shippin	nd local regulations.
Disposal Methods: A Transportation Informa Certain shipping modes or packag the classification provided may no Ground Transport DOT Classification: JN Number: Transport Hazard Class: Packaging Group: Hazardous Division: Hazardous Contents: <b>5 Regulatory Information</b> GARA Title III: California Proposition 65: Dther Regulations: <b>16 Other Information</b> HMIS/NFPA Hazard Rating: The information contained herein	Diluted product can be flus Dispose of waste in accord tion ge sizes may have exceptions and Regulated 1719 8 III Caustic Alkali Liquid, n.o.s Potassium methylsilanetric No No No	ance with federal, state, ar rom the transport regulatior may not apply to all shippin	nd local regulations.
Disposal Methods: 4 Transportation Informa Certain shipping modes or packag the classification provided may no Ground Transport DOT Classification: JN Number: Transport Hazard Class: Packaging Group: Hazardous Division: Hazardous Division: Hazardous Contents: 5 Regulatory Information GARA Title III: California Proposition 65: Dther Regulations: 6 Other Information HMIS/NFPA Hazard Rating: The information contained herein mplied, is made regarding the acc	Diluted product can be flus Dispose of waste in accord tion ge sizes may have exceptions and Regulated 1719 8 III Caustic Alkali Liquid, n.o.s Potassium methylsilanetric No No No	ance with federal, state, ar rom the transport regulatior may not apply to all shippin	nd local regulations.