

# SAFETY DATA SHEET

Version 6.0 Revision Date 09/18/2019 Print Date 10/04/2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Phenol

Product Number : P1037

Brand : Sigma-Aldrich Index-No. : 604-001-00-2 CAS-No. : 108-95-2

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Synthesis of substances

## 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Inc.

3050 Spruce Street ST. LOUIS MO 63103

UNITED STATES

Telephone : +1 314 771-5765 Fax : +1 800 325-5052

## 1.4 Emergency telephone number

Emergency Phone # : +1-703-527-3887

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 3), H311

Skin corrosion (Category 1B), H314

Serious eye damage (Category 1), H318

Germ cell mutagenicity (Category 2), H341

Specific target organ toxicity - repeated exposure (Category 2), Nervous system, Kidney,

Liver, Skin, H373

Short-term (acute) aquatic hazard (Category 2), H401

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements

Sigma-Aldrich - P1037 Page 1 of 11



Pictogram



Signal word	Danger
-------------	--------

Hazard	statement(	(s)
--------	------------	-----

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage. H341 Suspected of causing genetic defects.

H373 May cause damage to organs (Nervous system, Kidney, Liver,

Skin) through prolonged or repeated exposure.

H401 Toxic to aquatic life.

# Precautionary statement(s)

P201		ructions	

P202 Do not handle until all safety precautions have been read and

understood.

P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 + IF IN EYES: Rinse cautiously with water for several minutes.

P310 Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a POISON CENTER/doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P362 Take off contaminated clothing and wash before reuse.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal

plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

Vesicant., Rapidly absorbed through skin.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Hydroxybenzene

Sigma-Aldrich - P1037 Page 2 of 11



Component	Classification	Concentration	
Phenol			
	Acute Tox. 3; Skin Corr. 1B; Eye Dam. 1; Muta. 2; STOT RE 2; Aquatic Acute 2; H301, H331, H311, H314, H318, H341, H373, H401	<= 100 %	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

# In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

#### **5.3** Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

Millipore SigMa

Sigma-Aldrich - P1037 Page 3 of 11

#### 5.4 Further information

No data available

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

## 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature 2 - 8 °C

Light sensitive. Handle and store under inert gas.

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

**Components with workplace control parameters** 

components with workplace control parameters						
Component	CAS-No.	Value	Control parameters	Basis		
Phenol	108-95-2	TWA	5 ppm	USA. ACGIH Threshold Limit Values (TLV)		
	Remarks	Central Nervous System impairment Upper Respiratory Tract irritation				

Sigma-Aldrich - P1037 Page 4 of 11



Lung damage Substances for which there is a Biological Exposure Index or Indices (see BEI® section) Not classifiable as a human carcinogen Danger of cutaneous absorption			
TWA	5 ppm 19 mg/m3	USA. NIOSH Recommended Exposure Limits	
Potential fo	r dermal absorp	tion	
С	15.6 ppm 60 mg/m3	USA. NIOSH Recommended Exposure Limits	
Potential for dermal absorption 15 minute ceiling value			
TWA	5 ppm 19 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
Skin designation			
The value in mg/m3 is approximate.			
PEL	5 ppm 19 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)	
Skin			

**Biological occupational exposure limits** 

Component	CAS-No.	Parameters	Value	Biological specimen	Basis		
Phenol	108-95-2	Phenol	250mg/g Creatinin e		ACGIH - Biological Exposure Indices (BEI)		
	Remarks	End of shift (As soon as possible after exposure ceases)					

# 8.2 Exposure controls

#### **Appropriate engineering controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# **Personal protective equipment**

### **Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Full contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 480 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

Millipore SigMa

Sigma-Aldrich - P1037 Page 5 of 11

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm Break through time: 30 min

Material tested: Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

## **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### **SECTION 9: Physical and chemical properties**

# .1 Information on basic physical and chemical properties

a) Appearance Form: crystalline

Colour: colourless, light yellow

b) Odour characteristic, aromatic

c) Odour Threshold No data available

d) pH ca.5 at 50 g/l at 20 °C (68 °F)

e) Melting point/range: 38 - 43 °C (100 - 109 °F)

point/freezing point

f) Initial boiling point 181.8 °C 359.2 °F at 1,013 hPa

and boiling range

g) Flash point 81 °C (178 °F) at ca.1,013 hPa - closed cup - DIN 51758

h) Evaporation rate No data availablei) Flammability (solid, No data available

gas)

j) Upper/lower Upper explosion limit: 9.5 %(V) flammability or Lower explosion limit: 1.3 %(V)

explosive limits

Sigma-Aldrich - P1037 Page 6 of 11



k) Vapour pressure 1 hPa at 36.1 °C (97.0 °F)

I) Vapour density 3.2 at 20 °C(68 °F) - (Air = 1.0)

m) Relative density 1.07 g/cm3

n) Water solubility 84 g/l at 20 °C (68 °F)

o) Partition coefficient: log Pow: 1.47 at 30 °C (86 °F) - (ECHA), Bioaccumulation is not

n-octanol/water expected.

p) Auto-ignition 715 °C (1319 °F) at 1,013 hPa

temperature

No data available q) Decomposition

temperature

No data available r) Viscosity No data available s) Explosive properties

t) Oxidizing properties No data available

#### Other safety information 9.2

38.2 mN/m at 50.0 °C (122.0 °F) Surface tension 3.2 at 20 °C (68 °F) - (Air = 1.0)

Relative vapour

density

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No data available

# 10.4 Conditions to avoid

No data available

# 10.5 Incompatible materials

Strong oxidizing agents, Strong bases, Strong acids

## 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### **Acute toxicity**

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Inhalation: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Sigma-Aldrich - P1037 Page 7 of 11 LD50 Dermal - Rat - female - 660 mg/kg (OECD Test Guideline 402) No data available

## Skin corrosion/irritation

Skin - In vitro study Result: Causes burns. (OECD Test Guideline 431)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive

(OECD Test Guideline 405)

Causes serious eye damage. Risk of blindness!

### Respiratory or skin sensitisation

Sensitisation test: - Guinea pig

Result: negative Remarks: (IUCLID)

## Germ cell mutagenicity

Suspected of causing genetic defects.

Mutagenicity (mammal cell test): chromosome aberration.

Chinese hamster ovary cells

Result: positive

Mutagenicity (mammal cell test): micronucleus.

Chinese hamster ovary cells

Result: positive

# Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

#### Reproductive toxicity

No data available

## Specific target organ toxicity - single exposure

No data available

## Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - Nervous system, Kidney, Liver, Skin

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### **Aspiration hazard**

No data available

#### **Additional Information**

Repeated dose toxicity - Rabbit - Dermal - 18 d - No observed adverse effect level - 130 mg/kg - Lowest observed adverse effect level - 260 mg/kg (ECHA)

Sigma-Aldrich - P1037 Page 8 of 11



RTECS: SJ3325000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Circulatory collapse, tachypnea, paralysis, Convulsions, Coma., necrosis of mouth and G.I. Tract, Jaundice, respiratory failure, cardiac arrest

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Stomach - Irregularities - Based on Human Evidence Stomach - Irregularities - Based on Human Evidence

# **SECTION 12: Ecological information**

## 12.1 Toxicity

semi-static test LC50 - Poecilia reticulata (guppy) - 21.93 mg/l - 14 Toxicity to fish

(OECD Test Guideline 204)

Toxicity to daphnia and other aquatic

static test EC50 - Ceriodaphnia dubia (water flea) - 3.1 mg/l - 48 h (US-EPA)

invertebrates

Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata (algae) - 61.1 mg/l

> - 96 h (US-EPA)

Toxicity to bacteria static test IC50 - microorganisms - 21 mg/l - 24 h

Remarks: (ECHA)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 100 h

Result: 62 % - Readily biodegradable.

(OECD Test Guideline 301C)

Biochemical Oxygen 1,680 mg/g

Demand (BOD) Remarks: (IUCLID)

Chemical Oxygen 2,300 mg/g

Demand (COD) Remarks: (IUCLID)

12.3 Bioaccumulative potential

Bioaccumulation Danio rerio (zebra fish) - 5 h

at 25 °C - 2 mg/l(Phenol)

Bioconcentration factor (BCF): 17.5

(OECD Test Guideline 305)

Remarks: Does not bioaccumulate.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Sigma-Aldrich - P1037 Page 9 of 11

#### 12.6 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Toxic to aquatic life.

Additional ecological No data available

information

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Offer surplus and non-recyclable solutions to a licensed disposal company.

# **Contaminated packaging**

Dispose of as unused product.

## **SECTION 14: Transport information**

DOT (US)

UN number: 1671 Class: 6.1 Packing group: II

Proper shipping name: Phenol, solid Reportable Quantity (RQ): 1000 lbs

Poison Inhalation Hazard: No

**IMDG** 

UN number: 1671 Class: 6.1 Packing group: II EMS-No: F-A, S-A

Proper shipping name: PHENOL, SOLID

Marine pollutant : yes

**IATA** 

UN number: 1671 Class: 6.1 Packing group: II

Proper shipping name: Phenol, solid

## **SECTION 15: Regulatory information**

#### **SARA 302 Components**

The following components are subject to reporting levels established by SARA Title III, Section 302:

Phenol CAS-No. Revision Date 108-95-2 2007-07-01

#### **SARA 313 Components**

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date 108-95-2 2007-07-01

Sigma-Aldrich - P1037 Page 10 of 11



#### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

## **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

## **Pennsylvania Right To Know Components**

Phenol CAS-No. Revision Date 108-95-2 2007-07-01

### **SECTION 16: Other information**

#### **Further information**

Copyright 2018 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.0 Revision Date: 09/18/2019 Print Date: 10/04/2019

Sigma-Aldrich - P1037 Page 11 of 11

