

LOCTITE CORPORATION

04/08/01

ROCKY HILL, CONNECTICUT 06067  
EMERGENCY PHONE: (860) 571-5100

MATERIAL SAFETY DATA SHEET

Page 01 of 05

Removable Threadlocker 242(R)  
24205

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: Removable Threadlocker 242(R)  
Item No.: 24205  
Product Type: Anaerobic

## 2. COMPOSITION, INFORMATION ON INGREDIENTS

Ingredients	CAS No.	%
Polyglycol dimethacrylate	25852-47-5	60-65
Polyglycol oleate	9004-96-0	25-30
SACCHARIN	81-07-2	3-5
CUMENE HYDROPEROXIDE*	80-15-9	1-3
Propylene glycol	57-55-6	1-3
SILICA, AMORPHOUS, FUMED, CRYSTALLINE-FREE	112945-52-5	1-3
N,N-Dialkyltoluidines	613-48-9	0.1-1
TITANIUM DIOXIDE	13463-67-7	0.1-0.5

\* This component is listed as a SARA Section 313 Toxic Chemical.

## Ingredients which have exposure limits

Exposure Limits (TWA) Ingredients	ACGIH (TLV)	OSHA (PEL)	OTHER
CUMENE HYDROPEROXIDE	None	None	1ppm(6mg/m3) Skin(WHEEL)
SILICA, AMORPHOUS, FUMED, CRYSTALLINE-FREE	10 mg/m3 TWA	6 mg/m3 TWA	3 mg/m3 TWA resp. dust
TITANIUM DIOXIDE	10 mg/m3	15 mg/m3 Total dust	None
Exposure Limits (STEL) Ingredients	ACGIH (TLV)	OSHA (PEL)	

## 3. HAZARDS IDENTIFICATION

Toxicity: Mild eye irritant. Propylene glycol is a mild skin irritant.  
Primary Routes of Entry: Eye, skin contact.  
Signs and Symptoms of Exposure: May cause dermatitis on prolonged contact in sensitive individuals.

LOCTITE CORPORATION

04/08/01

ROCKY HILL, CONNECTICUT 06067  
EMERGENCY PHONE: (860) 571-5100

## MATERIAL SAFETY DATA SHEET

Page 02 of 05

Product Name: Removable Threadlocker 242(R)  
Item No.: 24205

## 3. HAZARDS IDENTIFICATION

(continued)

## Existing Conditions

Aggravated by Exposure: Propylene glycol: dermatitis.

Ingredients	Literature Referenced Target Organ and Other Health Effects	Carcinogen		
		NTP	IARC	OSHA
Polyglycol dimethacrylate	ALG IRR	NO	NO	NO
Polyglycol oleate	IRR	NO	NO	NO
SACCHARIN	NTO	NO	N/A	NO
CUMENE HYDROPEROXIDE	ALG CNS COR IRR MUT	NO	NO	NO
Propylene glycol	IRR	NO	NO	NO
SILICA, AMORPHOUS, FUMED, CRYSTALLINE-FREE	NUI	NO	N/A	NO
N,N-Dialkyltoluidines	NTO	NO	NO	NO
TITANIUM DIOXIDE	IRR RES	NO	NO	NO

## Abbreviations

N/A Not Applicable	ALG Allergen
CNS Central nervous system	COR Corrosive
IRR Irritant	MUT Mutagen
NTO No Target Organs	NUI Nuisance dust
RES Respiratory	

## 4. FIRST AID MEASURES

Ingestion: Do not induce vomiting. Keep individual calm. Obtain medical attention.  
Inhalation: Does not apply.  
Skin Contact: Wash thoroughly with soap and water.  
Eye Contact: Flush at least 15 minutes with water. Obtain medical attention.

## 5. FIRE FIGHTING MEASURES

Flash Point: More than 200°F Method: Tag Closed Cup  
Recommended  
Extinguishing Agents: Carbon dioxide, foam, dry chemical.  
Special Firefighting  
Procedures: Not available  
Hazardous Products formed  
by Fire or Thermal Decomp Irritating organic vapors; oxides of carbon.  
Unusual Fire or  
Explosion Hazards: None  
Explosive Limits:

LOCTITE CORPORATION

04/08/01

ROCKY HILL, CONNECTICUT 06067  
EMERGENCY PHONE: (860) 571-5100

MATERIAL SAFETY DATA SHEET

Page 03 of 05

Product Name: Removable Threadlocker 242(R)  
Item No.: 24205

## 5. FIRE FIGHTING MEASURES

(continued)

(% by volume in air)Lower Propylene glycol: 2.6%  
(% by volume in air)Upper Propylene glycol: 12.5%

## 6. ACCIDENTAL RELEASE MEASURES

Steps to be taken in case  
of spill or leak: Soak up in an inert absorbant. Store in a partly  
filled, closed container until disposal.

## 7. HANDLING AND STORAGE

Safe Storage: Store below 100°F  
(Contact Loctite Customer Service 1-800-243-4874 for shelf life information)  
Handling: Avoid prolonged skin contact. Keep away from eyes.

## 8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Eyes: Safety glasses or goggles.  
Skin: Neoprene, rubber, or butyl rubber gloves.  
Ventilation: Does not apply  
Respiratory: Not available

See Section 2 for Exposure Limits.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Blue liquid  
Odor: Mild  
Boiling Point: More than 300°F  
pH: Does not apply  
Solubility in Water: Slight  
Specific Gravity: 1.1 at 75°F  
Volatile Organic Compound  
(EPA Method 24) 13.3%; 146 grams per liter  
Vapor Pressure: Less than 5mm at 80°F  
Vapor Density: Not available  
Evaporation Rate  
(Ether = 1) Not available

## 10. STABILITY AND REACTIVITY

Stability: Stable  
Hazardous Polymerization: Will not occur  
Incompatibility: Strong oxidizers, free radical initiators, inert  
gases.  
Conditions to Avoid: Not available  
Hazardous Decomposition  
Products (non-thermal): None

LOCTITE CORPORATION

04/08/01

ROCKY HILL, CONNECTICUT 06067  
EMERGENCY PHONE: (860) 571-5100

MATERIAL SAFETY DATA SHEET

Page 04 of 05

Product Name: Removable Threadlocker 242(R)  
Item No.: 24205

## 11. TOXICOLOGICAL INFORMATION

Oral LD50 more than 10000 mg/kg.  
Dermal LD50 more than 5000 mg/kg.

## 12. ECOLOGICAL INFORMATION

No data available

## 13. DISPOSAL CONSIDERATIONS

Recommended methods of disposal: Incinerate following EPA and local regulations.  
EPA Hazardous Waste Number: NH - Not a RCRA Hazardous Waste Material

## 14. TRANSPORTATION INFORMATION

## DOT (49 CFR 172)

## Domestic Ground Transport

Proper Shipping Name: Unrestricted  
Hazard Class or Division: Unrestricted  
Identification Number: None  
Marine Pollutant: None

## IATA

Proper Shipping Name: Unrestricted  
Class or Division: Unrestricted  
UN or ID Number: None

## 15. REGULATORY INFORMATION

CA Proposition 65: This product contains Saccharin. No prop65 hazard warning is necessary if this product is used as reasonably anticipated.

## 16. OTHER INFORMATION

## Estimated NFPA(R) Code:

Health Hazard: 1  
Fire Hazard: 1  
Reactivity Hazard: 1  
Specific Hazard: Does not apply

## Estimated HMIS(R) Code:

Health Hazard: 1\*  
Flammability Hazard: 1  
Reactivity Hazards: 1  
Personal Protection: See Section 8.

LOCTITE CORPORATION

ROCKY HILL, CONNECTICUT 06067  
EMERGENCY PHONE: (860) 571-5100

04/08/01

MATERIAL SAFETY DATA SHEET

Page 05 of 05

Product Name: Removable Threadlocker 242(R)  
Item No.: 24205

## 16. OTHER INFORMATION

(continued)

NFPA is a registered trademark of the National Fire Protection Assn.  
HMIS is a registered trademark of the National Paint and Coatings Assn.

Prepared By: Stephen Repetto  
Title: Research Chemist - Health & Regulatory Affairs  
Company: Loctite Corporation  
1001 Trout Brook Crossing, Rocky Hill CT 06067  
(24hr.) Phone: (860) 571-5100  
Revision Date: January 27, 1999 Revision: 0033

[application assistance](#) . [browse catalog](#) . [distributor locator](#) . [datasheets](#) . [what's new](#)  
[about loctite](#) . [contact loctite](#) . [literature](#) . [loctite world wide](#) . [search](#) . [home](#)

copyright © 1999-2000 Loctite