- Graph Art

MATERIAL SAFETY DATA SHEET (MSDS)

950

ITTM NUMBER: 950 - INK ANTI-SKIN SPRAY 17.5 OZ.

.TITY (As Used On Label and List): INK ANTI-SKIN SPRAY 17.5 OZ.

Emergency Medical Telephone Number

1-800-228-5635

(24 HRS)

PRODUCT HAZARD RATINGS: - Health = 2, Fire = 4, Reactivity = 0, Protective Equipment = 0, Safety Glasses (Rating Legend: - 4 = Extreme, 3 = Serious, 2 = Moderate, 1 = Slight, 0 = Minimal)

Section I

SPRAYWAY, INC. 484 VISTA AVENUE **ADDISON**

TELEPHONE NUMBER FOR INFORMATION:

1-708-628-3000

IL 60101 DATE PREPARED: 05/16/91

NAME OF PREPARER: Philip T. Miller

Section II - Hazardous Ingredients/Identity Information

- The state of the						
Chemical Names	Exposure Limits (LD50-Oral Rat)	SARA Title III SEC 313	ACGIH TLV/TWA	OSHA PEL	% By Wt.	
I,I,I Trichloroethane (CAS# 71-55-6 Mineral Oil (CAS# 8042-47-5) Butylated Hydroxy Toluene (CAS# 12 Liquified Petroleum Gas (CAS# 6847	NE NE 27-0) 800 (I	YES - - -	350ppm 5mg/m3 10ppm 1000	350 NE NE NE 1000	54.2 25-30 1-5 10-20	

Uh __atified ingredients are not considered hazardous under the Federal Hazard Communication Standard. Components Listed As A Suspected Carcinogen: None

Section III - Physical Characteristics

Boiling Point: NA solubility/Water: Negligible

Vapor Pressure (psig): 100@130F Vapor Density (AIR=1): >1

Specific Gravity (H20=1): >1 Evaporation Rate (Ether=1): <1

Appearance and Odor: Misty spray / chlorinated odor

Section IV - Fire and Explosion Hazard Data

terosol Flammability: This product is considered to be flammable as described in 16CFR 1500.46. lammable Limits - % Volume In Air (Propellant): UEL: 9.2

xtinguishing Media: Carbon dioxide, foam and/or dry chemical may be used.

pecial Fire Fighting Procedures: Containers should be cooled with water to prevent vapor pressure build up. ise equipment or shielding, as required, to protect personnel from bursting, rupturing or venting containers.

Inusual Fire and Explosion Hazards: At elevated temperatures (over 54C-130F) containers exposed to direct ame or heat contact should be cooled with water to prevent weakening of container structure.

1,1,1 Trichloroethane vapors concentrated in a confined or poorly ventilated area can be ignited upon contact with a igh energy spark, or high intensity source of heat.

ection V - Reactivity Data

ab!!! " Hazardous Polymerization: NA ci libility (Materials to Avoid): Strong oxidizers, heat, and open flame.

Example Decomposition Products: Carbon dioxide, carbon monoxide, hydrogen chloride, phosgene and ditional toxic chemicals may be formed in small amounts. anditions to Avoid: Do not store above 54C-130F. Keep away from heat, direct sunlight, open flames or arks. Dropping of containers may cause bursting.

Section VI - Health Hazard Data

Route(s) of Entry -Inhalation: X Eyes: X Skin: X Ingestion: X Signs and Symptoms of Exposure: Respiratory irritation. High concentrations may produce headache, dizziness nausea. Prolonged or repeated skin contact may lead to drying irritation and dermatitis. Possible skin ption. Eye contact may cause burning and irritation. Chronic overexposure may cause liver and kidney damage. Chronic exposure to 1,1,1 Trichloroethane has caused liver toxic effects in experimental animals. Medical Conditions Generally Aggravated by Exposure: Preexisting skin or eye disorders may be aggravated by exposure to this product. Acute and chronic liver disease and rhythm disorders of the heart. Emergency and First Ald Procedures: Eye Contact: Flush eyes with plenty of water for 15 minutes while holding eyelids open. Get medical attention if irritation persists. Skin Contact: Remove contaminated clothing. Flush skin with water, follow by washing with soap and water. If irritation occurs, get medical attention. Do not reuse clothing until cleaned. Inhalation: Remove victim to fresh air and provide oxygen if breathing is difficult. Give artificial respiration if not breathing. Get medical attention. Ingestion: Get medical attention immediately. NOTE TO PHYSICIAN: Adrenaline should never be given to persons overexposed to 1,1,1 Trichloroethane.

Section VII - Precautions for Safe Handling and Use

Releases or Spilled: Remove all sources of ignition and ventilate area. Soak up spill with an inert absorbent and place into a designated disposal container. Consult local regulatory agency for proper disposition of material. Waste Disposal Method: Do not puncture or incinerate containers. When contents are depleted continue to depress button until all gas is expelled. Dispose of container in accordance with local, state, and federal regulations.

Handling And Storing: Avoid breathing vapor. Keep away from heat and flame. Use with adequate ventilation. Do not puncture or incinerate containers. Do not expose to direct sunlight or store at temperatures

above 130F (54C). Store as Level 1 Aerosol (NFPA 30B).

Other Precautions: Please read and follow the directions on the product label; they are your best guide to using this product in the most effective way, and give the necessary safety precautions to protect your health.

Section VIII - Employee Protection

k __ratory Protection (Type): None required if good ventilation is maintained. If exposure exceeds occupational exposure limits (Sec. II), use a NIOSH approved respirator to prevent overexposure. Ventilation: Local exhaust is adequate under normal conditions, mechanical ventilation is optional. Protective Gloves: Chemical resistant gloves.

Eye Protection: Chemical safety glasses are recommended.

Other Protective Clothing or Equipment: Wear impervious clothing to prevent skin contact.

Work/Hygienic Practices: Ensure strict sanitary conditions are conformed to when working around chemicals. Protective clothing and equipment should be in accordance with 29 CFR 1910.132 and CFR 1910.133.

Section IX-Other Regulatory Controls

Governmental Listings: Ingredients of this product are listed on the EPA/TSCA Inventory of Chemical Substances.

Section X-Transportation (D.O.T. Classification)

Shipping Name: Consumer Commodity

Hazard Class: ORM-D

NG - Negligible NA-- Not Applicable NE-- Not Established UN-- Unavailable ND-- Not Determined

While the information set forth herein is believed to be accurate as of the date hereof, the Company makes no warranty or guarantee, express or implied, and disclaims all liability arising out of the use of this information.