

	Revision Date 03/29/2016	Version 1.2
SECTION 1.Identification Product identifier		
Product number	HX0295	
Product name	<i>n</i> -Hexane 95% For HPLC, Spectrophotometry and Gas Chromatography OmniSolv®	
CAS-No.	110-54-3	
Relevant identified uses of the	ne substance or mixture and uses advised against	
Identified uses	Reagent for analysis	
Details of the supplier of the	safety data sheet	
Company	EMD Millipore Corporation   290 Concord Road, Billerica, MA 0182 United States of America   General Inquiries: +1-978-715-4321   Monday to Friday, 9:00 AM to 4:00 PM Eastern Time (GMT-5)	1,
Emergency telephone	800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week	

### **SECTION 2. Hazards identification**

### **GHS Classification**

Flammable liquid, Category 2, H225 Skin irritation, Category 2, H315 Reproductive toxicity, Category 2, H361 Specific target organ systemic toxicity - single exposure, Category 3, Central nervous system, H336 Specific target organ systemic toxicity - repeated exposure, Category 2, Inhalation, Central nervous system, H373 Aspiration hazard, Category 1, H304

For the full text of the H-Statements mentioned in this Section, see Section 16.





*Hazard Statements* H225 Highly flammable liquid and vapor.

oduct number oduct name	HX0295 Version 1. <i>n</i> -Hexane 95% For HPLC, Spectrophotometry and Gas Chromatography OmniSolv®
-	wallowed and enters airways.
H315 Causes skin irri	
H336 May cause drov	
-	amaging fertility or the unborn child.
-	age to organs (Central nervous system) through prolonged or repeated
exposure if inhaled.	
Precautionary Statem	ients
P201 Obtain special in	nstructions before use.
P202 Do not handle u	ntil all safety precautions have been read and understood.
P210 Keep away from	n heat/sparks/open flames/hot surfaces. No smoking.
P233 Keep container	tightly closed.
P240 Ground/bond co	ontainer and receiving equipment.
P241 Use explosion-p	proof electrical/ ventilating/ lighting/ equipment.
P242 Use only non-sp	parking tools.
P243 Take precautior	nary measures against static discharge.
P260 Do not breathe	dust/ fume/ gas/ mist/ vapors/ spray.
P264 Wash skin thoro	oughly after handling.
P271 Use only outdoo	ors or in a well-ventilated area.
P280 Wear protective	gloves/ protective clothing/ eye protection/ face protection.
P301 + P310 IF SWA	LLOWED: Immediately call a POISON CENTER or doctor/ physician.
P303 + P361 + P353	IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing.
Rinse skin with water/	shower.
P304 + P340 IF INHA	LED: Remove victim to fresh air and keep at rest in a position comfortable for
breathing.	
	sed or concerned: Get medical advice/ attention.
	ent (see supplemental first aid instructions on this label).
P331 Do NOT induce	
	ritation occurs: Get medical advice/ attention.
	ninated clothing and wash before reuse.
	of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.
	a well-ventilated place. Keep container tightly closed.
	a well-ventilated place. Keep cool.
P405 Store locked up	
P501 Dispose of cont	ents/ container to an approved waste disposal plant.

None known.

### SECTION 3. Composition/information on ingredients

Formula	CH₃(CH₂)₄CH₃	C₀H₁₄ (Hill)
Molar mass	86.18 g/mol	

### Hazardous ingredients

*Chemical Name (Concentration)* CAS-No. *n-Hexane (>= 90 % - <= 100 % )* 110-54-3 

 Product number
 HX0295
 Version 1.2

 Product name
 n-Hexane 95% For HPLC, Spectrophotometry <br/>omniSolv®
 OmniSolv®

Exact percentages are being withheld as a trade secret.

### **SECTION 4. First aid measures**

### Description of first-aid measures

Inhalation

After inhalation: fresh air. Call in physician.

### Skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

### Eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

### Ingestion

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Call a physician immediately. Pulmonary failure possible after aspiration of vomit.

Never give anything by mouth to an unconscious person.

### Most important symptoms and effects, both acute and delayed

irritant effects, somnolence, Drowsiness

narcosis, Nausea, Tiredness, CNS disorders, paralysis symptoms

Risk of corneal clouding.

It generally applies for aliphatic hydrocarbons with 6 - 18 carbon atoms that they may cause pneumonia, in some cases also pulmonary oedema, upon direct inhalation, i.e. in conditions that can occur only in very special circumstances (nebulizations, spraying, inhalation of aerosols and similar). After absorption of very large quantities: narcosis.

### Indication of any immediate medical attention and special treatment needed

No information available.

### SECTION 5. Fire-fighting measures

### Extinguishing media

*Suitable extinguishing media* Foam, Carbon dioxide (CO2), Dry powder

*Unsuitable extinguishing media* For this substance/mixture no limitations of extinguishing agents are given.

### Special hazards arising from the substance or mixture

Combustible.

Pay attention to flashback.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapors possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

### Advice for firefighters

Special protective equipment for fire-fighters Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Product number	HX0295	Version 1.2
Product name	<i>n</i> -Hexane 95% For HPLC, Spectrophotometry and Gas Chroma OmniSolv®	atography

### Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

### SECTION 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

### **Environmental precautions**

Do not let product enter drains. Risk of explosion.

### Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

### SECTION 7. Handling and storage

### Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapors/aerosols.

Observe label precautions.

### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

### Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Store at room temperature.

Product number	HX0295	Version 1.2
Product name	<i>n</i> -Hexane 95% For HPLC, Spectrophotometry and Gas Ch	romatography
	OmniSolv®	

### SECTION 8. Exposure controls/personal protection

Exposure limit(s) Ingredients			
Basis	Value	Threshold limits	Remarks
n-Hexane 110-	54-3		
ACGIH	Time Weighted Average (TWA): Skin designation:	50 ppm	Can be absorbed through the skin.
NIOSH/GUIDE	Recommended exposure limit (REL):	50 ppm 180 mg/m³	
OSHA_TRANS	PEL:	500 ppm 1,800 mg/m³	
Z1A	Time Weighted Average (TWA):	50 ppm 180 mg/m³	

### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

### Individual protection measures

Protective clothing should be selected specifically for the workplace, depending on concentration and quantity of the hazardous substances handled. The chemical resistance of the protective equipment should be inquired at the respective supplier.

### Hygiene measures

Immediately change contaminated clothing. Apply skin- protective barrier cream. Wash hands and face after working with substance.

# *Eye/face protection* Safety glasses

### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

*Other protective equipment:* Flame retardant antistatic protective clothing.

### Respiratory protection

required when vapors/aerosols are generated.

# SECTION 9. Physical and chemical properties

Physical state

Product number Product name		
Color	colorless	
Odor	benzine-like	
Odor Threshold	No information available.	
рН	Not applicable	
Melting point	-94.3 °C	
Boiling point/boiling range	69 °C (69 °C) at  1,013 hPa	
Flash point	-22 °C (-22 °C) Method: c.c.	
Evaporation rate	No information available.	
Flammability (solid, gas)	No information available.	
Lower explosion limit	1.0 %(V)	
Upper explosion limit	8.1 %(V)	
Vapor pressure	160 hPa at  20 °C (20 °C)	
Relative vapor density	2.79	
Density	0.66 g/cm3 at 20 °C (20 °C)	
Relative density	No information available.	
Water solubility	0.0095 g/l at 20 °C (20 °C)	
Partition coefficient: n- octanol/water	log Pow: 4.11 (calculated) (Lit.) Potential bioaccumulation	
Autoignition temperature	No information available.	
Decomposition temperature	Distillable in an undecomposed state at normal pressure.	
Viscosity, dynamic	0.326 mPa.s at  20 °C (20 °C)	
Explosive properties	Not classified as explosive.	

Product number Product name	HX0295 Version 1.2 <i>n</i> -Hexane 95% For HPLC, Spectrophotometry and Gas Chromatography OmniSolv®
Oxidizing properties	none
Ignition temperature	240 °C (240 °C) Method: DIN 51794
Viscosity, kinematic	0.50 mm2/s at  20 °C (20 °C)

### SECTION 10. Stability and reactivity

### Reactivity

Vapors may form explosive mixture with air.

### **Chemical stability**

The product is chemically stable under standard ambient conditions (room temperature) .

### Possibility of hazardous reactions

Risk of explosion with:

Strong oxidizing agents, nitrogen oxides

Violent reactions possible with:

halogens

Risk of ignition or formation of inflammable gases or vapors with:

SODIUM PEROXIDE

### Conditions to avoid

Warming.

# Incompatible materials

rubber, various plastics

# Hazardous decomposition products

no information available

### SECTION 11. Toxicological information

### Information on toxicological effects

*Likely route of exposure* Inhalation, Eye contact, Skin contact

*Target Organs* Eyes Skin Respiratory system Central nervous system Peripheral nervous system

Product number	HX0295	Version 1.2
Product name	<i>n</i> -Hexane 95% For HPLC, Sp OmniSolv®	pectrophotometry and Gas Chromatography

Acute oral toxicity LD50 Rat: 16,000 mg/kg OECD Test Guideline 401

### Symptoms: Nausea

Acute inhalation toxicity LC50 Rat: 172 mg/l; 4 h ; vapor (RTECS)

Symptoms: Irritation symptoms in the respiratory tract.

Acute dermal toxicity LD50 Rabbit: > 2,000 mg/kg (ECHA)

absorption

Skin irritation

Causes skin irritation.

*Eye irritation* Risk of corneal clouding.

*Genotoxicity in vivo* Micronucleus test Result: negative (National Toxicology Program)

Genotoxicity in vitro In vitro mammalian cell gene mutation test MOUSE LYMPHOMA TEST Result: Positive results were obtained in some in vitro tests. Method: OECD Test Guideline 476

Ames test Salmonella typhimurium Result: negative Method: OECD Test Guideline 471

*CMR effects* Teratogenicity: Suspected of damaging the unborn child. Reproductive toxicity: Suspected of damaging fertility.

Specific target organ systemic toxicity - single exposure Target Organs: Central nervous system May cause drowsiness or dizziness.

Specific target organ systemic toxicity - repeated exposure Target Organs: Nervous system May cause damage to organs through prolonged or repeated exposure.

Product number Product name	HX0295 <i>n</i> -Hexane 95% For HPLC, Spectrophotometry and Gas Chrom OmniSolv®	Version 1.2 atography

#### Aspiration hazard

Aspiration hazard, Aspiration may cause pulmonary edema and pneumonitis.

Carcinogenicity		
IARC	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as probable, possible or confirmed	
	human carcinogen by IARC.	
OSHA	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a carcinogen or potential	
	carcinogen by OSHA.	
NTP	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a known or anticipated carcinogen	
	by NTP.	
ACGIH	No ingredient of this product present at levels greater than or	
	equal to 0.1% is identified as a carcinogen or potential	
	carcinogen by ACGIH.	

### Further information

After absorption:

Tiredness, narcosis

After long-term exposure to the chemical:

CNS disorders, paralysis symptoms

It generally applies for aliphatic hydrocarbons with 6 - 18 carbon atoms that they may cause pneumonia, in some cases also pulmonary oedema, upon direct inhalation, i.e. in conditions that can occur only in very special circumstances (nebulizations, spraying, inhalation of aerosols and similar). After absorption of very large quantities: narcosis.

Handle in accordance with good industrial hygiene and safety practice.

### SECTION 12. Ecological information

### Ecotoxicity

*Toxicity to fish* LC50 Pimephales promelas (fathead minnow): 2.5 mg/l; 96 h (ECOTOX Database)

*Toxicity to daphnia and other aquatic invertebrates* EC50 Daphnia magna (Water flea): 2.1 mg/l; 48 h (Lit.)

### Persistence and degradability

No information available.

### **Bioaccumulative potential**

Partition coefficient: n-octanol/water log Pow: 4.11 (calculated) (Lit.) Potential bioaccumulation

### Mobility in soil

No information available.

Product number	HX0295	Version 1.2
Product name	n-Hexane 95% For HPLC, Spectrophotometry  and Gas Chrom	natography
	OmniSolv®	

### Other adverse effects

Henry constant 183000 Pa\*m<sup>3</sup>/mol (HSDB) Distribution preferentially in air.

### SECTION 13. Disposal considerations

The information presented only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations. Disposal should be in accordance with applicable regional, national and local laws and regulations.

### SECTION 14. Transport information

Land transport (DOT)	
UN number	UN 1208
Proper shipping name	HEXANES
Class	3
Packing group	II
Environmentally hazardous	
Air transport (IATA)	
UN number	UN 1208
Proper shipping name	HEXANES
Class	3
Packing group	II
Environmentally hazardous	
Special precautions for user	no
Sea transport (IMDG)	
UN number	UN 1208
Proper shipping name	HEXANES
Class	3
Packing group	II
Environmentally hazardous	
Special precautions for user	yes
EmS	F-E S-D

### **SECTION 15. Regulatory information**

United States of America

### **SARA 313**

The following components are subject to reporting levels established by SARA Title III, Section 313:

Product number Product name			
<i>Ingredients</i> n-Hexane	110-54-3 <i>100 %</i>		
<b>SARA 302</b> No chemicals in this m 302.	naterial are subject to the reporting requirements of SARA Title III, Section		
Clean Water Act			
This product does not	contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311,		
Table 116.4A.			
This product does not	contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311,		
Table 117.3.			
DEA List I Not listed			
DEA List II Not listed			
US State Regulations			
Massachusetts Right	Fo Know		
<i>Ingredients</i> n-Hexane			
Pennsylvania Right To	> Know		
<i>Ingredients</i> n-Hexane			
New Jersey Right To I	Know		
<i>Ingredients</i> n-Hexane			
<b>California Prop 65 Co</b> This product does not birth, or any other repr	contain any chemicals known to the State of California to cause cancer,		
Notification status			
TSCA:	All components of the product are listed in the TSCA-inventory.		
DSL:	All components of this product are on the Canadian DSL		
ECTION 16. Other inform	ation		

Provide adequate information, instruction and training for operators.

Product number	HX0295	Version 1.2
Product name	<i>n</i> -Hexane 95% For HPLC, Spectroph OmniSolv®	otometry and Gas Chromatography



*Signal Word* Danger

Hazard Statements
H225 Highly flammable liquid and vapor.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H361 Suspected of damaging fertility or the unborn child.
H373 May cause damage to organs (Nervous system, Central nervous system) through prolonged or repeated exposure if inhaled.
H411 Toxic to aquatic life with long lasting effects.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P240 Ground/bond container and receiving equipment.
P273 Avoid release to the environment.
Response
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P314 Get medical advice/ attention if you feel unwell.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

### Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapor.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure if inhaled.

### Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Revision Date03/29/2016

Product number	HX0295	Version 1.2	
Product name	n-Hexane 95% For HPLC, Spectrophotometry  and Gas Chrom	or HPLC, Spectrophotometry and Gas Chromatography	
	OmniSolv®		

The information contained herein is based on the present state of our knowledge. It characterizes the product with regard to appropriate safety precautions. It does not represent a warranty of any product properties and we assume no liability for any loss or injury which may result from the use of this information. Users should conduct their own investigations to determine the suitability of the information.

All rights reserved. Millipore and the "M" Mark are registered trademarks of Merck KGaA, Darmstadt, Germany.