MATERIAL SAFETY DATA SHEET Emergency Telephone Inrul (614) 431-6600 Borden, Inc. Packaging and Industrial Products Division IF IT'S BORDEN-IT'S 180 EAST BROAD STREET, COLUMBUS, OHIO 43215 GOT TO BE GOOD THE OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200 REQUIRES THAT THE INFORMATION CONTAINED ON THESE SHEETS BE MADE AVAILABLE TO YOUR WORKER INSTRUCT YOUR WORKERS TO HANDLE THIS PRODUCT PROPERLY. Х NON-EMERGENCY TELEPHONE ATTN: 800-848-9400 (MSDS, ORDER) х Х, 614-431-6680 (TECH. INFO) DESCRIPTION: ELMER'S CARPENTERS WOOD GLUE PAGE PRODUCT TYPE: PVAC BASED ADHESIVE CUR ISS 07-DEC-9 APPLICATION: E614, E700, E701, E702, E704, E705, E706, E970. SIGNAL WORD This material is not a "health hazard" or a "physical hazard" as determined when reviewed according to the requirements of the Occupational Safety and Health Administration 29 CFR Part 1910.1200 "Hazard Communication" Standard. CHEMICAL HAZARD RATING HEALTH=1(slight) FIRE=0(least) REACTIVITY=0(least) \_\_\_\_\_ 29CFR1910.1200 HAZARDOUS INGREDIENTS/REPORTED HEALTH EFFECTS CAS/REGISTRY NO. MATERIAL DESCRIPTION % RANGE None known to Borden. PHYSICAL DATA PERCENT VOLATILES 48 5.0 PH @ 25 C SPECIFIC GRAVITY 1.08 LIGHT YELLOW LIQUID APPEARANCE AUTOIGNITION TEMPERATURE NOT AVAILABLE BOILING POINT 100 deg C VAPOR DENSITY (AIR=1) < 1 VAPOR PRESSURE, MM HG @ 20 C 17.5 EVAPORATION RATE (BUTYL ACETATE=1) < 1 UP/LOW FLAMMABLE LIMITS NOT APPLICABLE UP/LOW EXPLOSIVE LIMITS, % BY VOL. NOT APPLICABLE NOT APPLICABLE FLASH POINT FREEZING POINT 0 deg C ODOR MILD ACETIC AROMA NOT AVAILABLE ODOR THRESHOLD, PPM SOLUBILITY IN WATER DISPERSIBLE \_\_\_\_\_\_ IMMEDIATE HEALTH HAZARD DATA SKIN ABSORPTION: Not toxic dermally when tested as described in 16 CFR Part 1500.3 (c) (1) and (2). ANTISA MULINALI ITA INGESTION: Not toxic orally when tested as described in READ NEXT PA

```
MATERIAL SAFETY DATA SHEET
                                                      Emergency Telephone
                                                         (614) 431-6600
              Borden, Inc.
              Packaging and Industrial Products Division
  IF IT'S BORDEN-IT'S
              180 EAST BROAD STREET, COLUMBUS, OHIO 43215
   GOT TO BE GOOD
 DESCRIPTION: ELMER'S CARPENTERS WOOD GLUE
                                                                   PAGY
PRODUCT TYPE: PVAC BASED ADHESIVE
                                                         CUR ISS 07-DEC J
 APPLICATION: E614, E700, E701, E702, E704, E705, E706, E970.
IMMEDIATE HEALTH HAZARD DATA
     16 CFR Part 1500.3 (c) (1) and (2).
     INHALATION: Not expected to be harmful under normal conditions of use. However, if allowed to become
     airborne, may cause irritation of nose, throat and
     lungs. Not toxic by inhalation when tested as
     described in 16 CFR Part 1500.3 (c) (1) and (2).
     SKIN: Not an irritant when tested as described in
     16 CFR Part 1500.41.
     EYES: Not an irritant when tested as described in
     16 CFR Part 1500.42.
 ______
HANDLING PRECAUTIONS
     INHALATION: Avoid prolonged or repeated breathing of
     vapor.
     Handle in accordance with good industrial hygiene and
     safety practices.
 -------
                       EMERGENCY AND FIRST AID PROCEDURES
     INGESTION: If accidently swallowed, dilute by drinking large quantities of water. Immediately contact
     poison control center or hospital emergency room for
     any other additional treatment directions.
     INHALATION: Remove to fresh air.
     EYE CONTACT: Immediately flush eyes with plenty of
     water. Call a physician if irritation persists.
FIRE AND EXPLOSION HAZARD DATA
     Will not burn unless water has evaporated.
     In case of fire, water should be used to keep fire-
     exposed containers cool.
REACTIVITY DATA
     Normally stable as defined in NFPA 704-12(4-3.1).
     Hazardous polymerization:
Will not occur.
     Incompatibilities:
       Strong acids and alkaline materials.
     Other Hazards:
       None known to Borden.
     Decomposition products may include:
     CO, CO2.
CONTROL MEASURES
    If airborne contaminants are generated when the material is heated or handled, sufficient ventilation
    in volume and air flow patterns should be provided to
    keep air contaminant concentration levels below
    acceptable criteria.
                          READ NEXT PAGE
```

MATERIAL SAFETY DATA SHEET **Emergency Telephone** IIRDF (614) 431-6600 Borden, Inc. Packaging and Industrial Products Division IF IT'S BORDEN-IT'S 180 EAST BROAD STREET, COLUMBUS, OHIO 43215 GOT TO BE GOOD DESCRIPTION: ELMER'S CARPENTERS WOOD GLUE PRODUCT TYPE: PVAC BASED ADHESIVE PAGE APPLICATION: E614, E700, E701, E702, E704, E705, E706, E970. CUR ISS 07-DEC-9 \_\_\_\_\_ \*\*\*\*\*\*\* PERSONAL PROTECTION INFORMATION No special protection necessary. ====== SPILL OR LEAK PROCEDURES Soak up with absorbent material and remove to a chemical disposal area. Prevent entry into natural bodies of water. WASTE DISPOSAL Recover free liquid. Absorb residue and dispose of according to local, state/provincial, and federal requirements. \* STORAGE PRECAUTIONS Keep from freezing. Store in a cool, dry place. Keep containers tightly closed. TRANSPORT INFORMATION Not Regulated. 060 E700.B PREVIOUS ISSUE: CURRENT ISSUE:07-DEC-93 PRINT DATE: 09-Dec-93 04:02 PM

THIS IS THE LAST PAG

.

MATERIAL SAFETY DATA SHEET

Emergency Telephone (614) 431-6600

(



GOT TO BE GOOD

10.01 2 WILW J.A.

informations of Mission 244. 16, 91 oct. 6 (c.

Packaging and Industrial Products Division 180 EAST BROAD STREET, COLUMBUS, OHIO 43215

> SARA TITLE III SECTION 313 AND 40 CFR Part 372 TOXIC CHEMICAL NOTIFICATION SHEET

## ELMER'S CARPENTERS WOOD GLUE

This product contains the following toxic chemical(s) subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986, and Subpart C-Supplier Notification Requirement of 40 CFR Part 372.

CAS Registry Number Chemical Name

Pct. Weig:

None required per SARA TITLE III SECTION 313

Borden, Inc.

This Toxic Chemical Notification Sheet must not be detached from the Material Safety Data Sheet (MSDS). Any copying and redistribution of the MSDS shall include copying and redistribution of this notification sheet attached to copies of the MSDS subsequently redistributed. 060 Е700.В PRINT DATE: 09-Dec-93 04 3

## DISCLAIMER

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY BORDEN, except that the product shall conform to contracted specifications, and that the product does not infringe any valid United States patent. The information provided herein was believed by Borden to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of product and to determine the suitability of the product for its intended use. Buyer's exclusive remedy shall be for damages and no claim of any kind, whether as to product delivered or for non-delivery of product, and whether based on contract, breach of warranty, negligence or otherwise shall be greater in amount than the purchase price of the quantity of product in respect of which damages are claimed. In no event shall Seller be liable for incidental or consequential damages, whether Buyer's claim is based on contract, breach of warranty, negligence or otherwise.