

# **SAFETY DATA SHEET**

Creation Date 03-May-2012 Revision Date 24-Dec-2021 Revision Number 4

1. Identification

Product Name Cyclohexyl bromide

Cat No.: AC159080000; AC159080010; AC159080025; AC159080050;

AC159082500

**CAS No** 108-85-0

Synonyms Bromocyclohexane

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company
One Reagent Lane
Fair Lawn, NJ 07410
Acros Organics
One Reagent Lane
Fair Lawn, NJ 07410
Fair Lawn, NJ 07410

Tel: (201) 796-7100

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Category 4

Label Elements

**Signal Word** 

Warning

**Hazard Statements** 

Combustible liquid

**Precautionary Statements** 

Prevention

Keep away from heat/sparks/open flames/hot surfaces. - No smoking Wear protective gloves/protective clothing/eye protection/face protection

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep cool

**Disposal** 

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

None identified

## 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Cyclohexane, bromo-	108-85-0	>95

## 4. First-aid measures

General Advice If symptoms persist, call a physician. Show this safety data sheet to the doctor in

attendance.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes.

**Inhalation** Remove to fresh air.

**Ingestion** Do NOT induce vomiting.

Most important symptoms and

effects

**Notes to Physician** 

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

nausea and vomiting Treat symptomatically

## 5. Fire-fighting measures

Suitable Extinguishing Media Water spray. Carbon dioxide (CO2). Dry chemical. Chemical foam. Use:. Alcohol resistant

foam. Water mist may be used to cool closed containers.

Unsuitable Extinguishing Media Do not use a solid water stream as it may scatter and spread fire

**Flash Point** 62 °C / 143.6 °F

Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Combustible material. Keep product and empty container away from heat and sources of ignition. Risk of ignition. Containers may explode when heated.

**Hazardous Combustion Products** 

Revision Date 24-Dec-2021 Cyclohexyl bromide

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Hydrogen halides.

#### Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

N	F	P	Δ
14			_

Health	Flammability	Instability	Physical hazards
1	2	0	N/A

## 6. Accidental release measures

**Personal Precautions** 

Use personal protective equipment as required. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Pay attention to

flashback. Take precautionary measures against static discharges.

See Section 12 for additional Ecological Information. Do not flush into surface water or **Environmental Precautions** sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product

from entering drains.

Up

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition.

## 7. Handling and storage

Avoid contact with skin and eyes. Do not breathe mist/vapors/spray. Use spark-proof tools Handling

> and explosion-proof equipment. Use only non-sparking tools, Take precautionary measures against static discharges. Keep away from open flames, hot surfaces and sources of

ignition.

Keep away from heat, sparks and flame. Keep away from heat. Keep containers tightly Storage.

closed in a dry, cool and well-ventilated place. Incompatible Materials. Strong oxidizing

agents. Strong bases.

# 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limitsestablished by the region specific regulatory bodies.

**Engineering Measures** None under normal use conditions. Ensure adequate ventilation, especially in confined

areas.

**Personal Protective Equipment** 

Tight sealing safety goggles. **Eye/face Protection** 

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure. Chemical

resistant apron. Antistatic boots. Impervious gloves.

**Respiratory Protection** No protective equipment is needed under normal use conditions.

When using do not eat, drink or smoke. Provide regular cleaning of equipment, work area **Hygiene Measures** 

and clothing.

## 9. Physical and chemical properties

**Physical State** Liquid Light yellow **Appearance** Odor pungent

**Odor Threshold** No information available pН No information available

Melting Point/Range -56 °C / -68.8 °F

Boiling Point/Range 166 - 167 °C / 330.8 - 332.6 °F @ 760 mmHg

Flash Point 62 °C / 143.6 °F
Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

UpperNo data availableLowerNo data availableVapor Pressure2.36 mmHg @ 20 °C

Vapor Density 5.62 Specific Gravity 5.62

Solubility Insoluble in water
Partition coefficient; n-octanol/water No data available
Autoignition Temperature No information available

Decomposition Temperature

No information available
Viscosity

No information available

Molecular Formula C6 H11 Br Molecular Weight 163.06

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products. Heating in air. Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible Materials Strong oxidizing agents, Strong bases

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen halides

Hazardous Polymerization Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

## 11. Toxicological information

**Acute Toxicity** 

Product Information Component Information

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

IrritationNo information availableSensitizationNo information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Cyclohexane, bromo-	108-85-0	Not listed				

Mutagenic Effects No information available

Reproductive Effects

No information available.

Developmental Effects

No information available.

Revision Date 24-Dec-2021 Cyclohexyl bromide

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard** 

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

#### **Ecotoxicity**

Do not empty into drains.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea	
Cyclohexane, bromo-	Not listed	LC50 = 12 mg/L 96h	Not listed	LC50 = 21 mg/L 48h	

Persistence and Degradability Persistence is unlikely

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Is not likely mobile in the environment due its low water solubility.

Component	log Pow
Cyclohexane, bromo-	3.2

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# Transport information

COMBUSTIBLE LIQUID, NOT REGULATED FOR TRANSPORT IN THIS QUANTITY DOT

According to 49 CFR §173.150(f)(1), this material should reclassified as NA1993,

Combustible Liquid, NOS if it is shipped in bulk.

**UN-No** NA1993

**Proper Shipping Name** Combustible liquid, n.o.s.

**Packing Group** 

Not regulated TDG Not regulated IATA IMDG/IMO Not regulated

## Regulatory information

## **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Cyclohexane, bromo-	108-85-0	Χ	ACTIVE	-

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Cyclohexane, bromo-	108-85-0	Х	-	203-622-2	-	-		Χ	Χ	KE-09221

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313 Not applicable

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act) Not applicable

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Health Administration

Not applicable

CERCLA Not applicable

**California Proposition 65** This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations

Not applicable

**U.S. Department of Transportation** 

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Moderate risk, Grade 2

Authorisation/Restrictions according to EU REACH

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Cyclohexane, bromo-	108-85-0	Not applicable	Not applicable	Not applicable	Not applicable

Component	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	<b>Basel Convention</b>
-		(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
		<b>Qualifying Quantities</b>	<b>Qualifying Quantities</b>		
		for Major Accident	for Safety Report		
		Notification	Requirements		

Cyclohexane, bromo-	108-85-0	Not applicable	Not applicable	Not applicable	Not applicable

16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

 Creation Date
 03-May-2012

 Revision Date
 24-Dec-2021

 Print Date
 24-Dec-2021

Revision Summary This document has been updated to comply with the US OSHA HazCom 2012 Standard

replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**