

STA-LUBE -- 3150-3360 SUPER WHITE MULTI-PURPOSE GREASE  
MATERIAL SAFETY DATA SHEET  
NSN: 915000F010051  
Manufacturer's CAGE: 33876  
Part No. Indicator: B  
Part Number/Trade Name: 3150-3360 SUPER WHITE MULTI-PURPOSE GREASE

---

---

General Information

---

---

Company's Name: STA-LUBE INC  
Company's Street: 3039 ANA ST  
Company's City: RANCHO DOMINGUEZ  
Company's State: CA  
Company's Country: US  
Company's Zip Code: 90221  
Company's Emerg Ph #: 213-537-5650  
Company's Info Ph #: 213-664-2121  
Record No. For Safety Entry: 002  
Tot Safety Entries This Stk#: 002  
Status: FE  
Date MSDS Prepared: 01MAR93  
Safety Data Review Date: 15MAY97  
MSDS Preparer's Name: JORGENSEN ENVIRONMENTAL  
Preparer's Company: STA-LUBE INC  
Preparer's St Or P. O. Box: 3039 ANA ST  
Preparer's City: RANCHO DOMINGUEZ  
Preparer's State: CA  
Preparer's Zip Code: 90221  
MSDS Serial Number: CFFMM

---

---

Ingredients/Identity Information

---

---

Proprietary: NO  
Ingredient: MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-REFINED HEAVY  
NAPHTHENIC DISTILLATE \*97-1\*  
Ingredient Sequence Number: 01  
NIOSH (RTECS) Number: PY8040000  
CAS Number: 64741-96-4

---

Proprietary: NO  
Ingredient: LITHIUM SOAP  
Ingredient Sequence Number: 02  
NIOSH (RTECS) Number: 1000598LS

---

---

Physical/Chemical Characteristics

---

---

Appearance And Odor: WHITE SEMI-SOLID TO SOLID GREASE W/A FAINT PETROLEUM  
ODOR  
Boiling Point: >600F  
Vapor Pressure (MM Hg/70 F): NEGLIGIBLE  
Vapor Density (Air=1): >1  
Specific Gravity: 0.9-1  
Evaporation Rate And Ref: NEGLIGIBLE  
Solubility In Water: NEGLIGIBLE  
Percent Volatiles By Volume: <0.1

---

---

### Fire and Explosion Hazard Data

---

---

Flash Point: >400F  
Flash Point Method: TCC  
Lower Explosive Limit: NEGLIGIBLE  
Upper Explosive Limit: NEGLIGIBLE  
Extinguishing Media: CO2, DRY CHEMICAL, FOAM/WATER SPRAY.  
Special Fire Fighting Proc: WEAR PROTECTIVE EQUIPMENT & CLOTHING. USE A SCBA FOR ENCLOSED SPACES. WATER SPRAY MAY CAUSE FROTHING. USE WATER SPRAY TO COOL CONTAINERS.  
Unusual Fire And Expl Hazrds: MATERIAL CAN IGNITE & BURN WHEN HEATED > IT'S FLASH POINT. EMPTY TANKS/CONTAINERS RETAIN MATERIAL RESIDUE, WHICH CAN IGNITE/EXPLODE. AUTOIGNITION TEMP: >400F.

---

---

### Reactivity Data

---

---

Stability: YES  
Cond To Avoid (Stability): HEAT.  
Materials To Avoid: INCOMPATIBLE W/STRONG OXIDIZING AGENTS.  
Hazardous Decomp Products: CO2, CO, TRACE AMOUNTS OF OXIDES OF SULFUR & NITROGEN.  
Hazardous Poly Occur: NO

---

---

### Health Hazard Data

---

---

Route Of Entry - Inhalation: YES  
Route Of Entry - Skin: NO  
Route Of Entry - Ingestion: YES  
Health Haz Acute And Chronic: EYES: IRRITATION. SKIN: IRRITATION & DERMATITIS. INHALATION: MAY IRRITATE THE NOSE, THROAT & UPPER RESPIRATORY TRACT. INGESTION: CAN CAUSE IRRITATION OF THE STOMACH & INTESTINAL TRACT.  
Carcinogenicity - NTP: NO  
Carcinogenicity - IARC: NO  
Carcinogenicity - OSHA: NO  
Explanation Carcinogenicity: NONE  
Signs/Symptoms Of Overexp: IRRITATION, BURNING, TEARING, REDNESS.  
Med Cond Aggravated By Exp: PRE-EXISTING SKIN & RESPIRATORY CONDITIONS.  
Emergency/First Aid Proc: EYES: FLUSH W/WATER. SKIN: THOROUGHLY WASH W/SOAP & WATER. USE A WATERLESS CLEANSER IF NECESSARY. INHALATION: REMOVE TO FRESH AIR. INGESTION: IF CONSCIOUS & ALERT, GIVE MILK/WATER TO DRINK. OBTAIN MEDICAL ATTENTION IN ALL CASES.

---

---

### Precautions for Safe Handling and Use

---

---

Steps If Matl Released/Spill: WEAR PROTECTIVE CLOTHING & EQUIPMENT. USE ADEQUATE VENTILATION. DON'T ALLOW TO ENTER SEWERS, STREAMS/SURFACE WATERS.  
DIKE & CONTAIN. PICKUP FOR LATER RECLAMATION & DISPOSAL. USE AN INERT ABSORBENT TO PICKUP RESIDUE & COLLECT FOR LATER DISPOSAL.  
Waste Disposal Method: DISPOSED MATERIAL SHOULD BE HANDLED & TRANSPORTED OFFSITE IAW/FEDERAL, STATE & LOCAL REGULATIONS. EMPTY TANKS & CONTAINERS SHOULD BE COMMERCIALY CLEANED & RECONDITIONED BEFORE USE.  
Precautions-Handling/Storing: STORE CLOSED CONTAINERS IN A COOL, DRY, WELL VENTILATED AREA AWAY FROM HEAT & STRONG OXIDIZING AGENTS. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.  
Other Precautions: USE IN A WELL VENTILATED AREA & WEAR RECOMMENDED

PROTECTIVE CLOTHING & EQUIPMENT. AVOID BREATHING MISTS/FUMES. AVOID PROLONGED SKIN CONTACT. LABEL ALL UNATTENDED CONTAINERS.

---

---

Control Measures

---

---

Other Protective Equipment: PROTECTIVE CLOTHING & EQUIPMENT.  
Work Hygienic Practices: REMOVE/LAUNDER CONTAMINATED CLOTHING & SHOES BEFORE REUSE. WASH THOROUGHLY AFTER HANDLING.

---

---

Transportation Data

---

---

Disposal Data

---

---

Label Data

---

---