

#### **Section 1: IDENTIFICATION**

#### 1.1 PRODUCT IDENTIFIER

Product Name: SimpleFix ® Pre-mixed Adhesive & Grout

Product Code: Not Available

1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Product Use: Adhesive & Grout

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEETS

Name/Address: Custom Building Products

3490 Piedmont Road, Suite 1300

Atlanta, GA 30329

**Telephone Number:** (562)-598-8808

#### 1.4 EMERGENCY TELEPHONE NUMBER

Emergency Telephone INFOTRAC 1-800-535-5053 (US and Canada)

Number: INTERNATIONAL + 1-352-323-3500

## Section 2: HAZARD(S) IDENTIFICATION

#### 2.1 CLASSIFICATION OF THE CHEMICAL IN ACCORDANCE WITH PARAGRAPH (d) OF 29 CFR

## 1910.1200 (OSHA HAZCOM2012)

Skin Irritation Category 2
Eye Irritation Category 2
STOT-SE Category 3
STOT-RE Category 1
Carcinogenicity Category 1A

#### 2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM2012

#### 2.2a SIGNAL WORD:

DANGER!

#### 2.2b HAZARD STATEMENTS

Causes skin irritation Causes eye irritation

May cause respiratory irritation

Causes damage to organs through prolonged or repeated exposure

May cause cancer



#### 2.2c HAZARD PICTOGRAMS





#### 2.2d PRECAUTIONARY STATEMENTS

i.	PREVENTION	Wash hands thoroughly after handling. Do not breathe dust/fume/gas/mist/ vapors/spray. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.
ii.	RESPONSE	If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: call a poison center/doctor. If exposed or concerned: get medical advice/attention
iii.	STORAGE	Store in a well-ventilated place. Keep container tightly closed.
iv.	DISPOSAL	Dispose of contents/containers in accordance with all local, state, provincial, and federal regulations.

#### 2.3 ADDITIONAL INFORMATION

# 2.3a HNOC – HAZARDS NOT OTHERWISE CLASSIFIED

Not applicable

### 2.3b UNKNOWN ACUTE TOXICITY

81% of the mixture consists of ingredient(s) of unknown acute toxicity.

#### 2.3c WHMIS CLASSIFICATION

Class D2B – Skin/Eye Irritant

Class D2A - Chronic Toxic Effects

Class D2A - Carcinogenicity

Class E - Corrosive Material

#### 2.3d LABEL ELEMENTS ACCORDING TO WHMIS

#### i. WHMIS HAZARD SYMBOLS





# ii. SIGNAL WORD DANGER!

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 MIXTURES

Chemical Name	CAS Number	Weight %
Crystalline Silica, Quartz	14808-60-7	30 – 60%*
Calcium Carbonate	1317-65-3	10 – 30%*
Ethylene Glycol	107-21-1	0.5 – 1.5%*
Titanium Dioxide	13463-67-7	0.5 – 1.5%*
Diethylene Glycol Monobutyl Ether	112-34-5	0.5 – 1.5%*
Nonylphenol Polyethoxylate	9016-45-9	0.1 – 1%*

<sup>\*</sup>Means that the component will fall into one the ranges specified due to batch-to-batch variability.

# **Section 4: FIRST-AID MEASURES**

## 4.1 DESCRIPTION OF THE FIRST-AID MEASURES

ROUTES OF EXPOSURE	DESCRIPTION
Eye Contact:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. If easy to do, remove contact lenses, if worn. Get medical attention immediately.
Skin Contact:	In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Call a physician if irritation develops and persists.
Inhalation:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
Ingestion:	If swallowed, do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical advice/attention.

## 4.2 MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND DELAYED

ROUTES OF EXPOSURE	DESCRIPTION
Eye Contact:	Causes eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.



Skin Contact: Causes skin irritation. Handling can cause dry skin, discomfort,

irritation, and dermatitis.

**Inhalation:** May cause respiratory tract irritation. Causes damage to organs

through prolonged or repeated exposure. This product contains crystalline silica. Prolonged or repeated inhalation of respirable crystalline silica from this product can cause silicosis, a serious

disabling and fatal lung disease.

Ingestion: May be harmful if swallowed. Ingestion may cause discomfort

and/or distress, nausea or vomiting.

#### 4.3 INDICATION OF IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT NEEDED

Not applicable

#### **Section 5: FIRE-FIGHTING MEASURES**

#### **5.1 FLAMMABILITY**

Flammability: Not Flammable by WHMIS/OSHA HAZCOM2012 Criteria

#### **5.2 EXTINGUISHING MEDIA**

#### 5.2a. Suitable Extinguishing Media:

Treat for surrounding material.

## 5.2b. Unsuitable Extinguishing Media:

Not available.

#### 5.3 SPECIFIC HAZARDS ARISING FROM THE CHEMICAL

#### 5.3a. Products of Combustion:

May include, and are not limited to: oxides of carbon

#### 5.3b. Explosion Data

i. Sensitivity to Mechanical Impact:

Not available.

ii. Sensitivity to Static Discharge:

Not available.

#### Section 6: ACCIDENTAL RELEASE MEASURES

## 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT, AND EMERGENCY PROCEDURES



Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

#### 6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

Methods for Containment: Recover all usable material. Pick up large pieces, and then place in

a suitable container. Do not flush to sewer or allow to enter

waterways. Use appropriate Personal Protective Equipment (PPE).

**Methods for Cleaning-Up:** Vacuum or sweep material and place in a disposal container.

Dispose of unwanted material properly in accordance with all local,

regional, national and international regulations.

#### Section 7: HANDLING AND STORAGE

#### 7.1 PRECAUTIONS FOR SAFE HANDLING

Handling: Use in well-ventilated areas. Wear chemical resistant gloves and

eye protection. Do not mix with other chemical products, except as indicated by the manufacturers. Do not get in eyes. Do not get on skin or clothing. Do not breathe fumes. Do not take internally. Good

housekeeping is important to prevent accumulation of dust.

General Hygiene Advice: Use good industrial hygiene practices and wear recommended

personal protection. Launder contaminated clothing before reuse.

Wash hands before eating, drinking, or smoking.

#### 7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage: Keep out of the reach of children. Keep container tightly closed.

Store at room temperature and keep containers closed when not in

use. Avoid any dust buildup by frequent cleaning and suitable

construction of the storage area. Keep dry until use.

#### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 CONTROL PARAMETER Exposure Guidelines

Occupational Exposure Limits			
Chemical Name OSHA-PEL ACGIH-TLV			
Crystalline Silica, Quartz	10 mg/m <sup>3</sup>	0.025 mg/m <sup>3</sup>	
Calcium Carbonate	5 mg/m³ (Resp.)	10 mg/m³	



	15 mg/m³ (Total)	
Ethylene Glycol	100 mg/m³	100 mg/m³
Titanium Dioxide	Not available	10 mg/m³
Diethylene Glycol Monobutyl Ether	Not available	Not available
Nonylphenol Polyethoxylate	Not available	Not available

#### **8.2 EXPOSURE CONTROLS**

**Engineering Controls:**Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

#### 8.3 INDIVIDUAL PROTECTION MEASURES

#### 8.3a. Personal Protective Equipment:

**i. Eye/Face Protection:** Wear approved eye protection [properly fitted dust- or splash-proof chemical safety goggles/face (face shield)]

#### ii. Skin Protection:

1. Hand Protection: Wear chemical resistant gloves.

2. Body Protection: Wear suitable protective clothing

- **iii. Respiratory Protection:** A NIOSH approved dust mask or filtering face piece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2).
- iv. General Health and Safety Measures: Handle according to established industrial hygiene and safety practices.

#### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance (physical state, color, etc.):	Paste-like compound
Odor:	White or Gray
Odor Threshold:	Not available
pH:	8 – 10 when wet
Melting point/Freezing point:	Not available
Initial boiling point and boiling range:	Not available
Flash point:	Not available
Evaporation rate (Water=1):	Not available
Flammability:	Not flammable
Upper Flammability/Explosive Limit:	Not available
Lower Flammability/Explosive Limit:	Not available
Vapor Pressure	Not available
Vapor Density:	Not available



Relative Density:	1 – 2 g/cc
Solubility in Water:	Miscible
Partition coefficient: n-octanol/water:	Not available
Auto-ignition temperature:	Not available
Decomposition Temperature:	Not available
Viscosity (cps):	Not available
VOC Content:	62 g/L

## **Section 10: STABILITY AND REACTIVITY**

#### 10.1. REACTIVITY

No dangerous reaction known under conditions of normal use.

#### 10.2. CHEMICAL STABILITY

Stable under normal storage conditions. Keep dry in storage.

#### 10.3. POSSIBILITY OF HAZARDOUS REACTION

No dangerous reaction known under conditions of normal use.

#### 10.4. CONDITIONS TO AVOID

Heat. Incompatible materials.

#### 10.5. INCOMPATIBLE MATERIALS

Strong acids. Strong Oxidizers.

#### 10.6. HAZARDOUS DECOMPOSITION PRODUCTS

Upon decomposition, this product may yield oxides of carbon.

## **Section 11: TOXICOLOGICAL INFORMATION**

### 11.1. LIKELY ROUTES OF EXPOSURE:

Skin contact, eye contact, inhalation, and ingestion.

## 11.2. SYMPTOMS RELATED TO PHYSICAL/CHEMICAL/TOXICOLOGICAL CHARACTERISTICS:

Eye Contact: Causes eye irritation. Symptoms may include discomfort or pain,

excess blinking and tear production, with marked redness and

swelling of the conjunctiva.

Skin Contact: Causes skin irritation. Handling can cause dry skin, discomfort,

irritation, and dermatitis.

Inhalation: May cause respiratory tract irritation. Causes damage to organs

through prolonged or repeated exposure. This product contains



crystalline silica. Prolonged or repeated inhalation of respirable crystalline silica from this product can cause silicosis, a serious disabling and fatal lung disease.

**Ingestion:** May be harmful if swallowed. Ingestion may cause discomfort

and/or distress, nausea or vomiting.

Acute Toxicity		
Chemical Name	LC50	LD50
Crystalline Silica, Quartz	Not Available	Not Available
Calcium Carbonate	Not Available	Oral: 6450 mg/kg, rat
Ethylene Glycol	Inhalation: 3.95 mg/L, Rat	Oral: 13000 mg/kg
		Dermal: 22270 mg/kg
Titanium Dioxide	Inhalation: 6.82 mg/L, Rat	Oral: 5000 mg/kg
Diethylene Glycol Monobutyl Ether	Not Available	Oral: 6560 mg/kg
		Dermal: 2700 mg/kg
Nonylphenol Polyethoxylate	Not Available	Oral: 2780 mg/kg

Calculated overall chemical acute toxicity values		
LD50 (oral)	LD50 (dermal)	
6834 mg/kg	7160 mg/kg	

Carcinogenicity		
Chemical Name	Chemical Listed as Carcinogens or	
	Potential Carcinogen	
	(NTP,IARC,OSHA,ACGIH,CP65)	
Crystalline Silica, Quartz	N-A2, I-1, O-1, ACGIH-A2, CP65	
Calcium Carbonate	Not Listed	
Ethylene Glycol	Not Listed	
Titanium Dioxide	N-A2, I-2B, O-1 , ACGIH-A4, CP65	
Diethylene Glycol Monobutyl Ether	Not Listed	
Nonylphenol Polyethoxylate	Not Listed	

## 11.3. DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT AND LONG-TERM EXPOSURE

SHORT-TERM	
Skin Corrosion/Irritation:	Causes skin irritation
Serious Eye Damage/Irritation:	Causes eye irritation
Respiratory Sensitization:	Not available
Skin Sensitization:	Not available
STOT-Single Exposure:	May cause respiratory irritation
Aspiration Hazard: Not available	
LONG-TERM	
Carcinogenicity:	May cause cancer
Germ Cell Mutagenicity:	Not available



Reproductive Toxicity:	Not available	
STOT-Repeated Exposure:	Causes damage to organs through prolonged or	
	repeated exposure	
Synergistic/Antagonistic Effects:	Not available	

## **Section 12: ECOLOGICAL INFORMATION**

#### 12.1. ECOTOXICITY

May cause long-term adverse effects to the aquatic environment. Keep from entry into sewers and waterways.

Ecotoxicity			
Chemical Name	EC50/NOEC-48 Hours	LC50/NOEC-96 Hours	
Crystalline Silica, Quartz	Not available	Not available	
Calcium Carbonate	Not available	Not available	
Ethylene Glycol	Not available	Not available	
Titanium Dioxide	>100 mg/L Daphnia Maga	72860 mg/L Fresh water Fish	
Diethylene Glycol Monobutyl Ether	Not available	Not available	
Nonylphenol Polyethoxylate	13-16 mg/L Water flea	4.12-5.35 mg/L rainbow trout	

#### 12.2. PERSISTENCE AND DEGRADABILITY

Not available

#### 12.3. BIOACCUMULATIVE POTENTIAL

Not available

#### 12.4. MOBILITY IN SOIL

Not available

### 12.5. OTHER ADVERSE EFFECTS

Not available

## **Section 13: DISPOSAL CONSIDERATIONS**

#### 13.1. DISPOSAL METHOD

Dispose of contents/containers in accordance with all local, state, provincial, and federal regulations

# 13.2. OTHER DISPOSAL CONSIDERATIONS

Not available



# **Section 14: TRANSPORT INFORMATION**

DOT (U.S.)	TDG (CANADA)	
UN NUMBER:	UN NUMBER:	
Not regulated	Not regulated	
UN PROPER SHIPPING NAME:	UN PROPER SHIPPING NAME:	
Not regulated	Not regulated	
TRANSPORT HAZARD CLASS (ES):	TRANSPORT HAZARD CLASS (ES):	
Not regulated	Not regulated	
PACKING GROUP (if applicable):	PACKING GROUP (if applicable):	
Not regulated	Not regulated	

SUMMARY: Product is NOT regulated under DOT/TDG and other transportation regulations.

#### 14.1. ENVIRONMENTAL HAZARDS

Not available

# 14.2. TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE Not available

#### 14.3. SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.

#### **Section 15: REGULATORY INFORMATION**

# 15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATIONS SPECIFIC FOR THE CHEMICAL

**Canada:** This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

**US:** SDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

#### 15.2. US FEDERAL INFORMATION:

SARA TITLE III				
Chemical Name Section 302 EHS Section 304 CERCLA RQ Section TPQ (lbs) EHS RQ (lbs.)				Section 313
Crystalline Silica, Quartz	Not listed	Not listed	Not listed	Not listed
Calcium Carbonate	Not listed	Not listed	Not listed	Not listed
Ethylene Glycol	Not listed	Not listed	5000	Listed



Titanium Dioxide	Not listed	Not listed	Not listed	Not listed
Diethylene Glycol Monobutyl Ether	Not listed	Not listed	Not listed	Not listed
Sodium Hydroxide	Not listed	Not listed	Not listed	Not listed
Nonylphenol Polyethoxylate	Not listed	Not listed	Not listed	Not listed

# 15.3. US STATE RIGHT TO KNOW LAWS:

California Proposition 65:	WARNING! This product contains a chemical known to the State of California to cause cancer, birth defects or other reproductive harm
Other U.S. States "Right to Know" Lists:	
New Jersey:	Silica, quartz: CAS#14808-60-7 Calcium Carbonate: CAS#1317-65-3 Ethylene Glycol: CAS#107-21-1 Titanium Dioxide CAS#13463-67-7 Diethylene Glycol Monobutyl Ether CAS#112-34-5 Nonylphenol Polyethoxylate CAS#9016-45-9
Pennsylvania:	Silica, quartz: CAS#14808-60-7 Calcium Carbonate: CAS#1317-65-3 Ethylene Glycol: CAS#107-21-1 Titanium Dioxide CAS#13463-67-7 Diethylene Glycol Monobutyl Ether CAS#112-34-5 Nonylphenol Polyethoxylate CAS#9016-45-9
Massachusetts:	Silica, quartz: CAS#14808-60-7 Calcium Carbonate: CAS#1317-65-3 Ethylene Glycol: CAS#107-21-1 Titanium Dioxide CAS#13463-67-7 Diethylene Glycol Monobutyl Ether CAS#112-34-5 Nonylphenol Polyethoxylate CAS#9016-45-9
Minnesota:	Silica, quartz: CAS#14808-60-7 Calcium Carbonate: CAS#1317-65-3 Ethylene Glycol: CAS#107-21-1 Titanium Dioxide CAS#13463-67-7 Diethylene Glycol Monobutyl Ether CAS#112-34-5 Nonylphenol Polyethoxylate CAS#9016-45-9
Florida:	Not Available
Michigan:	Not Available

## 15.4. GLOBAL INVENTORIES


Chemical Name	USA TSCA	Canada DSL/NDSL
Crystalline Silica, Quartz	Yes	DSL




Calcium Carbonate	Yes	DSL
Ethylene Glycol	Yes	DSL
Titanium Dioxide	Yes	DSL
Diethylene Glycol Monobutyl Ether	Yes	DSL
Nonylphenol Polyethoxylate	Yes	DSL




#### 15.5. NFPA AND HMIS RATINGS:



Hazard Index	
4	Severe Hazard
3	Serious Hazard
2	Moderate Hazard
1	Slight Hazard







#### 15.6. SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

CP65	California Proposition 65
OSHA (O)	Occupational Safety and Health Administration
ACGIH (G)	American Conference of Governmental Industrial Hygienists
	A1 – Confirmed human carcinogen
	A2 – Suspected human carcinogen
	A3 – Animal carcinogen
	<ul> <li>A4 – Not classifiable as a human carcinogen</li> </ul>
	<ul> <li>A5 – Not suspected a human carcinogen</li> </ul>
IARC (I)	International Agency for Research on Cancer
	<ul> <li>1 – The agent (mixture) is carcinogenic to humans</li> </ul>
	<ul> <li>2A – The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.</li> <li>2B – The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.</li> <li>3 – The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.</li> <li>4 – The agent (mixture, exposure circumstance) is probably not</li> </ul>
	carcinogenic to humans.
NTP (N)	National Toxicology Program
	1 – Known to be carcinogens
	2 – Reasonably anticipated to be carcinogens

# **Section 16: OTHER INFORMATION**

**Date of Preparation:** January 20, 2015

Version: 1.0

**Revision Date:** N/A

Disclaimer: The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to silica contained in our products.

Prepared by: **Custom Building Products** Phone: (562)-968-2980

www.custombuildingproducts.com

# **End of Safety Data Sheet**