

# **Safety Data Sheet**

This safety data sheet complies with the requirements of: 2012 OSHA Hazard Communication Standard (29CFR 1910.1200)

Product name Spill-X-A® Acid Neutralizer

# 1. Identification

1.1. Product Identifier

Product name Spill-X-A® Acid Neutralizer

1.2. Other means of identification

Product code 073344 Synonyms None

Chemical Family No information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use Spill Control Products
Uses advised against Consumer use

1.4. Details of the Supplier of the Safety Data Sheet

Company Name Tyco Fire Protection Products

One Stanton Street Marinette, WI 54143-2542 Telephone: 715-735-7411

Contact point Product Stewardship at 1-715-735-7411

E-mail address psra@tycofp.com

1.5. Emergency Telephone Number

Emergency telephone CHEMTREC 800-424-9300 or 703-527-3887

## 2. Hazards Identification

### Classification

### **OSHA Regulatory Status**

This product is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

### 2.2. Label Elements

Signal Word

None

The product contains no substances which at their given concentration, are considered to be hazardous to health

#### **Precautionary Statements**

# 2.3. Hazards Not Otherwise Classified (HNOC)

Not Applicable.

# 2.4. OTHER INFORMATION

Unknown Acute Toxicity <1% of the mixture consists of ingredient(s) of unknown toxicity

MSD-V007 NewPig Revision date 10-Jan-2017 Version 27



/ Product name Spill-X-A® Acid / Neutralizer

**PAGE** 2/7

# 3. Composition/information on Ingredients

## 3.1. Mixture

The following component(s) in this product are considered hazardous under applicable OSHA(USA)

Chemical name	CAS No.	weight-%
Magnesium Oxide	1309-48-4	60 - 100
Attapulgite	12174-11-7	7 - 13
Sodium carbonate	497-19-8	5 - 10

# 4. First aid measures

4.1. Description of first aid measures

**Eye Contact**Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water. Get medical attention if irritation develops and persists.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. (Get medical attention immediately

if symptoms occur.).

**Ingestion** Rinse mouth. Do not induce vomiting without medical advice. Aspiration hazard if

swallowed - can enter lungs and cause damage. If swallowed, call a poison control center

or physician immediately.

4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

**Note to physicians** Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

# 5. Fire-fighting measures

#### 5.1. Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### 5.2. Unsuitable Extinguishing Media

None.

## 5.3. Specific Hazards Arising from the Chemical

None known.

**Hazardous Combustion** 

Carbon oxides

**Products** 

#### 5.4. Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

# 5.5. Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.



Product name Spill-X-A® Acid /
Neutralizer

## 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

**Personal Precautions** Do not breathe dust.

6.2. Environmental Precautions

**Environmental Precautions** Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewers,

basements or confined areas. See Section 12 for additional Ecological Information.

**PAGE** 3/7

6.3. Methods and material for containment and cleaning up

Methods for Containment If sweeping of a contaminated area is necessary use a dust suppressing agent which does

not react with product. Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Sweep up and shovel into suitable containers for disposal. Clean up material with vacuum

equipped with HEPA filter. Following product recovery, flush area with water.

# 7. Handling and Storage

## 7.1. Precautions for Safe Handling

Advice on safe handling Avoid generation of dust. Do not breathe dust. Do not enter storage areas or confined

spaces unless adequately ventilated. Handle in accordance with good industrial hygiene

and safety practice.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a cool, well-ventilated place. Guard against dust

accumulation of material. Use care in handling/storage.

**Incompatible Materials** None known.

# 8. Exposure Controls/Personal Protection

# 8.1. Control Parameters

Exposure guidelines

Exposure gardennes				
Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Magnesium Oxide 1309-48-4	TWA: 10 mg/m³ inhalable particulate matter	-	IDLH: 750 mg/m³ fume	
Attapulgite 12174-11-7	TWA: 1 mg/m³ respirable	-	-	

ACGIH (American Conference of Governmental Industrial Hygienists). OSHA (Occupational Safety and Health Administration of the US Department of Labor). NIOSH IDLH: Immediately Dangerous to Life or Health.

### 8.2. Appropriate Engineering Controls

**Engineering controls** Ensure adequate ventilation, especially in confined areas.

#### 8.3. Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Avoid contact with eyes. Tight sealing safety goggles.

**Skin and Body Protection** Wear protective gloves and protective clothing.

MSD-V007 NewPig Revision date 10-Jan-2017 Version 27



/ **Product name** Spill-X-A® Acid / Neutralizer

**PAGE** 4/7

**Respiratory Protection** In case of inadequate ventilation wear respiratory protection.

Ventilation Use local exhaust or general dilution ventilation to control exposure with applicable limits

#### 8.4. General hygiene considerations

Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes or clothing. Keep away from food, drink and animal feeding stuffs. Handle in accordance with good industrial hygiene and safety practice.

## 9. Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

Physical State powder

OdorNoneColorRedodor thresholdNo data available

Property VALUES Remarks • Method

pH No data available
Melting point/freezing point No data available
Boiling point / boiling range No data available
Flash Point No data available
Evaporation Rate No data available
flammability (solid, gas) No data available

Flammability limit in air

Upper flammability limit: No data available No data available Lower flammability limit: **Vapor Pressure** No data available **Vapor Density** No data available Specific gravity No data available Water Solubility No data available Solubility in Other Solvents No data available Partition coefficient No data available **Autoignition Temperature** No data available **Decomposition Temperature** No data available Kinematic viscosity No data available

# 10. Stability and Reactivity

#### 10.1. Chemical Stability

Stable under normal conditions.

## 10.2. Reactivity

None known

#### 10.3. Possibility of hazardous reactions

None under normal processing.

hazardous polymerization Hazardous polymerization does not occur.

#### 10.4. Conditions to Avoid

None known.



Product code 073344 / Product name Spill-X-A® Acid

**PAGE** 5/7

Neutralizer

# 10.5. Incompatible Materials

None known.

#### 10.6. Hazardous decomposition products

Carbon oxides.

## 11. Toxicological Information

# 11.1. Information on Likely Routes of Exposure

**Product information** 

**INHALATION** May cause irritation of respiratory tract.

**Eye Contact** May cause irritation.

**Skin contact** May cause irritation.

**INGESTION** Ingestion may cause irritation to mucous membranes.

### **Acute Toxicity**

Chemical name	Oral LD50	dermal LD50	Inhalation LC50
Sodium carbonate	= 4090 mg/kg (Rat)	=	= 2300 mg/m <sup>3</sup> (Rat) 2 h
497-19-8			

### 11.2. Information on Toxicological Effects

Symptoms No information available.

#### 11.3. Delayed and immediate effects as well as chronic effects from short and long-term exposure

sensitization No information available.

Germ Cell Mutagenicity No information available

carcinogenicity Attapulgite (palygorskite fibers) is a hydrated magnesium aluminum silicate. Long

palygorskite (attapulgite) fibers (>5 micrometers) are possibly carcinogenic to humans (Group 2B). Short palygorskite (attapulgite) fibers (<5 micrometers) cannot be classified as to their carcinogenicity to humans (Group 3). The attapulgite present in this product

contains fibers 0.5-2.5 um range, so would be considered by IARC as Group 3.

Chemical name	ACGIH	IARC	NTP	OSHA
Attapulgite	-	Group 3	-	X
12174-11-7				

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen

Reproductive Toxicity
STOT - Single Exposure
STOT - Repeated Exposure
Aspiration Hazard

No information available.
No information available.
No information available.

# 11.4. Numerical Measures of Toxicity - Product information

The following values are calculated based on chapter 3.1 of the GHS document mg/kg

### 12. Ecological Information

## 12.1. ecotoxicity

Not classified



/ Product name Spill-X-A® Acid

Neutralizer

**PAGE** 6/7

7.19% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Algae/aquatic plants	Fish	Crustacea
Sodium carbonate	EC50 120 h = 242 mg/L Nitzschia	310 - 1220: LC50 96 h 310 - 1220	EC50 48 h = 265 mg/L Daphnia
497-19-8		mg/L Pimephales promelas static	magna
		300: LC50 96 h = 300 mg/L	_
		Lepomis macrochirus static	

### 12.2. Persistence and Degradability

No information available.

### 12.3. Bioaccumulation

No information available.

### 12.4. Other Adverse Effects

No information available

# 13. Disposal Considerations

### 13.1. Waste Treatment Methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Do not reuse container.

# 14. Transport Information

**DOT** NOT REGULATED

TDG NOT REGULATED

MEX NOT REGULATED

# 15. Regulatory Information

# 15.1. International Inventories

TSCA Complies
DSL/NDSL Complies
ENCS Does not comply
IECSC Complies
KECL Does not comply
PICCS Complies
AICS Complies

#### Leaend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances



/ Product name Spill-X-A® Acid /
Neutralizer

**PAGE** 7/7

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

### 15.2. US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute Health Hazard	No
Chronic health hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# 15.3. US State Regulations

## **California Proposition 65**

Classification only applies to Attapulgite with fibers >5 um. This product contains Attapulgite with fibers <5 um.

Chemical name	California Proposition 65
Attapulgite - 12174-11-7	Carcinogen

#### U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations

## 16. Other information, including date of preparation of the last revision

NFPA Health Hazards 0 flammability 0 Instability 0 Physical and chemical

properties -

Health Hazards 0 flammability 0 Physical Hazards 0 Personal Protection X

Revision date 10-Jan-2017

**Revision note** 

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**