

*Effective Date:* 01/01/13 *Replaces Revision:* 11/21/08

NON-EMERGENCY TELEPHONE 610-866-4225

24-HOUR CHEMTREC EMERGENCY TELEPHONE 800-424-9300

# SDS – SAFETY DATA SHEET

# 1. Identification

Product Identifier: BISMUTH TRIOXIDE Synonyms: Bismuth Oxide, Bismuth Yellow, Bismuthous Oxide, Dibismuth Trioxide Chemical Formula: Bi2O3 Recommended Use of the Chemical and Restrictions On Use: Laboratory Reagent Manufacturer / Supplier: Puritan Products; 2290 Avenue A, Bethlehem, PA 18017 Phone: 610-866-4225 Emergency Phone Number: 24-Hour Chemtrec Emergency Telephone 800-424-9300

# 2. Hazard(s) Identification

**Classification of the Substance or Mixture:** Acute toxicity, Oral (Category 5)

Risk Phrases: None

Label Elements:

Trade Name: BISMUTH TRIOXIDE

Signal Word: Warning

Pictogram: None

Hazard Statements: H303: May be harmful if swallowed.

Precautionary Statements: None

# 3. Composition / Information on Ingredients

CAS Number: 1304-76-3 EC Number: 215-134-7 Molecular Weight: 465.96 g/mol

Ingredient	CAS Number	EC Number	Percent	Hazardous	Chemical Characterization
Bismuth Trioxide	1304-76-3	215-134-7	99 -100%	Yes	Substance

# 4. First-aid Measures

Inhalation: If inhaled, remove to fresh air. Get medical attention for any breathing difficulty.

**Ingestion:** Give several glasses of water to drink to dilute. If large amounts were swallowed, get medical advice.

**Skin Contact:** Remove any contaminated clothing. Wash exposed area with soap and water. Get medical advice if irritation develops or persists.

**Eye Contact:** In case of contact, immediately flush eyes with plenty of water for at least 15 minutes, lifting upper and lower eyelids occasionally. Call a physician if irritation persists.

#### 5. Fire-fighting Measures

Fire: Not considered to be a fire hazard.

**Explosion:** Not considered to be an explosion hazard.

Fire Extinguishing Media: Use extinguishing media appropriate for surrounding fire.

**Special Information:** In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full face piece operated in the pressure demand or other positive pressure mode.

# 6. Accidental Release Measures

**Personal Precautions, Protective Equipment and Emergency Procedures:** Wear appropriate personal protective equipment as specified in Section 8.

**Environmental Precautions and Methods and Materials for Containment and Cleaning Up:** Ventilate area of leak or spill. Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust, such as vacuuming or wet sweeping.

# 7. Handling and Storage

**Precautions for Safe Handling and Conditions for Safe Storage, Including Any Incompatibilities:** Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect against physical damage. Isolate from any source of heat or ignition. Isolate from incompatible substances. Containers of this material may be hazardous when empty since they retain product residues (dust, solids.) Observe all warnings and precautions listed for the product.

### 8. Exposure Controls / Personal Protection

#### Airborne Exposure Limits:

OSHA Permissible Exposure Limit (PEL): 15 mg/m3 total dust, 5 mg/m3 respirable fraction for nuisance dusts. ACGIH Threshold Limit Value (TLV) for Particulates (insoluble or poorly soluble) Not Otherwise Specified (PNOS): 3 mg/m3 respirable particles and 10 mg/m3 inhalable particles.

**Ventilation System:** A system of local and / or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Please refer to the ACGIH document, *Industrial Ventilation, A Manual of Recommended Practices*, most recent edition, for details.

**Personal Respirators (NIOSH Approved):** If the exposure limit is exceeded and engineering controls are not feasible, a half face piece particulate respirator (NIOSH type N95 or better filters) may be worn for up to ten times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. A full face piece particulate respirator (NIOSH type N100 filters) may be worn up to 50 times the exposure limit, or the maximum use concentration specified by the appropriate regulatory agency, or respirator supplier, whichever is lowest. If oil particles (e.g. lubricants, cutting fluids, Glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full face piece positive-pressure, air-supplied respirator. WARNING: Air-purifying respirators do not protect workers in Oxygen-deficient atmospheres.

Skin Protection: Wear protective gloves and clean body-covering clothing.

**Eye Protection:** Use chemical safety goggles. Maintain eye wash fountain and quick-drench facilities in work area.

# 9. Physical and Chemical Properties

**Appearance:** Yellow powder or crystals Odor: Odorless Odor Threshold: Not determined **pH:** No data available % Volatiles by volume @ 21C (70F): 0 Melting Point: 820C (1508F) Boiling Point / Boiling Range: 1890C (3434F) Flash Point: Not applicable Evaporation Rate (BuAc=1): No data available Flammability: Not applicable Upper / Lower Flammability or Explosive Limits: Not applicable Vapor Pressure (mm Hg): No data available Vapor Density (Air=1): No data available Relative Density: 8.9 Solubility: Insoluble in water Partition Coefficient: n-octanol / water: No data available Auto-ignition Temperature: Not applicable Decomposition Temperature: No data available Viscosity: No data available

# 10. Stability and Reactivity

Reactivity and / or Chemical Stability: Stable under ordinary use and storage conditions.

Possibility of Hazardous Reactions and Conditions to Avoid: No information found.

Incompatible Materials: No incompatibility data found.

Hazardous Decomposition Products: May emit metallic fumes at high temperatures.

# 11. Toxicological Information

**Emergency Overview:** As part of good industrial and personal hygiene and safety procedure, avoid all unnecessary exposure to the chemical substance and ensure prompt removal from skin, eyes and clothing.

#### Potential Health Effects:

Inhalation: Not expected to be a health hazard.

**Ingestion:** Low toxicity. Bismuth salts are poorly absorbed. Should absorption occur, symptoms may include loss of appetite, headache, skin rashes, kidney damage, and, rarely, mild jaundice.

Skin Contact: Not expected to be a health hazard.

Eye Contact: Not expected to be a health hazard.

**Chronic Exposure:** Repeated or prolonged ingestion may cause a "bismuth line", black spots on the gums, foul breath, and salivation.

Aggravation of Pre-existing Conditions: No information found.

Specific Target Organ Toxicity - Single Exposure (Globally Harmonized System:) No data available.

Specific Target Organ Toxicity - Repeated Exposure (Globally Harmonized System:) No data available.

#### Numerical Measures of Toxicity: Cancer Lists: NTP Carcinogen

Ingredient	Known	Anticipated	IARC Category	
Bismuth Trioxide (1304-76-3)	No	No	None	

Acute Toxicity: Oral LD50 (rat): 5 g/kg.

#### 12. Ecological Information

**Ecotoxicity:** No information found.

Persistence and Degradability: No information found.

Bioaccumulative Potential: No information found.

Mobility in Soil: No information found.

Other adverse effects: No information found.

# 13. Disposal Considerations

Whatever cannot be saved for recovery or recycling should be managed in an appropriate and approved waste disposal facility. Processing, use or contamination of this product may change the waste management options. State and local disposal regulations may differ from federal disposal regulations. Dispose of container and unused contents in accordance with federal, state and local requirements.

# 14. Transport Information

Land Transport ADR/RID and GGVS/GGVE (Cross Border / Domestic) Not regulated

# Maritime Transport IMDG/GGVSea

Not regulated

#### Air Transport ICAO-TI and IATA-DGR Not regulated

# 15. Regulatory Information

#### **Chemical Inventory Status – Part 1**

Ingredient	TSCA	EC	Japan	Australia
Bismuth Trioxide (1304-76-3)	Yes	Yes	Yes	Yes

#### **Chemical Inventory Status – Part 2**

Ingredient	Korea	Canada		Phil.
		DSL	NDSL	
Bismuth Trioxide (1304-76-3)	Yes	Yes	No	Yes

#### Federal, State & International Regulations - Part 1

	SARA 302		SARA 313	
Ingredient	RQ	TPQ	List Chemical	Catg.
Bismuth Trioxide (1304-76-3)	No	No	No	No

#### Federal, State & International Regulations - Part 2

	RCRA		TSCA	
Ingredient	CERCLA	261.33 8(d)		8(d)
Bismuth Trioxide (1304-76-3)	No	No		No

Chemical Weapons Convention: No		TSCA 12(b): No		CDTA: No	
SARA 311/312:	Acute: No	Chronic: No Fire: No		Pressure: No	
Reactivity: No		Pure / Solid			

#### Australian Hazchem Code: Not classified

Poison Schedule: None allocated

# 16. Other Information

THE INFORMATION CONTAINED IN THIS DATA SHEET IS BASED ON THE DATA AVAILABLE TO PURITAN PRODUCTS AT THIS TIME. WHILE BELIEVED TO BE ACCURATE, PURITAN PRODUCTS DOES NOT CLAIM IT TO BE ALL INCLUSIVE. IT IS PROVIDED INDEPENDENT OF ANY SALE OF THE PRODUCT, FOR THE PURPOSE OF HAZARD COMMUNICATION, AND AS A GUIDE FOR THE APPROPRIATE PRECAUTIONARY HANDLING OF THE PRODUCT BY PROPERLY TRAINED INDIVIDUALS. IT IS NOT INTENDED TO PROVIDE PRODUCT PERFORMANCE OR APPLICABILITY INFORMATION, AND NO EXPRESS OR IMPLIED WARRANTY OF ANY KIND IS MADE WITH RESPECT TO THE PRODUCT, THE UNDERLYING PRODUCT DATA, OR THE INFORMATION CONTAINED HEREIN.

YOU ARE URGED TO OBTAIN MATERIAL SAFETY DATA SHEETS FOR ALL PRODUCTS YOU BUY, PROCESS, USE OR DISTRIBUTE, AND ARE ENCOURAGED TO ADVISE THOSE WHO MAY COME IN CONTACT WITH SUCH PRODUCTS OF THE INFORMATION CONTAINED THEREIN.

TO DETERMINE THE APPLICABILITY OR EFFECT OF ANY LAW OR REGULATION WITH RESPECT TO THE PRODUCT, YOU SHOULD CONSULT WITH YOUR LEGAL ADVISOR OR THE APPROPRIATE GOVERNMENT AGENCY. WE WILL NOT PROVIDE ADVICE ON SUCH MATTERS, OR BE RESPONSIBLE FOR ANY INJURY OR DAMAGE RESULTING FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.